

# PURE VANS


Telephone - 01633-212944 Email - sales@purevans.com

www.purevans.com









# TRAFIC

## A Strong personality

New Renault TRAFIC re-asserts its style and stands out from the outset. The front-end panel, front grille with chrome and C-shape light signature with full LED lighting combine dynamism and robustness. More than a van, New Renault TRAFIC is designed to improve your comfort and safety.







# A 'Mobile Office' on wheels

The New Renault TRAFIC has been specifically designed to meet your professional needs and provide you the ability to have a truly 'Mobile Office', packed with clever solutions. From tablet and smartphone cradles, to hidden laptop storage, to our integrated MediaNav system, we aim to keep you connected even when on the go. The cabin area is spacious and comfortable, creating optimal driving conditions with ergonomic seats with lumbar adjustment, adjustable steering wheel and climate control all available. It is not lacking in useful storage: 90l, including a large 54l compartment hidden under the passenger bench seat, allow you to have everything within easy reach.







# Adapted to your team and your load

Whether it's people or goods, New Renault TRAFIC takes care of everything! With a class-leading loading length of 4.15 m (using the load-through bulkhead under the passenger bench seat) and an effective load volume of up to 8.6 m³, it can transport all materials, tools and large or cumbersome objects! The large sliding side doors and the rear doors which open up to 255° facilitate access to the loading area. Do you need to take your team with you? The Crew Van version can comfortably seat up to six people. Combine business with pleasure with New Renault TRAFIC.







# Keeping you connected

Stay connected thanks to New Renault TRAFIC's multimedia systems and Renault Easy Connect services. MediaNav Evolution (standard on Sport) and R-LINK Evolution (optional) have smartphone integration so you can use your favourite applications on the large touchscreen on the dashboard. You also have the R&Go application linking your smartphone or tablet to your vehicle allowing you to control your entire multimedia universe.

- 1. With MediaNav Evolution, all the multimedia essentials are at your fingertips. The new offering has Apple CarPlay™ and Android Auto™ smartphone integration, providing easy access to your applications. On-board touchscreen tablet which gives you access to features such as: navigation with traffic info, hands-free voice calls, digital radio, music streaming, etc.
- **2. R&Go, integrate your smartphone or your tablet** Listen to your music, manage your contacts, navigate accurately, view fuel consumption data... with the R&Go application, it couldn't be easier, all you need to do is place your smartphone or tablet on the holder and follow the instructions.
- **3. Even more customisation with R-LINK Evolution.** Vehicle information, TomTom® navigation, telephony, multimedia and applications can be downloaded via the R-LINK Store, to enhance your driving comfort. Also find all your applications thanks to the smartphone integration (Android Auto™ only).

Android Auto™ is a trademark of Google Inc.

Apple CarPlay™ is a trademark of Apple Inc.

For compatible devices, please refer to https://www.renault.co.uk/services/multimedia/bluetooth-compatibility.html

Connecting a mobile phone to use Bluetooth® should only be done when the vehicle is parked safely. Use of the system should always be in accordance with the rules of The Highway Code. Drivers should only use the system when it is safe to do so. Drivers should be aware of the potential for hands-free technology to distract attention from the road, which could impact on having full control of the vehicle








# Drive with peace of mind

To simplify your business trips and make them safer and stress-free, New Renault TRAFIC is equipped with practical driving aids to help keep you safe. To make parking easier, use the front and rear parking sensor system. The rear parking camera is built into the rear-view mirror or the navigation screen (when taken with navigation). The wide view mirror integrated into the passenger sun visor allows you to view the rear blind spot area for increased safety. Cornering lights combined with fog lights increase visibility on winding roads. New Renault TRAFIC takes care of your comfort and safety.









# Drive anywhere in any weather

Do you drive all the time on different types of terrain and sometimes on bad roads? To meet occasional demands for enhanced traction and help you deal with poor driving conditions, Renault has developed new technology: Grip Xtend. This technology improves the adaptability of your utility vehicle on difficult roads, such as unpaved or muddy tracks. The onboard computer recovers data from the wheels to optimise the vehicle's performance. When grip is lost, it adapts engine power to each wheel to improve the grip and manoeuvrability of the vehicle.





# Colours

Glacier White (S)



Mercury<sup>(M)</sup>



Magma Red (S)



Copper Brown (M)



Urban Grey (S)



Stone (M)



#### Jet Black (M)



#### Panorama Blue (M)



Oyster Grey<sup>(M)</sup>



Slate Grey (M) (1)



|            | Glacier White<br>(369) | Magma Red<br>(NNS) | Urban Grey<br>(KPW) | Mercury<br>(D69) | Copper Brown<br>(CNH) | Stone<br>(HNK) | Jet Black<br>(D68) | Panorama Blue<br>(J43) | Oyster Grey<br>(KNG) | Slate Grey <sup>(1)</sup><br>(KNA) |
|------------|------------------------|--------------------|---------------------|------------------|-----------------------|----------------|--------------------|------------------------|----------------------|------------------------------------|
| Business   | •                      | •                  | •                   | 0                | 0                     | 0              | 0                  | 0                      | 0                    | -                                  |
| Business + | •                      | •                  | •                   | 0                | 0                     | 0              | 0                  | 0                      | 0                    | -                                  |
| Sport      | •                      | •                  | •                   | •                | •                     | •              | •                  | •                      | •                    | -                                  |

● = Standard (therefore no cost) ○ = Optional - = Not available

(S) Solid paint (M) Metallic paint (1) Available only on SpaceClass

Every effort has been made to ensure that the information, descriptions, and images were correct at the time of publication however images may not always reflect the exact version selected. It should be noted that limitations on screen do not permit the subtle paintwork shades on this page to be shown with absolute accuracy.

### Standard features

#### **BUSINESS**





16" DELOS wheels



Kompo



#### Technology

- DAB radio with Bluetooth, USB socket and AUX input with 2x15W speakers
- 12v power socket (front)
- 6 speed gearbox with gear shift indicator
- Trip computer

#### Interior

- · Closed glove box
- Driver's seat with armrest height adjustable, lumbar adjustment
- Steering wheel reach and rake adjustment
- Electric front windows driver's side one-touch descending
- Passenger bench seat
- · 'Kompo' upholstery

#### Exterior

- · Left side loading door unglazed
- · 80-litre fuel tank
- 20-litre AdBlue tank
- Door mirrors heated with electric adjustment and external temperature sensor
- •16" steel wheels with large wheel stylers
- Rear doors unglazed, 180°
- $\boldsymbol{\cdot} \operatorname{\mathsf{Roof}} \operatorname{\mathsf{bar}} \operatorname{\mathsf{fixings}}$
- Spare wheel with anti-theft spare wheel holder

#### Safety and security

- ESC (Electronic Stability Control) with HSA (Hill Start Assist) and Grip Xtend
- Anchorage points: 16 for short wheelbase (SWB) and 18 for long wheelbase (LWB)
- Full-steel bulkhead
- Alarm
- ABS with EBD (Electronic Brake force Distribution)
- Electronic immobiliser
- · Key 3 button with selective opening
- Deadlocking
- · Airbag driver
- Seatbelts 3 point height-adjustable seatbelts with pretensioners and load limiters
- 4 disc brakes

#### Crew Van adds

- · 2nd row of 3 passenger bench seat
- · Glazed bulkhead
- Left and right side loading doors glazed
- Plastic side panels up to windows

## Standard features

#### **BUSINESS+** (in addition to BUSINESS)





16" DELOS wheels



Kompo



#### Interior

- Manual air conditioning and pollen filter
- Passenger bench seat with underseat storage
- Mobile Office (fold down middle passenger seat, with detachable A4 clipboard and laptop storage)
- Smartphone cradle

#### Exterior

 Body coloured door rail and rear tail light column

#### Safety and security

- Full steel bulkhead with load-through facility
- Wide view mirror (blind spot mirror in passenger sunvisor)
- Rear parking sensors

## Standard features

#### **SPORT** (in addition to BUSINESS+)





17" CYCLADE alloy wheels



Java



#### **Technology**

- Renault MediaNav 7" touch screen multimedia & navigation system with 2x20W speakers
- Radio with DAB, Bluetooth and USB socket and AUX input
- Automatic headlights and wipers

#### Interior

- · Leather steering wheel
- Premium dashboard with closable upper dashboard storage
- 'Java' upholstery
- · 2 spot reading lights (driver/passenger)

#### Exterior

- Metallic paint
- Body coloured front bumper and door mirrors with brilliant black, high gloss logo surround and chrome grille
- 17" 'Cyclade' alloy wheels

#### Safety and security


- Front fog lights
- Cruise control and speed limiter

#### Crew Van adds

- 2nd row of 3 passenger seats:
- Individual seats with adjustable headrests, ISOFIX (left & right seat), 2 armrests and underseat storage
- Left and right side loading doors glazed with opening windows

# Upholstery and Wheel Trims






Kompo

Java

#### Wheels








17" CYCLADE alloy wheels

#### **Wheels and Tyres**


| TYPE OF TYRES         |                                 | Summ                            | er tyres                        |                                 | All-weather tyres                 |
|-----------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|-----------------------------------|
| Tyre/wheel size       | 205/6                           | 5 R16.                          | 215/65 R16                      | 215/60 R17                      | 215/65 R16                        |
| Make                  | Goodyear<br>EfficientGrip Cargo | Bridgestone<br>Duravis R660 Eco | Goodyear<br>EfficientGrip Cargo | Goodyear<br>EfficientGrip Cargo | Continental<br>Vanco Four Seasons |
| Fuel efficiency class | В                               | В                               | В                               | В                               | С                                 |
| Wet grip class        | A                               | A                               | A                               | A                               | A                                 |
| Exterior noise (dB)   | 69                              | 72                              | 70                              | 69                              | 73                                |

# Dimensions


#### L1H1 van








#### L2H1 van







| Н1 | Van | DΙ | MFN | ารเก | NS | (mm) |
|----|-----|----|-----|------|----|------|
|    |     |    |     |      |    |      |

|  | L1H1        | L2H1        |
|--|-------------|-------------|
| Usable volume (m³)   | 5.2         | 6           |
| Outside dimensions   |             |             |
| Overall length   | 4,999       | 5,399       |
| Overall width without/with door mirrors                                | 1,956/2,283 | 1,956/2,283 |
| Unladen height   | 1,971       | 1,967       |
| Wheelbase  | 3,098       | 3,498       |
| Front overhang   | 933         | 933         |
| Rear overhang  | 968         | 968         |
| Loading area   |             |             |
| Width x length of the bench hatch                                      | 510 x 222   | 510 x 222   |
| Loading length on floor  | 2,537       | 2,937       |
| Usable length on floor (including load-through facility)               | 2,950       | 3,350       |
| Usable length on floor (including load-through facility into footwell) | 3,750       | 4,150       |
| Usable length 400 mm from the floor                                    | 2,537       | 2,937       |
| Usable length 1 m from the floor                                       | 2,250       | 2,650       |
| Maximum interior width   | 1,662       | 1,662       |
| Width between wheel arches   | 1,268       | 1,268       |
| Usable height  | 1,387       | 1,387       |
| Sliding side door(s)   |             |             |
| Sliding side door entry width 600 mm from floor                        | 907         | 907         |
| Sliding side door entry width 100 mm from floor                        | 1,030       | 1,030       |
| Sliding side door entry height   | 1,284       | 1,284       |
|  |             |             |


DIMENSIONS H1 Van (mm) (cont.)

|                              | L1H1  | L2H1  |
|------------------------------|-------|-------|
| Rear door                    |       |       |
| Entry width 70 mm from floor | 1,391 | 1,391 |
| Entry height                 | 1,320 | 1,320 |
| Loading sill                 | 552   | 552   |
| Ground clearance             | 160   | 160   |


#### VAN WEIGHTS AND LOADS (kg)


|                                       | L1            | H1            | L2H1          |
|---------------------------------------|---------------|---------------|---------------|
| Version                               | SL28          | SL30          | LL30          |
| Gross vehicle weight*                 | 2,835 - 2,860 | 2,955 - 2,985 | 3,050 - 3,070 |
| Kerb weight*                          | 1,757 - 1,824 | 1,757 - 1,810 | 1,810 - 1,877 |
| Max. payload*                         | 1,036 - 1,078 | 1,170 - 1,198 | 1,193 - 1,240 |
| Max. load on front axle*              | 1,387 - 1,625 | 1,387 - 1,625 | 1,387 - 1,625 |
| Max. load on rear axle*               | 1,448 - 1,650 | 1,448 - 1,650 | 1,448 - 1,650 |
| Max. trailer weight (braked/unbraked) | 2,000/750     | 2,000/750     | 2,000/750     |

<sup>\*</sup> Depending on engine and trim level














| Н2 | Van | DΙ | MFN | ISIC | 2NC | (mm) |
|----|-----|----|-----|------|-----|------|
|    |     |    |     |      |     |      |

|  | L1H2        | L2H2        |
|--|-------------|-------------|
| Usable volume (m³)   | 7.2         | 8.6         |
| Outside dimensions   |             |             |
| Overall length   | 4,999       | 5,399       |
| Overall width without/with door mirrors                                | 1,956/2,283 | 1,956/2,283 |
| Unladen height   | 2,495       | 2,498       |
| Wheelbase  | 3,098       | 3,498       |
| Front overhang   | 933         | 933         |
| Rear overhang  | 968         | 968         |
| Loading area   |             |             |
| Width x length of the bench hatch                                      | 510 x 222   | 510 x 222   |
| Loading length on floor  | 2,537       | 2,937       |
| Usable length on floor (including load-through facility)               | 2,950       | 3,350       |
| Usable length on floor (including load-through facility into footwell) | 3,750       | 4,150       |
| Usable length 400 mm from the floor                                    | 2,537       | 2,937       |
| Usable length 1 m from the floor                                       | 2,250       | 2,650       |
| Maximum interior width   | 1,662       | 1,662       |
| Width between wheel arches   | 1,268       | 1,268       |
| Usable height  | 1,898       | 1,898       |
| Sliding side door(s)   |             |             |
| Sliding side door entry width 600 mm from floor                        | 907         | 907         |
| Sliding side door entry width 100 mm from floor                        | 1,030       | 1,030       |
| Sliding side door entry height   | 1,284       | 1,284       |
|  |             |             |

DIMENSIONS H2 Van (mm) (cont.)

|                              | L1H2  | L2H2  |
|------------------------------|-------|-------|
| Rear door                    |       |       |
| Entry width 70 mm from floor | 1,391 | 1,391 |
| Entry height                 | 1,820 | 1,820 |
| Loading sill                 | 552   | 552   |
| Ground clearance             | 160   | 160   |


#### H2 VAN WEIGHTS AND LOADS (kg)

|                                       | L1H2          | L2H2          |
|---------------------------------------|---------------|---------------|
| Version                               | SH30          | LH30          |
| Gross vehicle weight*                 | 2,995         | 3,070         |
| Kerb weight*                          | 1,881 - 1,903 | 1,925 - 1,947 |
| Max. payload*                         | 1,092 - 1,114 | 1,123 - 1,145 |
| Max. load on front axle               | 1,437         | 1,516         |
| Max. load on rear axle                | 1,558         | 1,554         |
| Max. trailer weight (braked/unbraked) | 2,000/750     | 2,000/750     |
|                                       |               |               |


\*Depending on engine and trim level

# Dimensions


#### Crew Van L1H1








#### Crew Van L2H1







| n | IN | IF | NS | IONS | Crew | Van | (mm) |
|---|----|----|----|------|------|-----|------|
|   |    |    |    |      |      |     |      |

|  | L1H1           | L2H1           |
|--|----------------|----------------|
| Usable volume (m³)                                     | 3.2            | 4.0            |
| Outside dimensions                                     |                |                |
| Overall length   | 4,999          | 5,399          |
| Overall width without/with door mirrors                | 1,956/2,283    | 1,956/2,283    |
| Unladen height   | 1,971          | 1,967          |
| Wheelbase  | 3,098          | 3,498          |
| Front overhang   | 933            | 933            |
| Rear overhang  | 968            | 968            |
| Loading area   |                |                |
| Height x width of opening under bench seat             |                |                |
| Usable length 30 mm from floor (up to 222 mm) in E0    | 2,018          | 2,418          |
| Usable length 30 mm from floor (up to 222 mm) in E1-E2 | 1,914 to 2,023 | 2,314 to 2,423 |
| Usable length 400 mm from the floor                    | 1,419          | 1,819          |
| Usable length 1.1 m from the floor                     | 1,340          | 1,740          |
| Maximum interior width                                 | 1,662          | 1,662          |
| Width between wheel arches                             | 1,268          | 1,268          |
| Usable height  | 1,387          | 1,387          |
| Sliding side door(s)                                   |                |                |
| Sliding side door entry width 600 mm from floor        | 907            | 907            |
| Sliding side door entry width 100 mm from floor        | 1,030          | 1,030          |
| Sliding side door entry height                         | 1,284          | 1,284          |

**DIMENSIONS Crew Van (mm) (continued)** 

|                              | L1H1  | L2H1  |
|------------------------------|-------|-------|
| Rear door                    |       |       |
| Entry width 70 mm from floor | 1,391 | 1,391 |
| Entry height                 | 1,320 | 1,320 |
| Loading sill                 | 552   | 552   |
| Ground clearance             | 160   | 160   |


#### Crew Van WEIGHTS AND LOADS (kg)

|  | L1H1              | L2H1              |
|--|-------------------|-------------------|
| Version                                | SL30              | LL30              |
| Gross Vehicle Weight (GVW)*            | 3,025 - 3,060     | 3,070             |
| Unladen kerb weight*                   | 1,901 - 1,968     | 1,938 - 2,005     |
| Max. payload*                          | 1,087 - 1,128     | 1,065 - 1,132     |
| Max. load on front axle*               | 1,432 - 1,625     | 1,422 - 1,625     |
| Max. load on rear axle*                | 1,548 - 1,650     | 1,546 - 1,650     |
| Max. trailer weight (braked/unbraked)* | 1,710 - 2,000/750 | 1,670 - 2,000/750 |
| 16 11 1 1 1 1 1                        |                   |                   |

\*Depending on engine and trim level




## Options









- 1. Rear parking sensor: To facilitate parking manoeuvres, the parking aid alerts you to any obstacles behind the car with an audible signal. You can thus reduce the risk of accidents and damage to your vehicle.
- 2. Climate control: The automatic climate control system offers comfort in the passenger compartment and good visibility (except in the event of extreme conditions), while optimising consumption. The system controls the ventilation speed, air distribution, air recirculation, and starting and stopping the air conditioning and air temperature.
- **3. Hands-free key card:** You can lock, unlock and start the vehicle without even using the card, simply by touching the door button or the start button.
- 4. Airbag system: Driver and passenger pre-prepared restraint airbags, headrests and three-point seat belts, including force limiters and pretensioners. Deactivation of the passenger airbag allowing child seat back-to-road installation (according to regulations). Side curtain airbags for the front seats, combined with chest airbags where individual passenger seat is present.
- **5. Load-through bulkhead:** Two hatches, located in the partition and under the passenger bench seat, can increase the loading length by 1.21 m.



# Accessories




- 1. Roof bars: Very practical for transporting professional equipment and all other bulky loads. These roof bars meet all safety and quality standards and are available in either a set of 2 bar (maximum load: 89.5kg) or 4 bars (maximum load: 181.5kg).
- **2. Loading pack:** Essential for easy access to the roof. Pack includes the steel ladder, mounted inside the door for a better hold, and the aluminium roof rack, supplied with rear roller for easy loading.
- **3. Rubber floor mats:** These waterproof and easy-to-maintain mats ensure total protection for the floor of your New TRAFIC. They are quick to attach using 2 safety clips and come in packs of 2 or 4.
- **4. Rear parking sensors:** Makes parking easier by detecting any obstacles behind your vehicle and issuing an audible alert.
- **5. Kenwood Dashcam:** The Kenwood DRV-410 Dash Cam is a great addition for your added security and reassurance on the road. The on-board camera automatically starts recording as soon as the vehicle ignition is switched on. As video footage is now widely accepted and used for insurance claims, the dashcam is designed to give drivers peace of mind. The pack includes a GPS integrated dashboard camera with advanced driver assistance systems (ADAS) built-in and has full HD recording at 27 frames/sec.

For more information, consult the New TRAFIC accessories brochure.














5.

# Technical Specification







- - Torque

## More efficient driving

Now equipped with the new 2.0l dCi diesel engine with variable geometry turbocharger compliant with Euro 6d-temp standards. Available from 120 hp to 170 hp, this 5th generation engine delivers more power (+ 25 hp) and more torque (+ 40 Nm), whilst achieving better fuel economy and driving pleasure.

New TRAFIC Van is available with two superior engines (145 hp and 170 hp) that can accommodate the new dual-clutch automatic gearbox.



# Technical Specification

|  | dCi 120<br>Stop & Start                      | dCi 145<br>ENERGY  | dCi 145<br>ENERGY                | dCi 170<br>ENERGY  | dCi 170<br>ENERGY               |  |
|--|--|--------------------|----------------------------------|--------------------|---------------------------------|--|
| Emission control standard                                |  |                    | Euro 6d-temp                     |                    |                                 |  |
| Certification cycle                                      |  |                    | WLTP                             |                    |                                 |  |
| TRANSMISSION   |  |                    |                                  |                    |                                 |  |
| Gearbox type   | Manual gearbox                               | Manual gearbox     | Automatic gearbox<br>Dual-clutch | Manual gearbox     | Automatic gearbo<br>Dual-clutch |  |
| Number of gears  | 6  | 6                  | 6                                | 6                  | 6                               |  |
| Stop & Start + Energy Smart Management                   | •  | •                  | •                                | •                  | •                               |  |
| Maintenance interval                                     |  |                    | Up to 25,000 miles/2 years       |                    |                                 |  |
| ENGINE   |  |                    |                                  |                    |                                 |  |
| Capacity (cc)  | 1,997  | 1,997              | 1,997                            | 1,997              | 1,997                           |  |
| Type of injection  |  | Common             | rail + Variable geometry turb    | ocharger           |                                 |  |
| uel and tank volume (L)                                  |  |                    | Diesel - 80                      |                    |                                 |  |
| Number of cylinders                                      |  |                    | 4                                |                    |                                 |  |
| Number of valves   |  |                    | 16                               |                    |                                 |  |
| Peak power kW EEC (hp) at rpm                            | 88 (120) at 3,705                            | 107 (145) at 3,500 | 107 (145) at 3,500               | 125 (170) at 3,500 | 125 (170) at 3,50               |  |
| Max. torque Nm EEC at rpm                                | 320 at 1,500                                 | 350 at 1,500       | 350 at 1,500                     | 380 at 1,500       | 380 at 1,500                    |  |
| Volume of AdBlue tank (L)                                |  |                    | 20                               |                    |                                 |  |
| PERFORMANCE  |  |                    |                                  |                    |                                 |  |
| Top speed (mph)  | 103  | 109                | 109                              | 109                | 111                             |  |
| 0-62 mph (s)   | 13.9   | 11.9 (H1)          | 10.7 (H1)                        | 11.0               | 9.9                             |  |
| 5-02 mpm (s)   | 13.7   | 12.6 (H2)          | 11.4 (H2)                        | 11.0               | 7.7                             |  |
| FUEL CONSUMPTION AND CO <sub>2</sub> EMISSIONS           |  |                    |                                  |                    |                                 |  |
| Combined consumption (mpg)*                              | 52.3 - 49.6                                  | 52.3 - 49.6        | 48.7 - 48.1                      | 51.4 - 49.6        | 48.7 - 47.1                     |  |
| CO <sub>2</sub> emissions (g/km)*                        | 144 - 150                                    | 143 - 150          | 153 - 159                        | 146 - 149          | 153 - 159                       |  |
| STEERING   |  |                    |                                  |                    |                                 |  |
| Turning circle between kerbs (m)                         |  | Short wh           | eelbase: 11.84 Long Wheelba      | nse: 13.17         |                                 |  |
| Ø turning circle between walls (m)                       | Short wheelbase: 12.40 Long Wheelbase: 13.73 |                    |                                  |                    |                                 |  |
| BRAKING  |  |                    |                                  |                    |                                 |  |
| ABS with EBA and EBV/adaptive ESC with ASR               | Standard                                     |                    |                                  |                    |                                 |  |
| Front: ventilated discs - Rear: solid discs Ø/width (mm) | 296/28 - 280/12                              |                    |                                  |                    |                                 |  |
| TYRES  |  |                    |                                  |                    |                                 |  |
|  |  |                    |                                  |                    |                                 |  |
| Tyre/wheel size  |  |                    | Standard: 205/65 R16             |                    |                                 |  |

<sup>\*</sup>Depending on engine and trim level

# New TRAFIC Van

#### **TRAFIC VAN - PANEL VAN**

| 1988    | VERSIONS  | CO <sub>2</sub> (g/km) <sup>†</sup> | Combined fuel consumption (mpg) <sup>†</sup> | Load volume (m³) | Max. payload (kg) |
|--|---|-------------------------------------|--|------------------|-------------------|
| SEAD SEAD FOR COLD Business Panel Van PYT19   143   9.3   5.2   1072   | BUSINESS  |                                     |  |                  |                   |
| SLEE BEREAFY 601 156 Busineses Panel Van MY19  | L1H1  |                                     |  |                  |                   |
| SLID DER BY AGY 120 Busines Panel Van MY19         144         5.2         5.2         1198           SLID DER BY AGY 120 Busines Panel Van MY19         16.2         4.5.6         7.2         1114           SLID DER BY AGY 120 Busines Panel Van MY19         16.2         4.5.6         7.2         1114           SLID DER BY AGY 120 Busines Panel Van MY19         16.7         5.1.4         6.0         1.26           LIS DER BY AGY 120 Busines Panel Van MY19         16.7         5.1.4         6.0         1.26           LIS DER BY AGY 120 Busines Panel Van MY19         16.7         5.1.4         6.0         1.26           LIS DER BY AGY 120 Busines Panel Van MY19         16.7         4.8         8.0         8.0         1.26           LIS DER BY AGY 120 Busines Panel Van MY19         16.5         4.8         8.0         8.0         1.26           LIS DER BY AGY 120 Busines Panel Van MY19         16.9         5.2         1.25         1.25         1.25           LIS DER BY AGY 120 Busines Panel Van MY19         16.1         5.2         5.2         1.26         1.26           LIS DER BY AGY 120 Busines Panel Van MY19         16.1         5.2         1.26         1.26         1.26         1.26         1.26         1.26         1.26         1.26         1.26<   | SL28 ENERGY dCi 120 Business Panel Van MY19           | 144                                 | 51.4   | 5.2              | 1078              |
| \$1.00 PERSOY ACT 104 Business Panel Van PYTY9  \$1.00 PERSOY ACT 104 Busi | SL28 ENERGY dCi 145 Business Panel Van MY19           | 143                                 | 52.3   | 5.2              | 1072              |
| 1519    | SL30 ENERGY dCi 120 Business Panel Van MY19           | 144                                 | 52.3   | 5.2              | 1198              |
| SHIRD BINREY GET 148 Business Panel Van MY19   | SL30 ENERGY dCi 145 Business Panel Van MY19           | 143                                 | 52.3   | 5.2              | 1192              |
| 147  | L1H2  |                                     |  |                  |                   |
| 1.10 PERROY GET 128 Business Panel Van MY19   147   514   6.0   1220   | SH30 ENERGY dCi 145 Business Panel Van MY19           | 162                                 | 45.6   | 7.2              | 1114              |
| 1.130 PENDROY GOT 145 Business Panel Van MY19  | L2H1  |                                     |  |                  |                   |
| 1806   1807   1808  | LL30 ENERGY dCi 120 Business Panel Van MY19           | 147                                 | 51.4   | 6.0              | 1240              |
| HIS ENERGY dCI 145 Business Panel Van MY19   | LL30 ENERGY dCi 145 Business Panel Van MY19           | 147                                 | 51.4   | 6.0              | 1234              |
| SERION   STATE   STA   | L2H2  |                                     |  |                  |                   |
| 18   18   18   18   18   18   18   18  | LH30 ENERGY dCi 145 Business Panel Van MY19           | 165                                 | 44.8   | 8.6              | 1145              |
| 18   18   18   18   18   18   18   18  | BUSINESS +  |                                     |  |                  |                   |
| SL2B ENERGY dCI 12B Business Panel Van MY19     144     523     52     1056       SL2B ENERGY dCI 145 Business Panel Van MY19     143     523     52     1050       SL2B ENERGY dCI 145 Business Panel Van MY19     153     48.7     52     1050       SL3D ENERGY dCI 12B Business Panel Van MY19     144     52.3     52     1176       SL3D ENERGY dCI 145 Business Panel Van MY19     143     52.3     52     1176       SL3D ENERGY dCI 145 Business Panel Van MY19     153     48.7     52     1176       SL3D ENERGY dCI 145 Business Panel Van MY19     153     48.7     52     1176       SL3D ENERGY dCI 145 Business Panel Van MY19     162     45.6     7.2     1092       L2H1     12     45.6     7.2     1092       L2H2     12     10.0     1218     12.0     12.0       L3D ENERGY dCI 126 Business Panel Van MY19     16     47.9     6.0     12.2     10.3       L3D ENERGY   | L1H1  |                                     |  |                  |                   |
| SEABERRY dCI 145 Auto EDC Business* Panel Van MY19   | SL28 ENERGY dCi 120 Business+ Panel Van MY19          | 144                                 | 52.3   | 5.2              | 1056              |
| SEAD ENERGY dCI 120 Business+ Panel Van MY19   | SL28 ENERGY dCi 145 Business+ Panel Van MY19          | 143                                 | 52.3   | 5.2              | 1050              |
| SLIQ ENERGY dCI 120 Business+ Panel Van MY19   | SL28 ENERGY dCi 145 Auto EDC Business+ Panel Van MY19 | 153                                 | 48.7   | 5.2              | 1050              |
| 153   48.7   5.2   1175   11   | SL30 ENERGY dCi 120 Business+ Panel Van MY19          |                                     |  | 5.2              |                   |
| 1  | SL30 ENERGY dCi 145 Business+ Panel Van MY19          | 143                                 | 52.3   | 5.2              | 1170              |
| 162   45.6   7.2   1092   10   | SL30 ENERGY dCi 145 Auto EDC Business+ Panel Van MY19 | 153                                 | 48.7   | 5.2              | 1175              |
| L29 C MERGY dCi 120 Business+ Panel Van MY19 146 51.4 6.0 1218   L30 E NERGY dCi 145 Business+ Panel Van MY19 156 47.9 6.0 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 48.8 8.6 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 48.8 8.6 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 48.8 8.6 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 58.8 8.6 125   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 58.8 8.6 125   L20 E NERGY dCi 145 Business+ Panel Van MY19 154 59.0 E NERGY dCi 145 Sport Panel Van MY19 154 59.0 E NERGY dCi 145 Sport Panel Van MY19 153 88.0 E NERGY dCi 145 Sport Panel Van MY19 153 88.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 69 1198 E   | L1H2  |                                     |  |                  |                   |
| L29 C MERGY dCi 120 Business+ Panel Van MY19 146 51.4 6.0 1218   L30 E NERGY dCi 145 Business+ Panel Van MY19 156 47.9 6.0 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 48.8 8.6 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 48.8 8.6 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 48.8 8.6 1255   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 58.8 8.6 125   L20 E NERGY dCi 145 Business+ Panel Van MY19 156 58.8 8.6 125   L20 E NERGY dCi 145 Business+ Panel Van MY19 154 59.0 E NERGY dCi 145 Sport Panel Van MY19 154 59.0 E NERGY dCi 145 Sport Panel Van MY19 153 88.0 E NERGY dCi 145 Sport Panel Van MY19 153 88.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 59.0 E NERGY dCi 145 Sport Panel Van MY19 156 69 1198 E   | SH30 ENERGY dCi 145 Business+ Panel Van MY19          | 162                                 | 45.6   | 7.2              | 1092              |
| LL30 ENERGY dG1 145 Business+ Panel Van MY19       147       51.4       6.0       1212         LL30 ENERGY dG1 145 Auto EDC Business+ Panel Van MY19       156       47.9       6.0       1255         LLH2       LLH2         LLH30 ENERGY dG1 145 Business+ Panel Van MY19       165       48.8       8.6       1123         SPORT         LLH1         SL28 ENERGY GG1 120 Sport Panel Van MY19       144       52.3       5.2       1042         SL28 ENERGY GG1 145 Sport Panel Van MY19       143       52.3       5.2       1036         SL28 ENERGY GG1 145 Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY GG1 170 Sport Panel Van MY19       146       51.4       5.2       1036         SL28 ENERGY GG1 170 Auto EDC Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY GG1 170 Auto EDC Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY GG1 170 Sport Panel Van MY19       16       51.4       6.0       1036         SL28 ENERGY GG1 120 Sport Panel Van MY19       146       51.4       6.0       1036         LL30 ENERGY GG1 145 Supt Panel Van MY19       147       51.4       6.0       103 <td></td> <td></td> <td></td> <td></td> <td></td>  |   |                                     |  |                  |                   |
| L136 ENERGY dCi 145 Auto EDC Business+ Panel Van MY19       156       47.9       6.0       1255         L2H2       LH30 ENERGY dCi 145 Business+ Panel Van MY19       165       44.8       8.6       1123         SPORT         LH1       LS 28 ENERGY dCi 120 Sport Panel Van MY19       144       52.3       5.2       1042         SL28 ENERGY dCi 120 Sport Panel Van MY19       143       52.3       5.2       1036         SL28 ENERGY dCi 145 Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY dCi 170 Sport Panel Van MY19       166       51.4       5.2       1036         SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19       153       48.7       5.2       1036         L30 ENERGY dCi 170 Sport Panel Van MY19       166       51.4       6.0       1204         L30 ENERGY dCi 120 Sport Panel Van MY19       147       51.4       6.0       1198         L130 ENERGY dCi 145 Suto EDC Sport Panel Van MY19       147       51.4       6.0       0       1198         L130 ENERGY dCi 145 Suto EDC Sport Pa   | LL30 ENERGY dCi 120 Business+ Panel Van MY19          | 146                                 | 51.4   | 6.0              | 1218              |
| LH20 ENERGY dCi 145 Business* Panel Van MY19     165     44.8     8.6     1123       SPORT       L1H1       SL28 ENERGY dCi 120 Sport Panel Van MY19     144     52.3     5.2     1042       SL28 ENERGY dCi 145 Sport Panel Van MY19     143     52.3     5.2     1036       SL28 ENERGY dCi 145 Sport Panel Van MY19     153     48.7     5.2     1036       SL28 ENERGY dCi 170 Sport Panel Van MY19     166     51.4     5.2     1036       SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H1       L30 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H2       L30 ENERGY dCi 170 Sport Panel Van MY19     153     48.7     5.2     1036       L2H2       L130 ENERGY dCi 170 Sport Panel Van MY19     16     51.4     6.0     1204       L130 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       L130 ENERGY dCi 145 Sport Panel Van MY19     16     47.9     6.0     1198       L130 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  | LL30 ENERGY dCi 145 Business+ Panel Van MY19          | 147                                 | 51.4   | 6.0              | 1212              |
| 165   448   8.6   1123   123   125   | LL30 ENERGY dCi 145 Auto EDC Business+ Panel Van MY19 | 156                                 | 47.9   | 6.0              | 1255              |
| SEPORT   S   | L2H2  |                                     |  |                  |                   |
| L1H1         SL28 ENERGY dCi 120 Sport Panel Van MY19       144       52.3       5.2       1042         SL28 ENERGY dCi 145 Sport Panel Van MY19       143       52.3       5.2       1036         SL28 ENERGY dCi 145 Auto EDC Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY dCi 170 Sport Panel Van MY19       146       51.4       5.2       1036         SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19       146       51.4       6.0       1204         L30 ENERGY dCi 120 Sport Panel Van MY19       146       51.4       6.0       1204         L30 ENERGY dCi 120 Sport Panel Van MY19       147       51.4       6.0       1198         L30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19       156       47.9       6.0       1193         L30 ENERGY dCi 170 Sport Panel Van MY19       149       49.6       6.0       1198   | LH30 ENERGY dCi 145 Business+ Panel Van MY19          | 165                                 | 44.8   | 8.6              | 1123              |
| L1H1         SL28 ENERGY dCi 120 Sport Panel Van MY19       144       52.3       5.2       1042         SL28 ENERGY dCi 145 Sport Panel Van MY19       143       52.3       5.2       1036         SL28 ENERGY dCi 145 Auto EDC Sport Panel Van MY19       153       48.7       5.2       1036         SL28 ENERGY dCi 170 Sport Panel Van MY19       146       51.4       5.2       1036         SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19       146       51.4       6.0       1204         L30 ENERGY dCi 120 Sport Panel Van MY19       146       51.4       6.0       1204         L30 ENERGY dCi 120 Sport Panel Van MY19       147       51.4       6.0       1198         L30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19       156       47.9       6.0       1193         L30 ENERGY dCi 170 Sport Panel Van MY19       149       49.6       6.0       1198   | SPORT   |                                     |  |                  |                   |
| SL28 ENERGY dCi 120 Sport Panel Van MY19     144     52.3     5.2     1042       SL28 ENERGY dCi 145 Sport Panel Van MY19     143     52.3     5.2     1036       SL28 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       SL28 ENERGY dCi 170 Sport Panel Van MY19     146     51.4     5.2     1036       SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H     LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  | L1H1  |                                     |  |                  |                   |
| SL28 ENERGY dCi 145 Sport Panel Van MY19     143     52.3     5.2     1036       SL28 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       SL28 ENERGY dCi 170 Sport Panel Van MY19     146     51.4     5.2     1036       SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H     LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198   | SL28 ENERGY dCi 120 Sport Panel Van MY19              | 144                                 | 52.3   | 5.2              | 1042              |
| SL28 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       SL28 ENERGY dCi 170 Sport Panel Van MY19     146     51.4     5.2     1036       SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H     LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  | •   |                                     |  |                  |                   |
| SL28 ENERGY dCi 170 Sport Panel Van MY19     146     51.4     5.2     1036       SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H     LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  |   |                                     |  |                  |                   |
| SL28 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     153     48.7     5.2     1036       L2H1       LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  | · · · · · · · · · · · · · · · · · · ·                 |                                     |  |                  |                   |
| L2H1       LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  |   |                                     |  |                  |                   |
| LL30 ENERGY dCi 120 Sport Panel Van MY19     146     51.4     6.0     1204       LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198   | ·   |                                     |  |                  |                   |
| LL30 ENERGY dCi 145 Sport Panel Van MY19     147     51.4     6.0     1198       LL30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       LL30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198  |   | 146                                 | 51.4   | 6.0              | 1204              |
| L30 ENERGY dCi 145 Auto EDC Sport Panel Van MY19     156     47.9     6.0     1193       L30 ENERGY dCi 170 Sport Panel Van MY19     149     49.6     6.0     1198   |   |                                     | · · · · · · · · · · · · · · · · · · ·        |                  | ·                 |
| LL30 ENERGY dCi 170 Sport Panel Van MY19 49.6 6.0 1198   |   |                                     |  |                  |                   |
| ·  |   |                                     |  |                  |                   |
|  | LL30 ENERGY dCi 170 Auto EDC Sport Panel Van MY19     | 156                                 | 47.9   | 6.0              | 1193              |

#### **TRAFIC CREW VAN - 6 SEATS**

| VERSIONS   | CO <sub>2</sub> (g/km) <sup>†</sup> | Combined fuel consumption (mpg) <sup>†</sup> | Load volume (m³) | Max. payload (kg) |
|--|-------------------------------------|--|------------------|-------------------|
| BUSINESS   |                                     |  |                  |                   |
| L1H1   |                                     |  |                  |                   |
| SL30 ENERGY dCi 120 Business Crew Van MY19           | 147                                 | 50.4   | 3.2              | 1124              |
| SL30 ENERGY dCi 145 Auto EDC Business Crew Van MY19  | 159                                 | 47.1   | 3.2              | 1128              |
| L2H1   |                                     |  |                  |                   |
| LL30 ENERGY dCi 120 Business Crew Van MY19           | 150                                 | 49.6   | 4.0              | 1132              |
| LL30 ENERGY dCi 145 Auto EDC Business Crew Van MY19  | 159                                 | 47.1   | 4.0              | 1101              |
| BUSINESS +   |                                     |  |                  |                   |
| L1H1   |                                     |  |                  |                   |
| SL30 ENERGY dCi 120 Business+ Crew Van MY19          | 147                                 | 50.4   | 3.2              | 1102              |
| SL30 ENERGY dCi 145 Auto EDC Business+ Crew Van MY19 | 159                                 | 47.1   | 3.2              | 1106              |
| L2H1   |                                     |  |                  |                   |
| LL30 ENERGY dCi 120 Business+ Crew Van MY19          | 150                                 | 49.6   | 4.0              | 1110              |
| LL30 ENERGY dCi 145 Auto EDC Business+ Crew Van MY19 | 159                                 | 47.1   | 4.0              | 1079              |
| SPORT  |                                     |  |                  |                   |
| L1H1   |                                     |  |                  |                   |
| SL30 ENERGY dCi 145 Sport Crew Van MY19              | 147                                 | 50.4   | 3.2              | 1087              |
| SL30 ENERGY dCi 170 Auto EDC Sport Crew Van MY19     | 159                                 | 47.1   | 3.2              | 1092              |
| L2H1   |                                     |  |                  |                   |
| LL30 ENERGY dCi 145 Sport Crew Van MY19              | 150                                 | 49.6   | 4.0              | 1090              |
| LL30 ENERGY dCi 170 Auto EDC Sport Crew Van MY19     | 159                                 | 47.1   | 4.0              | 1065              |

† Official fuel consumption figures are produced for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real-world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CQ. figures, however the CQ, and fuel consumption figures are based on the outgoing NEDC test cycle which have been back-translated from WLTP to NEDC. Apayload equals the Maximum Operating Mass (Gross Vehicle Mass or GVW) less the Kerb Mass. Fix here weight of the complete vehicle including colonat, oil, a 90% full fuel tank, a 100% full Additional equipment added (options or accessories), or the selection of a higher trim level, could result in a higher Kerb Mass and a reduced Payload, and may increase CQ, and decrease MPG figures.

# New TRAFIC Van Options

|  |          | BUSINESS         | C=               | BUSINESS+<br>Panel |                  | C#               |                   | Sport            |
|--|----------|------------------|------------------|--------------------|------------------|------------------|-------------------|------------------|
|  | Low Roof | nel<br>High Roof | Crew<br>Low Roof | Low Roof           | nei<br>High Roof | Crew<br>Low Roof | Panel<br>Low Roof | Crew<br>Low Roof |
|  | LOW ROOI | nigii kooi       | LOW ROOT         | LOW ROOT           | nigii kooi       | LOW ROOI         | LOW ROOT          | LOW ROOI         |
| BASICS   |          |                  |                  |                    |                  |                  |                   |                  |
| Airbag - front pass enger with deactivation  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Airbag - front lateral, curtain and front passenger with deactivation (5)  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Coat hooks x2 - (load area, on bulkhead)   | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Conversion interface box   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Rear tail light column and door rail - body coloured (4)   | 0        | -                | 0                | -                  | -                | -                | -                 | -                |
| Smoker pack  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Without spare wheel  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| SAFETY   |          |                  |                  |                    |                  |                  |                   |                  |
| Automatic headlights and wipers (6)  | 0        | 0                | 0                | 0                  | 0                | 0                | •                 | •                |
| Front fog lights   | 0        | 0                | 0                | 0                  | 0                | 0                | •                 | •                |
| LED loadspace lighting   | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Easy clean polypropylene floor lining  | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Interior side panels - load area <sup>(a)</sup>  | 0        | 0                | •                | 0                  | 0                | •                | 0                 | •                |
| Plylining - reinforced resin coated plywood floor  | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Plylining - resin coated plywood floor   | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Plylining - sides and resin coated plywood floor   | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Plylining - sides and reinforced resin coated plywood floor  | 0        | 0                | -                | 0                  | 0                | -                | 0                 | -                |
| Tyre pressure monitoring system  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Wide view mirror   | 0        | 0                | 0                | •                  | •                | •                | •                 | •                |
| CONNECTIVITY   |          |                  |                  |                    |                  |                  |                   |                  |
| 12V power socket in load area  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| 2x15W DAB radio with Bluetooth, AUX input and USB socket (7)(10)   | 0        | 0                | 0                | 0                  | 0                | 0                | -                 | -                |
| MediaNay Evolution multimedia system: 7" touchscreen, Nayteo navigation, DAB/FM/AM tuner, 2x20W speakers.  |          |                  |                  |                    |                  |                  | _                 | _                |
| Bluetooth® hands-free calls, USB and AUX sockets, compatible with Apple CarPlay™ and Android Auto™ (3) (10) (11)   | 0        | 0                | 0                | 0                  | 0                | 0                | •                 | •                |
| NO MediaNav or Renault R-Link 7" touch screen satellite navigation   | •        | •                | •                | •                  | •                | •                | -                 | -                |
| R-Link Evolution multimedia and satellite navigation system: 7" touchscreen, DAB/FM/AM tuner, 2x20W speakers, Bluetooth®   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| hands-free calls, USB and AUX sockets, (includes 12 months free TomTom® LIVE services) compatible with Android Auto™ (3)(10)(11) Smartphone cradle (24)  | 0        | 0                | 0                | •                  | •                | •                | •                 | •                |
| Tablet cradle (12)(23)   | 0        | 0                | 0                | 0                  | - 0              |                  | <del>`</del>      | <u> </u>         |
| TMC Traffic Information (13)   | 0        | 0                | 0                | 0                  | - 0              | - 0              | •                 | •                |
| TomTom live services and R-Link connectivity: 36 month subscription (14)   | 0        | 0                | 0                | 0                  | 0                | 0                |                   | 0                |
| Western Europe map upgrade for MediaNav (13)   | 0        | 0                | 0                | 0                  |                  | 0                | 0                 | 0                |
| Western Europe map upgrade for R-LINK (14)   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
|  |          |                  |                  |                    |                  |                  |                   |                  |
| COMFORT  |          |                  |                  |                    |                  |                  |                   |                  |
| Climate control (2) (15) (25)  | 0        |                  | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Cruise control with speed limiter  | 0        | 0                | 0                | 0                  | 0                | 0                | •                 | •                |
| Engine speed limiter (56mph/90kmh or 62mph/100kmh or 68mph/110kmh)   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Heated driver's and heated passenger seat (16)(17)   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Heated driver's seat with non heated passenger 2 seat bench (17)  Manual air conditioning with pollen filter (25)  |          |                  |                  | •                  | •                | •                | •                 |                  |
| Rear parking sensors   | 0        | 0                | 0                | <del>:</del>       | •                | •                | <u> </u>          |                  |
| Front & Rear parking sensors   | 0        |                  | 0                | 0                  | 0                | 0                |                   | 0                |
| Rear parking camera (4)(15)  | 0        | -                | 0                | 0                  | -                | 0                | 0                 | 0                |
| Front & Rear parking sensors with rear parking camera (4)(15)  | 0        | -                | 0                | 0                  | -                | 0                | 0                 | 0                |
| Single passenger's seat - height and lumbar adjustment with armrest (1)(17)(18)  | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Leather seats with airbag - front lateral, curtain (5) (27)  | -        | -                | -                | -                  | -                | -                | -                 | 0                |
| Steering wheel - leather (11)  | 0        | 0                | 0                | 0                  | 0                | 0                | •                 | •                |
| Comfort Pack (199) 2nd row of passenger seat with two dividing armrests, individual seats with ISOFIX (left and right seats)   | _        | _                | 0                | _                  | _                | 0                | -                 | •                |
| and underseat storage, left and right side loading doors - glazed with opening windows   | -        |                  |                  |                    | -                |                  |                   |                  |
| Luxe Pack <sup>(19)</sup> 3 individual interior roof mounted spotlights for the 2nd row, 2x15w roof mounted speakers for the 2nd row, the reclining ability of the 2nd row of seats, 2 x sunblinds | -        | -                | -                | -                  | -                | -                | -                 | 0                |
| STYLE  |          |                  |                  |                    |                  |                  |                   |                  |
| 16" DELOS wheel Trims  | •        | •                | •                | •                  | •                | •                | 0                 | 0                |
| 17" CYCLADE alloy wheels (4) (20)  | 0        | -                | 0                | 0                  | -                | 0                | •                 | •                |
| All-weather tyres <sup>(21)</sup> Body coloured side mouldings   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Extra tinted windows (4)(22)(26)   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |
| Metallic paint   | 0        | 0                | 0                | 0                  | 0                | 0                | •                 | •                |
| Tow bar (13 pin plug, 9 wired)   | 0        | 0                | 0                | 0                  | 0                | 0                | 0                 | 0                |

<sup>●=</sup> Standard (therefore no cost) ○= Optional -= Not available

(1) Renault highly recommeds to take a front passenger airbag with a single passenger seat (2) Not available with Hands-free keycard when ordered on dCi 120 variants (3) For list of compatible Bluetooth devices visit https://www.cdn.renault.com/content/dam/Renault/master/Services/multimedia/compatibilite-bluetooth/liste-compatibilite-

# Doors, Windows and Bulkheads

|   | BOSINESS / BOSINESS · / SPORT |
|---|-------------------------------|
| KEYS  |                               |
| Key - Hands-free key card (1)                                 | 0                             |
| Key - 3 button with selective opening                         | 0                             |
| Key - 3 button with selective opening and single door opening | 0                             |
| Key - additional (third)                                      | 0                             |

RUSINESS / RUSINESS+ / SDORT

|  | PANEL | CREW |
|--|-------|------|
| DOORS AND WINDOWS  |       |      |
| Left side loading door - unglazed  | •     | -    |
| Right side loading door - unglazed   | 0     | -    |
| Glazing for left & right side loading doors with non opening windows   | 0     | •    |
| Opening windows for left G right glazed side loading doors (both) [2]  | 0     | 0    |
| Rear quarter panels - glazed   | 0     | 0    |
| Rear doors - 180° unglazed   | •     | •    |
| Rear doors - 180° glazed   | 0     | 0    |
| Rear doors - 180° glazed, heated with rear wipers  | 0     |      |
| Rear doors - 270° unglazed - LWB only  | 0     | 0    |
| Rear doors - 270° glazed - LWB only <sup>(3)</sup>   | 0     |      |
| Rear tailgate - glazed, heated with rear wipers  | 0     | 0    |
| Glazing Pack 1: Heated rear window, Rear wipers, Glazed 180° opening rear doors, Glazed right-side loading doors with an opening window, Glazed rear quarter panels & Glazed left side loading door with an opening window | 0     | 0    |
| Glazing Pack 2: Heated rear window, Rear wipers, Glazed tailgate, Glazed right-side loading door with an opening window, Glazed rear quarter panels, Glazed left side loading door with an opening window (5)              | 0     | 0    |

Glazed Rear doors must be taken with a glazed bulkhead (bulkhead can be up/down graded please see the bulkhead section) Crew Vans have a glazed bulkhead as standard. You are unable to glaze only one side loading door

|   | BUSINESS | BUSINESS+ / SPORT |
|---|----------|-------------------|
| BULKHEADS   |          |                   |
| Full-steel bulkhead                                   | •        | 0                 |
| Full-steel bulkhead with load through & mobile office | 0        | •                 |
| Delete bulkhead (4)                                   | 0        | 0                 |

Crew Vans have a glazed bulkhead as standard & are not compatible with the load through, mobile office or delete bulkhead options

|                              | PANEL | CREW |
|------------------------------|-------|------|
| GLAZING                      |       |      |
| Glazing for current bulkhead | 0     | •    |

<sup>• =</sup> Standard (therefore no cost) o = Optional - = Not available

(1) Incompatible with Climate control when ordered on dCi 120 variants OR high roof variants (2) Must be taken with glazed side loading doors (3) Not compatible with rear heated windows or wipers (4) Must be ordered with Single passenger's seat - height and lumbar adjustment with armrest (5) Can not be ordered with high roof versions







# It's time for a new level of comfort

New TRAFIC is like a reliable, everyday companion; it'll take you to another dimension of comfort, where every detail contributes to your driving enjoyment. Secure in an optimised seat, all the controls are at your fingertips. The passenger compartment is bright, no detail has been overlooked and practicality is to the fore: there are several storage spaces in the front section of the vehicle so you can enjoy a tidy passenger compartment and focus on driving, helped by a flexible and efficient navigation system (standard on Sport and SpaceClass).











## The senses have never had so much room to express themselves

Designed to accommodate up to nine people in the most comfortable conditions, New Renault SpaceClass knows how to spoil its passengers. Its modular design and ample space make it popular with everyone. The individual LED reading lamps transform the passenger compartment into a private suite where you can relax or work in total peace thanks to the dark tinted windows. 220 V, 12 V, and USB sockets let you charge your smartphone, tablet, or laptop. With the Prestige option, Renault SpaceClass transforms into a "mobile lounge\*" with individual rotating seats on runners and exclusive leather upholstery\*\*.

<sup>\*</sup>Retractable sliding table must be ordered as an additional accessory

<sup>\*\*</sup>Bovine-sourced full leather seat with synthetic leather headrest and armrest

## Standard features





## **BUSINESS**

## Technology

- $\cdot \, \mathsf{Trip} \, \, \mathsf{computer} \,$
- DAB radio with Bluetooth, USB socket and AUX input and 2x15W speakers
- 12v power socket (front and 2nd row)
- 6 speed gearbox with gear shift indicator
- Key 3 button with selective opening
- ECO mode button

### Interior

- 2nd row of 3 passenger seats, removeable, outer seats with ISOFIX points
- 3rd row of 3 passenger seats, removeable
- Closed glove box
- Driver's seat with armrest
   height adjustable, lumbar adjustment
- Steering wheel reach and rake adjustment

- Electric front windows driver's side 'one touch' descending
- · Parcel shelf
- Front passenger bench seat
- 'Kompo' upholstery

## Exterior

- Left and right side loading doors - glazed & glazed rear quarter panels
- $\cdot$  80-litre fuel tank
- 20-litre AdBlue tank
- Door mirrors heated with electric adjustment and external temperature sensor
- 16" DELOS wheels trims
- Rear tailgate glazed, heated with rear wipers
- Spare wheel with anti-theft spare wheel holder (SWB Only)

## Safety and security

- Airbag driver and front passenger
- ESC (Electronic Stability Control) with Hill Start Assist and Grip Xtend
- ABS with EBD (Electronic Brake force Distribution)
- Tyre pressure monitoring system
- Electronic immobiliser
- Remote central locking (2 button key)
- Deadlocking
- · Alarm pre-wiring
- 2 ISOFIX points for 2nd row, outer seats
- Seatbelts 3 point heightadjustable seatbelts with pretensioners and load limiters
- 4 disc brakes

## **SPORT** (in addition to BUSINESS)

### Technology

- Automatic headlights and wipers
- Renault MediaNav Evolution 7" touch screen multimedia, navigation system and 2X20W speakers

### Interior

- Manual air conditioning and pollen filter
- Smartphone cradle
- Leather steering wheel
- 'Java' upholstery
- Premium dashboard with closeable upper dashboard storage
- 2 spot reading lights (driver/ passenger)

### Exterior

- Metallic paint
- 17" CYCLADE alloy wheels
- Body coloured front bumper, door rail, rear tail light column and door mirrors, brilliant black, high gloss logo surround and premium, chrome grille
- Left and right side loading doors - glazed with opening windows

## Safety and security

- Front fog lights
- Rear parking sensors
- Cruise control and speed limiter

## Standard features



## **SPACECLASS** (in addition to SPORT)

### Technology

- · 220 V / 300 W socket and 12 V socket in row 3
- 2 USB ports on each side

## Interior


- Full leather steering wheel with satin chrome painted insert
- · 2 benches on rails (with easy-entry system)
- 2 Isofix on each row
- Storage space
- 6 individual LED reading lightsFront and rear floor mats with aluminium rails
- Bottle holders in row 3
- · Automatic climate control manual heating and air conditioning in rear passenger area
- Single passenger seat

### Exterior

- Glossy Black style for distinctive design
- · Dark tinted glass (90% opaque)
- •17" alloy wheels
- Angled front fog lights

## Upholstery and Wheel Trims





Kompo

Java

## **Hubcaps and wheel rims**








17" CYCLADE alloy wheels


## Wheels and tyres


| TYPE OF TYRES         | 'PE OF TYRES Summer tyres    |                              |                                |
|-----------------------|------------------------------|------------------------------|--------------------------------|
| Tyre/wheel size       | 215/65 R16                   | 215/60 R17                   | 215/65 R16                     |
| Make                  | Goodyear EfficientGrip Cargo | Goodyear EfficientGrip Cargo | Continental Vanco Four Seasons |
| Fuel efficiency class | В                            | В                            | С                              |
| Wet grip class        | А                            | А                            | А                              |
| Exterior noise (dB)   | 70                           | 69                           | 73                             |

## **Dimensions**














### **WEIGHTS AND LOADS (KG)**

| Passenger Business and Sport          | L1H1              | L2H1              |
|---------------------------------------|-------------------|-------------------|
| Version                               | SL28              | LL30              |
| Gross vehicle weight*                 | 3,000 - 3,030     | 3,070             |
| Kerb weight*                          | 1,992 - 2,049     | 2,037 - 2,094     |
| Max. payload*                         | 976 - 1,008       | 976 - 1,033       |
| Max. trailer weight (braked/unbraked) | 1,670 - 2,000/750 | 1,630 - 2,000/750 |

<sup>\*</sup>According to engine and trim level

### **WEIGHTS AND LOADS (KG)**

| Passenger SpaceClass                  | L1H1              | L2H1              |
|---------------------------------------|-------------------|-------------------|
| Version                               | SL28              | LL28              |
| Gross vehicle weight*                 | 3,020 - 3,050     | 3,070             |
| Kerb weight*                          | 2,218 - 2,243     | 2,271 - 2,296     |
| Max. payload*                         | 802 - 807         | 774 - 799         |
| Max. trailer weight (braked/unbraked) | 1,650 - 2,000/750 | 1,630 - 2,000/750 |
| *According to engine and trim level   |                   |                   |

## **EFFECTIVE VOLUME\* (M3)**


|                               | L1H1 | L2H1 |
|-------------------------------|------|------|
| 7-9 seat version              | 1    | 1.8  |
| 7-9 seat version/row 3 folded | 2.5  | 3.4  |


<sup>\*</sup>VDA method: space is measured using 1 litre blocks sized 200 x 100 x 50 mm. Boot volume with luggage restraining net (optional).


|   | L1H1        | L2H1        |
|---|-------------|-------------|
| Outside dimensions                              |             |             |
| Overall length                                  | 4,999       | 5,399       |
| Overall width without/with door mirrors         | 1,956/2,283 | 1,956/2,283 |
| Unladen height                                  | 1,971       | 1,971       |
| Wheelbase                                       | 3,098       | 3,498       |
| Front overhang                                  | 933         | 933         |
| Rear overhang                                   | 968         | 968         |
| Inner dimensions                                | ,           |             |
| Loading length* on the 7/9-seat version         | 736         | 1,136       |
| on 7-9 seat version/row 3 folded                | 1,152       | 1,552       |
| Maximum interior width                          | 1,662       | 1,662       |
| Width between wheel arches                      | 1,268       | 1,268       |
| Effective height                                | 1,369       | 1,369       |
| Sliding side door(s)                            | ,           |             |
| Sliding side door entry width 600 mm from floor | 907         | 907         |
| Sliding side door entry width 100 mm from floor | 1,030       | 1,030       |
| Sliding side door entry height                  | 1,284       | 1,284       |
| Rear door                                       | ,           |             |
| Entry width 70 mm from floor                    | 1,391       | 1,391       |
| Door entry height 180°/tailgate                 | 1,320/1,295 | 1,320/1,295 |
| Loading sill                                    | 552         | 552         |
| Ground clearance                                | 160         | 160         |
| *Loading length on floor with tailgate.         |             |             |

<sup>\*</sup>Loading length on floor with tailgate.

## Technical Specification







- - Torque

## More efficient driving

New TRAFIC introduces a new 2.0l dCi diesel engine with variable geometry turbo compliant with Euro 6d-temp standards. Available from 120 to 170hp, the 5<sup>th</sup> generation engine gives you more power (+ 25 hp) and more torque (+ 40 Nm), while being more environmentally friendly. You will enjoy a significantly improved driving experience and lower fuel consumption.

The new 6-speed dual-clutch automatic gearbox combines the comfort of an automatic gearbox with the responsiveness and fuel efficiency of a manual gearbox. Available in two larger engine sizes (145 hp and 170 hp), it offers flexibility, responsiveness and efficient fuel consumption.



## Technical Specification

|  | dCi 120<br>Stop & Start | ENERGY<br>dCi 145                     | ENERGY<br>dCi 145 EDC6     | ENERGY<br>dCi 170 EDC6            |  |  |
|--|-------------------------|---------------------------------------|----------------------------|-----------------------------------|--|--|
| Product  | TRAFIC Passenger        | TRAFIC Passenger & SpaceClass         | TRAFIC Passenger           | TRAFIC Passenger & SpaceCla       |  |  |
| Type approval                                      | M1                      |                                       |                            |                                   |  |  |
| ENGINES  |                         |                                       |                            |                                   |  |  |
| Fuel   |                         | Diese                                 | l                          |                                   |  |  |
| Fiscal rating (CV)                                 |                         |                                       |                            |                                   |  |  |
| Max. power kW EEC (hp) at revs of (rpm)            | 88 (120) at 3,705       | 107 (145) at 3,500                    | 107 (145) at 3,500         | 125 (170) at 3,500                |  |  |
| Max. torque Nm EEC (m.kg) at engine speed of (rpm) | 320 at 1,500            | 350 at 1,500                          | 350 at 1,500               | 380 at 1,500                      |  |  |
| Type of injection                                  |                         | Common rail + variable r              | ozzle turbocharger         |                                   |  |  |
| Capacity (cm³)                                     |                         | 1,997                                 |                            |                                   |  |  |
| No. of cylinders/valves                            |                         | 4 in line                             | /16                        |                                   |  |  |
| Emission control standard                          |                         | EURO                                  | 6                          |                                   |  |  |
| Stop & Start                                       |                         | Yes                                   |                            |                                   |  |  |
| Maintenance interval                               |                         | Up to 25,000 mil                      | es/2 years <sup>(1)</sup>  |                                   |  |  |
| PERFORMANCE  |                         |                                       |                            |                                   |  |  |
| Top speed (mph)                                    | 103                     | 109                                   | 109                        | 111                               |  |  |
| 0-62 mph (s)                                       | 15.5                    | 13.2                                  | 12.2                       | 11.0                              |  |  |
| Gearbox type                                       | Manual gearbox          | Automatic gearbox Dual- clutch        |                            | Automatic gearbox<br>Dual- clutch |  |  |
| Number of gears                                    |                         | 6                                     |                            |                                   |  |  |
| DEPARTMENT   |                         |                                       |                            |                                   |  |  |
| Kerb-to-kerb/wall-to-wall turning circle (m)       |                         | Short wheelbase: 11.84/12.40 - Le     | ong Wheelbase: 13.17/13.73 |                                   |  |  |
| BRAKING  |                         |                                       |                            |                                   |  |  |
| ABS with EBA and EBV/adaptive ESP with ASR         |                         | Standa                                | rd                         |                                   |  |  |
| Front: ventilated disc Ø (mm) x Thickness (mm)     |                         | 296x2                                 | 8                          |                                   |  |  |
| Rear: solid disc Ø (mm) x Thickness (mm)           |                         | 280x1                                 | 2                          |                                   |  |  |
| FUEL CONSUMPTION AND EMISSIONS (2)                 |                         |                                       |                            |                                   |  |  |
| Certification protocol                             |                         | WLTF                                  | 1                          |                                   |  |  |
| Eco mode   |                         | Yes                                   |                            |                                   |  |  |
| Fuel tank capacity (l)                             | 80                      |                                       |                            |                                   |  |  |
| AdBlue® fuel tank capacity (3) (l)                 | 20                      |                                       |                            |                                   |  |  |
| CO <sub>2</sub> emissions (g/km) (combined) (4)    | 149                     | 149 - 157 158 - 161                   |                            | 158 - 166                         |  |  |
| Consumption over a combined cycle (mpg) (4)        | 50.4 - 49.6             | 49.6 49.6 - 47.1 47.1 - 46.3 47.1 - 4 |                            | 47.1 - 44.8                       |  |  |

<sup>(1)</sup> An engine consumes oil for lubrication and to cool its moving parts. It is normal to top the oil up once or several times between two changes. (2) Fuel consumption and CO<sub>2</sub> emissions are certified using a standard, regulated method. It is identical for all manufacturers and allows vehicles to be compared. (3) Actual fuel and AdBlue® consumption depends on vehicle use, equipment, the user's driving style and loading. (4) depending on engine and trim level

## New TRAFIC Passenger

### TRAFIC PASSENGER VAN

| VERSIONS                                     | CO <sub>2</sub> (g/km) <sup>†</sup> | Combined fuel consumption - (mpg) <sup>†</sup> |
|--|-------------------------------------|--|
| BUSINESS                                     |                                     |  |
| L1H1   |                                     |  |
| SL28 ENERGY dCi 120 Business MY19            | 149                                 | 39.2   |
| SL28 ENERGY dCi 145 Business MY19            | 149                                 | 39.2   |
| SL28 ENERGY dCi 145 Auto EDC Business MY19   | 158                                 | 38.7   |
| L2H1   |                                     |  |
| LL30 ENERGY dCi 120 Business MY19            | 149                                 | 39.2   |
| LL30 ENERGY dCi 145 Business MY19            | 150                                 | 39.2   |
| LL30 ENERGY dCi 145 Auto EDC Business MY19   | 161                                 | 38.7   |
| SPORT  |                                     |  |
| L1H1   |                                     |  |
| SL28 ENERGY dCi 120 Sport MY19               | 149                                 | 39.2   |
| SL28 ENERGY dCi 145 Sport MY19               | 149                                 | 39.2   |
| SL28 ENERGY dCi 170 Auto EDC Sport MY19      | 158                                 | 38.7   |
| L2H1   |                                     |  |
| LL30 ENERGY dCi 120 Sport MY19               | 149                                 | 38.7   |
| LL30 ENERGY dCi 145 Sport MY19               | 150                                 | 38.7   |
| LL30 ENERGY dCi 170 Auto EDC Sport MY19      | 161                                 | 38.2   |
| SPACECLASS                                   |                                     |  |
| L1H1   |                                     |  |
| SL28 ENERGY dCi 145 SpaceClass MY19          | 157                                 | 37.7   |
| SL28 ENERGY dCi 170 Auto EDC SpaceClass MY19 | 165                                 | 37.7   |
| L2H1   |                                     |  |
| LL28 ENERGY dCi 145 SpaceClass MY19          | 157                                 | 37.7   |
| LL28 ENERGY dCi 170 Auto EDC SpaceClass MY19 | 166                                 | 37.2   |

†WLTP figures shown are for comparability purposes; only compare figures with vehicles tested to the same technical procedures. Actual real world driving results may vary depending on factors such as weather conditions, driving styles, vehicle load or any accessories fitted after registration. WLTP is a new test used for fuel consumption and CO<sub>2</sub> figures however until April 2020 the CO<sub>2</sub> figures are based on the outgoing (NEDC) test cycle which will be used to calculate vehicle tax on first registration.



## New TRAFIC Passenger Options

|   | BUSI | INESS | SPORT          |              | SPACECLASS   |              |
|---|------|-------|----------------|--------------|--------------|--------------|
|   | SWB  | LWB   | SWB            | LWB          | SWB          | LWB          |
|   |      |       |                |              |              |              |
| BASICS  |      |       |                |              |              |              |
| Airbag - front lateral, curtain (3)   | 0    | 0     | 0              | 0            | 0            | 0            |
| Battery Interface   | 0    | 0     | 0              | 0            | 0            | 0            |
| Conversion interface box  | 0    | 0     | 0              | 0            | 0            | 0            |
| Delete third row of passenger seats (turns the vehicle into a 6 seater)   | 0    | 0     | 0              | 0            | 0            | 0            |
| Hands free key card and engine Start button   | 0    | 0     | 0              | 0            | 0            | 0            |
| Key - additional (third)  | 0    | 0     | 0              | 0            | 0            | 0            |
| Key - 3 button with selective opening and single door opening   | 0    | 0     | 0              | 0            | 0            | 0            |
| Passenger seat - height and lumbar adjustment with armrest (turns the vehicle into an 8 seater)   | 0    | 0     | 0              | 0            | 0            | 0            |
| Smoker pack   | 0    | 0     | 0              | 0            | 0            | 0            |
| CONNECTIVITY  |      |       |                |              |              |              |
| Connectivity + TomTom® LIVE 3 year subscription (4)   | 0    | 0     | 0              | 0            | 0            |              |
| Live Traffic Information (5)  | 0    | 0     | 0              | 0            | 0            | - 0          |
|   |      |       |                |              |              |              |
| MediaNav Evolution multimedia system: 7" touchscreen, Navteq navigation, DAB/FM/AM tuner, 2x20W speakers, Bluetooth® hands-free calls, USB and AUX sockets, compatible with Apple CarPlay™ and Android Auto™ (1)(a)(7)                                  | 0    | 0     | •              | •            | •            | •            |
| R-Link Evolution multimedia and satellite navigation system: 7" touchscreen, DAB/FM/AM tuner, 2x20W speakers, Bluetooth® hands-free calls, USB and AUX sockets, (includes 12 months free TomTom® LIVE services) compatible with Android Auto™ (1)(6)(7) | 0    | 0     | 0              | 0            | 0            | 0            |
| Smartphone cradle   | 0    | 0     | •              | •            | •            | •            |
| Tablet cradle (2)   | 0    | 0     | -              | -            | -            |              |
| TomTom® LIVE 3 years subscription (4)   | 0    | 0     | 0              | 0            | 0            | 0            |
| Western Europe map upgrade (7)(8)   | 0    | 0     | 0              | 0            | 0            | 0            |
| Without MediaNav  | •    | •     | -              | -            | -            |              |
|   |      |       |                |              |              |              |
| COMFORT   |      |       |                |              |              |              |
| Cruise control with speed limiter   | 0    | 0     | •              | •            | •            | •            |
| Engine speed limiter (56mph/90kmh OR 62mph/100kmh OR 68mph/110kmh)  | 0    | 0     | 0              | 0            | 0            | 0            |
| Heated driver's seat with non heated passenger 2 seat bench <sup>(13)</sup>   | 0    | 0     | 0              | 0            | 0            | 0            |
| Heated driver's and heated passenger seat <sup>(9)(13)</sup>  | 0    | 0     | 0              | 0            | 0            | 0            |
| Manual air conditoning with pollen filter   | 0    | 0     | •              | •            | •            | •            |
| Manual air conditoning with pollen filter (front & rear)  | 0    | 0     | 0              | 0            | •            | •            |
| Manual air conditoning with pollen filter (front & rear) with additional rear heater  | 0    | 0     | 0              | 0            | •            | •            |
| Steering wheel - leather with cruise control  |      | 0     | •              | •            | •            | •            |
| PROTECT   |      |       |                |              |              |              |
| Automatic headlights and wipers (10)  | 0    | 0     |                |              |              |              |
| Activitate leading its and wipers   | 0    | - 0   | <del>- :</del> | <del>.</del> | <del>`</del> | <del>.</del> |
| Rear parking sensors  | 0    | 0     | •              | •            | •            | •            |
| Front & Rear parking sensors  | 0    | 0     | 0              | 0            | 0            | 0            |
| Rear parking camera (10)(11)  | 0    | 0     | 0              | 0            | 0            | 0            |
| Front & Rear parking sensors with rear parking camera (10)(11)  | 0    | 0     | 0              | 0            | 0            | 0            |
| Wheelchair Accessible Conversion  | 0    | 0     | 0              | 0            | -            |              |
| Wheelchair Accessible Conversion including a single side folding seat left hand side 3rd row without 3rd row of seats   | 0    | 0     | 0              | 0            |              | _            |
| Wheelchair Accessible Conversion without 3rd row of seats   | 0    | 0     | 0              | 0            | -            |              |
| STYLE   |      |       |                |              |              |              |
|   |      |       |                |              |              |              |
| Extra tinted windows (12)   | 0    | 0     | 0              | 0            | •            |              |
| Front bumper, rear tail light column, door rail, door mirror and side moulding - body coloured (10)   | 0    | 0     | 0              | 0            | 0            | 0            |
| Left and right side loading doors - glazed with opening windows   | 0    | 0     | •              | •            | •            | •            |
| Metallic Paint  | 0    | 0     | •              | •            | •            | •            |
| Rear doors - glazed, 180°, with rear wipers and rear heated window  | 0    | 0     | •              | •            | •            | •            |
| eather seats with airbag - front lateral, curtain (3)(14)   | -    | -     | -              | -            | 0            | 0            |
| Adventurer Pack   | -    |       | -              | -            | 0            | 0            |
| Prestige Pack   | -    | -     | -              | -            | 0            | 0            |
|   |      |       |                |              |              |              |

<sup>●=</sup> Standard (therefore no cost) ○= Optional -= Not available

(1) For list of compatible Bluetooth devices visit https://www.cdn.renault.com/content/dam/Renault/master/Services/multimedia/compatibilite-bluetooth/liste-compatibilite-bluetooth-r-link.pdf (2) Not available with 2x15W DAB radio with AUX input, Bluetooth and USB socket OR Renault MediaNav OR Renault R-Link (3) Lateral airbags not compatible with passenger bench seat - curtain airbag only (4) Must be taken with Renault R-Link (5) Must be taken with Renault R-Link (9) Must be taken with a single passenger seat (10) Must be taken with front fog lights (11) Must be taken with a single passenger seat (10) Must be taken with front lateral airbag (14) Bovine-sourced full leather seat with synthetic leather headrest and armrest



## Renault Pro+, the specialist brand



You're the expert in your field and at Renault Pro+ we're here to guide you through ours. We're passionate about delivering products and services to move your business forward. So when you choose to partner with Renault Pro+ you can expect:

## Specialist network

Renault Pro+ Centres have a dedicated commercial vehicle specialist. So whatever you're seeking advice on, there's always someone to help.

## **Business Commitment**

Come rain or shine, we have a set of commitments in place to help maximise uptime and minimise downtime.

## The future today - 100% electric

Renault Pro+ has been building, selling and maintaining electric vans since 2011. So when you're looking to make the switch, you know who to speak to.

## A tailored approach

Your vehicles are as unique as your business. That's why we have a programme of conversions to deliver exactly the product you want. From 'off the shelf' conversions to a more bespoke approach. We'll guide you through.

## Renault Services

## 3 Years Warranty

Your vehicle is covered by a warranty package for up to 3 years from date of first registration (unlimited mileage during the first 24 months, followed by a further 1 year limited to a total mileage of 100,000). Your Renault Dealer is able to repair or replace without charge, parts that are found to have a material or assembly defect that is recognised by Renault. The paintwork warranty runs for 3 years and the anti-corrosion warranty for 12 years.

For Warranty Terms and Conditions please visit www.renault.co.uk/warranty

### 3 Years Renault Assistance

Should you need it, we'll provide emergency roadside repairs or tow you to the nearest Renault Dealer. This service is available 24 hours a day and is provided for 36 months from the date of first registration (unlimited mileage for first 24 months, then limited to a total of 100,000 miles or 3 years, whichever comes first). Assistance is provided within the UK & Northern Ireland only at roadside, home and includes national recovery and onward travel. Assistance applies to mechanical or electrical defects which are covered by warranty.

For Renault Assistance and Terms and Conditions please visit www.renault.co.uk/assistance

### **Service Intervals**

25,000 miles / 2 years

## **Renault Network Services**

No-one is better placed than Renault to maintain, fit and repair your Renault, fast. The Renault Minute (maintenance and repair with no appointment necessary) and Renault Rapide Bodycare (bumper scuffs, dings and dents, windscreen, stone chips and interior repairs...) services deliver the highest level of repair and maintenance and offer a full year's guarantee on Original Renault Parts. And don't forget to have a look at our wide range of additional equipment and accessories!

### Renault iCare

Renault iCare is an innovative Service, Maintenance & Repair product that supplies Business customers with a fully supported, managed hassle free service and maintenance package.

Renault iCare is a "Pay-As-You-Go" product that insures your vehicle is maintained by Renault technical experts when work is required.

iCare provides the following benefits:

- Full Service, Maintenance & Repair cover in the Renault Dealer Network
- Tyres can be included within the contract at an additional fixed cost
- Ancillary equipment can also be included (at an additional fixed monthly cost)
- Excludes: Damage/Neglect/Abuse/Glass & Bulbs
- · A fixed, pre agreed pence per mile rate
- No excess mileage charges at the end of the contract
- No pooled mileage administration
- Minimalise downtime

For more information and to obtain a quote based on your requirements, please speak to your local Renault Business dealer or visit www.renault.co.uk/icare

### **Customer Relations**

Renault knows the value of communicating with its customers and we have established effective ways to keep in touch with you. If, after speaking to your local Renault dealership, you are not completely satisfied, please contact the Renault UK Customer Relations Department on 0344 3350000† (Mon-Fri 9.00am to 5.30pm, except Weds 10.00am to 5.30pm. Closed on Bank Holidays). You can also visit our website www.renault.co.uk or write to us at: Renault UK Ltd, The Rivers Office Park, Denham Way, Maple Cross, Rickmansworth, Hertfordshire, WD3 9YS.

## Finance options\*

There are a wide variety of ways in which the purchase of a new vehicle can be financed. Renault Finance offers all of them, so whether you're a fleet buyer or private buyer, Renault Finance is ideally placed to tell you which plan or combination of plans best suits your needs and circumstances.








# Continue the Renault TRAFIC experience at www.renault.co.uk The state state and are now on our more markets at the state of the st Although every effort has been made to ensure that the information contained within this brochure is as accurate and up to date as possible, Renault U.K. reserves the right to modify its models without notice, including their characteristics, specifications equipment and accessories. Brochures inevitably become out of date or inaccurate in some respects, in that such characteristics, specifications equipment, or accessories may be changed after the publication date given below and can differ from the descriptions given or the photos displayed. It is therefore necessary to check with your Renault Dealer before purchasing any product that the characteristics, specifications, equipment or accessories of the vehicle on order are as adv Renault recommends (= (35170) Prodigious Photo credits: Y. Brossard, T. Makolski - Mathematics Dept. - © Renault Marketing 3D-Commerce - Printed in EC - 7701 380 810 - January 2020.







# PURE VANS

Telephone - 01633-212944 Email - sales@purevans.com

www.purevans.com