

PURE VANS

Telephone - 01633-212944 Email - sales@purevans.com

www.purevans.com






NEW CITROËN Ë-RELAY 100% ËLECTRIC AND CITROËN RELAY



















During the 90s Le Tone had a major hit, "Joli Dragon", and devoted himself to music for 15 years before progressively moving towards illustrative art. Since 2011 his creations have been exhibited in famous places such as the

Pompidou centre. An admirer of artists who know how to make the best use of colour, Le Tone confesses to having a weakness for black and white, which he uses to tell simple stories by using felt pen drawings in notebooks

1951

Innovative, light, tough and economical, the 2CV Mini-van has always been a much-loved classic. Between 1951 and 1978 over 1.2 million were made, and they remain highly collectable today.



2020

Citroën launches ë-Dispatch 100% ëlectric. Amongst several major competitive advantages, it boasts a range of up to 211 miles (WLTP standard) and fast charging to 80% in only 30 minutes, unrivalled in its segment. These are just two of many reasons that immediately make it a benchmark for professionals.













1934

Citroën revolutionises the automotive landscape with the Traction Avant. The famous name relates to its ground breaking front wheel drive engineering.

1939

Citroën launches the 'TUB', a supremely practical modern design with a sliding side door: its successor is the famous Type H, above, launched in 1948.

1948

The much-loved 2CV is created as a "safe and economical vehicle, able to carry 4 people on-board and 50 kg of luggage". More than 5 million are made.

1955

Unveiled to a stunned public at the 1955 Paris Motor Show, the DS takes futuristic design to new heights. Its stunning aerodynamic shape, created by Flaminio Bertone, earns it the nickname 'flying saucer'.

1968

It's a golden age for light and agile vehicles like the Ami 6, Dyane and Mehari, a unique design for all roads and multi-purpose use.

1970

The modern looks and neat style of GS will see it remain one of the most aerodynamic and comfortable vehicles on the market for years to come. Equipped with a flat 4-cylinder engine and hydropneumatic suspension, this hatchback will go on to sell around 2.5 million units.

Discover the models that make up Citroën's extraordinary history, from 1919 to the present day.

3





COMMERCIAL VEHICLE RANGE

From the busy city centre to the open road, every trip will be comfortable and stress-free. Citroën design and engineering keeps it that way.



NEW CITROËN Ë-RELAY 100% ËLECTRIC AND CITROËN RELAY



4 RANGE 5

EIGHT KEY ADVANTAGES

NEW CITROËN Ë-RELAY 100% ELECTRIC AND CITROEN RELAY

The Citroën Relay range is now available in a 100% ëlectric version.

PAGES 10-11

A COMPLETE RANGE

Seven configurable body types to suit every requirement. PAGES 18-19

ENTERPRISE, DRIVER AND WORKER VERSIONS

3 versions to choose from to suit your trade. **PAGES 20-23**



LOAD CAPACITY

Load capacity of up to 17 m³. PAGES 24-25

BEST-IN-CLASS USEABLE WIDTH

1.42 m between the wheel arches and a load width of 1.87 m.

PAGE 24

SLIDING SIDE DOORS

Up to 1.25 m wide. PAGE 25

LOADING SILL


With the optional rear pneumatic suspension. the loading sill can be lowered or raised. PAGE 25

5-INCH TOUCHSCREEN

Integrate your mobile devices seamlessly for a more intuitive driving experience.

PAGES 32-33

6 ESSENTIALS



P. 16 **DESIGN**

P. 26 CITROËN ADVANCED COMFORT®

P. 32 **TECHNOLOGY**

P. 42 MAIN EQUIPMENT

8 **CONTENTS**



120 TO 140 HP ENGINE 6-SPEED MANUAL GEARBOX FROM 221 G OF CO₂/KM COMBINED CONSUMPTION FROM 25.5 MPG* WITH A 70-KWH BATTERY, A RANGE OF 139 MILES AT 62 MPH WLTP** WITH A PAYLOAD OF UP TO 1150 KG WITH A 37-KWH BATTERY, A RANGE OF 73 MILES AT 62 MPH WLTP** WITH A PAYLOAD OF 1070 KG

90 KW (120 HP) MOTOR RAPID CHARGING UP TO 80% IN 1 HOUR*** Ë-RELAY 100% ËLECTRIC CAN BE DRIVEN WITH A CATEGORY B DRIVING LICENCE

*In the combined cycle, WLTP standard. **Provisional WLTP range TBC. ***Rapid (DC) Charging 50kW.

10 **ENGINES**



ECTRIC MOTOR

The instantly-available torque creates a smooth, jolt-free driving experience that every driver will appreciate. The electric motor of New Citroën ë-Relay 100% ëlectric provides 90 kW of power, the equivalent of 120 hp, and a maximum speed of 75 mph for a Gross Vehicle Weight of 3.5 tonnes or a regulation 62 mph for a 4 tonne GVW. The electric motor also significantly reduces noise and vibration, adding to the sense of comfort on the road. New Citroën ë-Relay is also simple to use: one sector located on the centre console controls the gearbox by means of the buttons D (Drive), N (Neutral) and R (Reverse).



12 **ENGINES**

EFFICIENT ENGINES

Citroën Relay offers a range of high-performance diesel engines suited to all uses, both in town and on motorways.




14 **ENGINES** 15

With its robust and modern design, the Citroën Relay successfully combines utility and comfort. Its dynamic front end incorporates front LED daytime running lights* and benefits from ergonomics which are flexible enough to meet the needs of all kinds of professionals. * Optional.

FOUR LENGTHS

Citroën offers a range of vans available in four lengths – from 4.96 m to 6.36 m – and three heights – from 2.25 m to 2.76 m. With the rear doors open, the cube-shaped opening ensures that the load volume is maximised.





CITROËN RELAY CONFIGURATIONS

The Citroën Relay offers your business a remarkable choice of body types to meet your exact needs.









CHASSIS CREW CAB*

FLOOR CAB*





PANEL VAN

WINDOW VAN

*Not available on Citroën ë-Relay 100% ëlectric.

Illustrations not contractual.





ENTERPRISE VERSION

Enterprise versions of Citroën Relay are perfect for professionals who demand great load carrying capability combined with advanced specification. They are available in nine diesel panel van versions, four electric panel van versions and an electric window van version. All Enterprise versions come with air conditioning, 5-inch colour touchscreen with DAB radio and integrated satellite navigation and rear parking sensors as standard.



20 **DESIGN**

VERSION

The Citroën Relay is now available in a Driver version specifically designed for professionals who work long shifts in urban areas or travel regularly between towns. It stands out because of its high levels of driving comfort in towns and on motorways, and its numerous driver assistance technologies. Of particular note are the reversing camera, and the Safety Pack which includes Active Safety Brake, Lane Departure Warning System, automatic headlight dipping and raising, automatic windscreen wipers, and speed-limit-sign recognition and recommendation.

With its characteristic black wheel arches, the Worker version of Citroën Relay is specifically designed for professionals in demanding working conditions, for example those who need to transport equipment and colleagues to worksites where access can sometimes be difficult. To ensure optimum safety for both its occupants and its load, it has a protective panel under the engine, reinforced suspension, front and rear mud flaps, cruise control/speed limiter and improved traction thanks to multi-season tyres and Grip Control with Hill Descent Control.

WORKER VERSION



22 **DESIGN** 23



LOAD **SPACE**

THE MADE-TO-MEASURE COMMERCIAL VEHICLE

To make loading easier, the two hinged rear doors open to 96° or to 180° and are firmly held open by a clever system of retractable tethers.

The 270° opening option holds the doors flat against the sides of the vehicle using special hinges. Inside, the insulated full steel bulkhead (fitted as standard) isolates the driver and passengers from knocks and noise. Citroën Relay offers features which are the best in its category: 1.42 m between the wheel arches, 1.87 m between the partitions and rear doors up to 2.03 m in height.

Endurance testing: the front doors, sliding side doors and rear doors are tested 500,000 times, simulating 10 years of use in extreme climatic conditions.

UP TO 1.9 t	<u>н</u> 1.42 m	UP TO 17 m ³
υν το 270°	UP TO 2.17 m	€ TO 4.07 m



- AVAILABLE IN 100% ËLECTRIC

24 DESIGN 2

CITROËN ADVANCED COMFORT®

FOR UNRIVALLED OVERALL COMFORT

Designed to offer unrivalled comfort and wellbeing for each passenger, Citroën Advanced Comfort®, provides the best for body and mind. Soft-touch contact points and low noise levels create a sense of calm, while interior space is designed to be stylish and really versatile. The overall ambience makes journeys feel effortless and intuitive technology gives control at your fingertips of the practical and unique features.

FILTER OUT STRESS

MAKE LIFE ON BOARD EASIER **LIGHTEN**THE MENTAL LOAD

SMOOTH EVERYDAY USE

TRUE MOBILE OFFICE The spacious passenger compartment can carry three people in the front. The bench seat has an integrated table in the backrest of the central seat, which becomes a desk when you fold it. The large, glazed surfaces offer an extra-wide field of vision and excellent light levels. Care has also been taken with the acoustics, with a thick insulating bulkhead installed to considerably reduce noise.

EVERYDAY **COMFORT**

ERGONOMIC AND SECURE STORAGE AREAS

The upper part of the centre console has a desk panel for all your documents and also works as a holder* for tablets (up to 10 inches) or a smartphone (from 4 inches). The dashboard has a USB port* to charge your portable devices. Citroën Relay's cab includes a total of 13 storage compartments, making innovative use of space. Above the windscreen, the overhead storage compartment offers astonishing storage space, and is perfect for folders. It also has two closed glove boxes*, cup holders, a compartment for a phone, and a central compartment which is air conditioned and fitted with a lock**.

* According to version. ** Optional.







28 CITROËN ADVANCED COMFORT®

THE CREW VAN

UP TO SIX PEOPLE ON BOARD

Citroën Relay is available in a Crew Van, increasing the number of seats from three up to six. This conversion, designed by specialist Durisotti, still retains an impressive load space. The storage areas, found under the seats, also preserve Citroën Relay's excellent load length. You can access these areas either by lifting the seat or through the rear of the van. As an option, the Crew Van offers wide opening windows at the rear (according to version).

* Not available on Citroën ë-Relay 100% ëlectric.





30 CITROËN ADVANCED COMFORT®

----The refined interior favours functionality, wellbeing and comfort. The modern steering wheel gives an impression of strength from the first touch. Work and pleasure go hand in hand with Citroën Relay, which is equipped with 5 inch colour touchscreen with DAB radio, integrated satellite navigation*, Bluetooth® handsfree and steering wheel mounted controls. To connect a smartphone or any other portable device, the cab has a 12V socket as standard, found in the centre of the dashboard. * According to version. Requires a compatible phone.



11 DRIVER ASSISTANCE TECHNOLOGIES

Citroën Relay has been designed as an everyday work tool, to simplify your journeys.



The Lane Departure Warning System (LDWS) combats loss of attention or simply a moment of distraction at the steering wheel.



The **Active Safety Brake** reduces the risk of collision thanks to its emergency braking system.



The **Tyre Pressure Monitor** continuously monitors the tyres and alerts the driver if there is a puncture or loss of pressure.



Intelligent Traction Control allows you to move off in complete safety, even on snow-covered roads.



Grip Control with Hill Descent Control* helps to keep the speed at less than 18 mph on steep slopes.



The **Cruise Control/Speed Limiter** provides a calm driving experience.



The **Rear Traffic Alert** detects vehicles approaching on the left or right at a distance of 50 m when reverse gear is engaged.



The **Rear View Camera** makes parking manoeuvres easier thanks to visual assistance.



The **Smart Beam Headlights** e-system changes between main and dipped beams automatically in response to oncoming traffic for optimum night driving.



The **Blind Spot Monitoring System with Rear Traffic Alert** takes into account the size of any trailer being towed**.



The Speed-Limit-Sign Recognition and Recommendation (within the Drive Assist Pack) informs the driver of the current speed limit. This can then be accepted as the speed recommendation and become the cruise control or speed limiter setting.

Optional according to version.

*Not available on Citroën ë-Relay 100% ëlectric.

**Trailer not available on Citroën ë-Relay 100% ëlectric.

34 TECHNOLOGY 35

E A CV OF IICE

EASY OF USE

New Citroën ë-Relay 100% ëlectric sets itself apart by being so easy to use. The charging flap is located near the front left door of the vehicle. This incorporates an LED so that you can visually monitor the process: white LED for the Welcome mode, flashing blue LED when charging is in progress and continuous blue LED when charging is complete. On board, the interior mirror continuously displays the information relating to electric operation, such as the battery charge level as a percentage, the remaining range in miles and the current driving position (D, N or R). Note that Citroën guarantees the electric battery for eight years or 100,000 miles, for 70% of its charging capacity.

XV-080-WV

CHARGING TYPES AND TIMES

In town, on motorways, at home or at work, there are many solutions for charging New Citroën ë-Relay 100% ëlectric, which means you're always able to find something suitable.

WALL BOX

A Wall Box terminal can be installed at your place of work and at your home: it allows full charging at night using the 8-metre type 3 charger (standard). You can also find 7- or 22-kW terminals in town and on public roads.

RAPID CHARGING

You can also charge your vehicle at fast terminals of 20, 50 or 100 kW, which can be found in town and on motorways, and for which the mode 4 cable is already integrated.

STANDARD SOCKET

For ad hoc requirements, the battery can be charged on a standard socket*. A suitable cable is available as an accessory.

*Not recommended for regular charging.

	37 KWH BATTERY L2	70 KWH BATTERY L3/L4
WALL BOX (7.4KW)	6 HOURS	12 HOURS
WALL BOX (22 KW)	3 HOURS	9 HOURS
RAPID (DC) CHARGING (50KW) UP TO 80%	1 HOUR	1 HOUR



To help install your charging solution, Citroën recommends our charging partner, Pod Point. You can be confident of obtaining a quality installation, fully approved under the government Homecharge scheme, at the best price.

Citroën customers benefit from an extended five-year warranty on the charging points. Business and fleet customers can also talk through workplace installation options and have a free (virtual or physical) site survey.

MY CITROËN **APP**

Remain connected at all times thanks to the My Citroën app, which can be downloaded to your smartphone. All of the important information about your vehicle (covering operation and service/maintenance) is then at your fingertips.

With My Citroën, you can:

- Locate your vehicle*
- Make an appointment in the workshop
- Consult the handbook pack
- Consult the servicing booklet
- Contact Citroën Assistance*
- Receive eco-driving advice*

*Not available on Citroën ë-Relay 100% ëlectric.



MITMENTS

1

EIGHT YEAR OR 100,000 MILE WARRANTY FOR THE TRACTION BATTERY

2

CITROËN ASSISTANCE - DRIVING WITH COMPLETE PEACE OF MIND 24/7

3

Ë-EXPERT CENTRE – OUR EXPERTS WILL TAKE CARE OF YOUR VEHICLE AND WILL ANSWER ANY QUESTIONS YOU MAY HAVE

4

Ë-SERVICE CONTRACT (RECOMMENDED): ALL MAINTENANCE OPERATIONS, PARTS AND SERVICES ARE INCLUDED

5

APPROVED CHARGING SOLUTION (RECOMMENDED): A COMPLETE WALL BOX RANGE INSTALLED BY PROFESSIONALS

6

MOBILITY SOLUTION OFFERED IN ALL CASES

7

CONTINUOUS SOFTWARE UPDATES TO DELIVER THE BEST DRIVING EXPERIENCE

8

80% CHARGING OF THE CAR WITH EACH OPERATION (SERVICING APPOINTMENT)

9


ONLINE QUOTATION AND APPOINTMENT: RESERVE YOUR APPOINTMENT AND CALCULATE YOUR AFTERSALES SERVICES

10

YOUR CAR IS CLEANED ON EACH VISIT

40 TECHNOLOGY FOR ë-RELAY

BODY COLOURS



TRIM



Magnet Trim

WHEEL

STANDARD STEEL WHEELS Tyres: 215/70 R15 C



30,33,35 Panel & Crew Vans

STANDARD STEEL WHEELS Tyres: 215/75 R16 C



35 Heavy Panel Vans

STANDARD STEEL WHEELS Tyres: 225/75 R16 C



40 Panel / Window Vans

15" WHEEL TRIMS Tyres: 215/70 R15 C



30,33,35 Panel Vans

16" WHEEL TRIMS Tyres: 215/75 R16 C



35 Heavy Panel Vans

16" WHEEL TRIMS Tyres: 225/75 R16 C



40 Panel / Window Vans

15" ALLOY WHEELS Tyres: 215/70 R15 C



30,33,35 Panel Vans

16" ALLOY WHEELS Tyres: 215/75 R16 C



35 Heavy Panel Vans

16" ALLOY WHEELS Tyres: 225/75 R16 C



40 Panel / Window Vans / Electric Versions

43

(M): Metallic – (S) Special Paint.

The equipment described in this brochure represents all of the technology on Citroën Relay and New ë-Relay 100% ëlectric. As Citroën vehicles are sold in the EU, their specification may vary from one country to another. For detailed information about the equipment specification available as standard or as an option, please see the "Technical Data and Main Specifications" document which can be downloaded from the Citroën website.

^{*} Not available on Enterprise Crew Van.

CITROËN RELAY READY TO RUN CONVERSIONS

Citroën understands that many businesses require specialist variations to cater for their individual needs, that's why the Ready to Run converted vehicle range has been introduced.

Among one of the first manufacturers to offer ready-bodied conversions within this pioneering programme, Citroën have added an array of robust and reliable models to the Ready to Run line-up including Luton and Low-Floor Luton, Dropside, Tipper, Curtainside and Crew Vans.

All Citroën converted vehicles are designed to meet European standards and are built using the Relay 35 Chassis Cab. A maximum gross weight of 3,500 kg offers optimum practicality for all businesses.

Citroën Assistance comes free of charge for an entire year, operating 24 hours a day to provide you with rapid roadside assistance in the case of an emergency, in addition to a 3 year / 100,000 mile manufacturer warranty as standard on all Citroën converted vehicles, leaving you to focus on the job in hand.

For more information on the Ready to Run range please visit www.citroen.co.uk LUTON



LOW-FLOOR LUTON



DROPSIDE



CREW VAN



TIPPER



CURTAINSIDE



44 **READY TO RUN**



At Citroën we understand that as a business you have specific requirements, not just in terms of cars, vans and converted vehicles, but also the business specific services that running a fleet, large or small, demands.

In each Citroën Business Centre we have a specially trained specialist dedicated to business customers, ready to assist you and develop tailored solutions that fully meet the needs of your business.

Our Citroën Business Centres offer:

- Assistance with selecting appropriate vehicles from our range
- Guidance in selecting the most suitable funding method
- Access to a range of demonstrator and courtesy vehicles
 Access to a range of Fleet Management tools (e.g. telematics)
- Advice to help business users optimise total cost of ownership (TCO) for their vehicle fleet






With the added reassurance of a warranty, routine servicing and maintenance, as well as 24-hour roadside assistance, you are protected.

CITROËN WARRANTY

Every new Citroën van has the benefit of a 3 year* warranty package, plus a 5 year anti-perforation** warranty and a 2 year paint warranty.

CITROËN ASSISTANCE



*2 years' unlimited warranty. No-fee customer option of 1 year's Dealer provided warranty, only on vans sourced from Citroën UK Limited. Note: Dealer provided warranty is limited to 100,000 miles for vans.

** Against all internal to external perforation to bodywork or underbody.

CITROËN MAINTENANCE

From roadside assistance to replacing wear and tear parts or regular servicing, with Citroën Maintenance you have total peace of mind. For a one-off fee or low monthly payment, our experienced engineers will take care of your Citroën, whatever happens. To find out more, contact your Citroën Dealer or Citroën Authorised Repairer.

• CITROËN SERVICING

Available up to 1 year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing Package enables you to pay in advance for your vehicle's servicing needs for 3 years/35,000 miles. For further information, please contact your Citroën Dealer.

CITROËN MOT TEST

Once your vehicle is three years old, it requires an annual MOT Test. This is a legal requirement to check that it meets road safety and environmental standards. Our nationwide network of Citroën Authorised Repairers know your Citroën best, so if your vehicle's MOT Test is due, why not contact your local Citroën dealer? You can be confident that your vehicle will be looked after by one of our expert trained Citroën Technicians, nominated by DVSA as accredited MOT Testers. Plus, whilst your vehicle is with us, we'll carry out a free manufacturer diagnostic test, check for any new technical updates and carry them out for free - that's the advantage of getting your test done by the people who really know your Citroën.

CITROËN

CONTRACT

WARRANTY

DOWNLOAD THE MYCITROËN APP

on your smartphone and benefit from information and services personalised to your Citroën vehicle.





DOWNLOAD THE SCAN MY CITROËN MOBILE APP

Get all the vital information at your fingertips. Scan features and components and access details of the exact new Citroën that you're interested in.

Customer reviews CITROEN ADVISOR citroen-advisor.co.uk

RATE, SUBMIT AND SHARE YOUR OPINION ABOUT YOUR VEHICLE

or in a Citroën Dealership when purchasing or servicing your vehicle. Ratings and reviews are published on the Citroën website.

∞pulse

P PULSE

We've partnered with bp pulse, the largest public charge network in the UK, to offer Citroën customers buying a brand new electric vehicle a 6 month free subscription to bp pulse. This offers access to a wide range of public charging points, many of which do not incur any extra charge for electricity used.



Citroën prefers Total - Note: Images and specification descriptions are dependent on trim level and options specified. Every endeavour has been made to ensure that the information and details contained in this brochure were accurate at the time of going to press. However the company reserves the right, whilst preserving the essential characteristics of the models described, to introduce at any time modifications, changes of details, equipment or accessories. Every effort will be made to bring this brochure up to date, but in order to avoid any misundestanding please consult your Dealer- for full details of Citroën Care of Car and Driver, please see the full manufacturer's price list. The Citroën Website contains full information on all Citroën products and offers available in the UK, together with details of our environmental and recycling policies. The site address is www.citroen.co.uk

46 BUSINESS CENTRES





CITROËN RELAY & ë-RELAY

PRICES

Prices effective from 1 November 2021





	EURO 6.3 MODEL	WLTP CO ₂ G/KM*	GVW	MAXIMUM INDICATIVE PAYLOAD**	LOAD CAPACITY	MRB PRICE £s [†]
Panel Van X	Relay 30 L1H1 BlueHDi 120 S&S 6-speed manual	215	3000	1125	8.0m ³	£26,655.00
	Relay 33 L1H1 BlueHDi 120 S&S 6-speed manual	218	3300	1425	8.0m ³	£28,455.00
	Relay 35 L2H1 BlueHDi 140 S&S 6-speed manual	221	3500	1570	10.0m ³	£30,855.00
	Relay 35 L2H2 BlueHDi 140 S&S 6-speed manual	232	3500	1545	11.5m ³	£31,655.00
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual	234	3500	1495	13.0m ³	£32,455.00
	Relay 35 Heavy L3H2 BlueHDi 140 S&S 6-speed manual	240	3500	1455	13.0m³	£32,755.00
Panel Van Enterprise	Relay 30 L1H1 BlueHDi 120 S&S 6-speed manual	216	3000	1125	8.0m ³	£27,735.00
	Relay 33 L1H1 BlueHDi 120 S&S 6-speed manual	219	3300	1425	8.0m ³	£29,535.00
	Relay 35 L2H2 BlueHDi 140 S&S 6-speed manual	233	3500	1545	11.5m ³	£32,735.00
	ë-Relay 35 Heavy L2H2 Electric 37kWh	0	3500	1070	11.5m ³	£55,335.00
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual	234	3500	1495	13.0m ³	£33,535.00
	Relay 35 Heavy L3H2 BlueHDi 140 S&S 6-speed manual	241	3500	1455	13.0m ³	£33,835.00
	ë-Relay 35 Heavy L3H2 Electric 70kWh	0	3500	740	13.0m ³	£61,085.00
	ë-Relay 40 Heavy L3H2 Electric 70kWh	0	4005	1150	13.0m ³	£74,355.00
	Relay 35 L3H3 BlueHDi 140 S&S 6-speed manual	247	3500	1470	15.0m ³	£34,335.00
	Relay 35 Heavy L4H2 BlueHDi 140 S&S 6-speed manual	242	3500	1410	15.0m³	£34,635.00
	Relay 40 L4H2 Heavy BlueHDi 140 S&S 6-speed manual	218	4005	1870	15.0m³	£35,995.00
	Relay 35 L4H3 Heavy BlueHDi 140 S&S 6-speed manual	255	3500	1380	17.0m ³	£35,435.00
	ë-Relay 40 Heavy L4H2 Electric 70kWh	0	4005	1150	15.0m ³	£75,255.00
Panel Van Driver	Relay 35 L2H2 BlueHDi 140 S&S 6-speed manual	233	3500	1545	11.5m ³	£34,105.00
	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual	235	3500	1495	13.0m ³	£34,905.00
	Relay 35 Heavy L4H2 BlueHDi 140 S&S 6-speed manual	242	3500	1410	15.0m³	£36,005.00

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government). Please consult your local Citroën dealer for the most up-to-date prices and specification details for all models. CO₂ figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO₂ emission output.

^{*} WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.

^{**} Includes driver

[†] All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.

CITROËN RELAY & ë-RELAY

PRICES

Prices effective from 1 November 2021

	EURO 6.3 MODEL	WLTP CO ₂ G/KM*	GVW	MAXIMUM INDICATIVE PAYLOAD**	LOAD CAPACITY	MRB PRICE £s [†]		
Crew Van Enterprise	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual	TBC	3500	1315	1315 10.5m ³			
Window Van X	Relay 35 L3H2 BlueHDi 140 S&S 6-speed manual	234	3500	1495	13.0m³	£32,755.00		
	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual	218	4005	1870	15.0m ³	£35,245.00		
Window Van Enterprise	ë-Relay 40 Heavy L4H2 Heavy 70kWh	0	4005	1150	15.0m ³	£75,750.00		
	EURO 6.3 MODEL	WLTP CO ₂ G/KM*	GVW	PAYLO	PAYLOAD**			
Chassis Cab X	L2 35 BlueHDi 140 S&S 6-speed manual	274	3500	1790		£27,925.00		
		242	2500	1770		1770		
	L3 35 BlueHDi 140 S&S 6-speed manual	263	3500	1//	70	£28,525.00		
Chassis Cab Enterprise	L3 35 BlueHDi 140 S&S 6-speed manual L3 ë-Relay 35 Heavy L3 Electric 70kWh	0	3500	104		£28,525.00 £58,010.00		
Chassis Cab Enterprise					45	·		
Chassis Cab Enterprise Chassis Crew Cab X	L3 ë-Relay 35 Heavy L3 Electric 70kWh	0	3500	104	45 50	£58,010.00		
	L3 ë-Relay 35 Heavy L3 Electric 70kWh L3 ë-Relay 40 Heavy L3 Electric 70kWh	0	3500 4005	10 ⁴	45 50 55	£58,010.00 £71,280.00		
Chassis Crew Cab X	L3 ë-Relay 35 Heavy L3 Electric 70kWh L3 ë-Relay 40 Heavy L3 Electric 70kWh L3 35 BlueHDi 140 S&S 6-speed manual	0 0 282	3500 4005 3500	104 155 155	45 50 55 95	£58,010.00 £71,280.00 £29,775.00		

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government). Please consult your local Citroen dealer for the most up-to-date prices and specification details for all models. CO₂ figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO₂ emission output.

- * WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.
- * * 1------
- † Maximum indicative payload is calculated as the difference between GWW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.
- ¹ Maximum allowable payload. Exact value varies depending on specification of completed vehicle.
- ² Floor cabs cannot be used for Tippers or Dropsides. They can only be used for vehicles with a completely enclosed box body.
- 3 On Back to Back Cab, until further notice, AL-KO are unable to provide a chassis equipped with ESC for any wheelbase greater than 4,400mm or for a tandem rear axle (regardless of wheelbase length).
- ⁴ Please note: there may be a +/- 5% variance in payload of these models, due to natural variations in the raw materials used.



		EURO 6.3 MODEL	GVW	PAYLOAD**	MRB PRICE £s [†]
Ready to Run Models ⁴	Tipper	35 L2 BlueHDi 140 S&S 6-speed manual	3500	1175	£33,680.00
	Crew Cab Tipper	35 L3 BlueHDi 140 S&S 6-speed manual	3500	989	£35,580.00
	Dropside	35 L2 BlueHDi 140 S&S 6-speed manual	3500	1321	£31,580.00
		35 L3 BlueHDi 140 S&S 6-speed manual	3500	1292	£32,580.00
		35 L4 BlueHDi 140 S&S 6-speed manual	3500	1271	£33,580.00
	Crew Cab Dropside	35 BlueHDi L3 140 S&S 6-speed manual	3500	1119	£33,580.00
	Luton	35 L3 BlueHDi 140 S&S 6-speed manual	3500	1159	£35,580.00
		35 L4 BlueHDi 140 S&S 6-speed manual	3500	1018	£36,580.00
	Curtainside	35 L3 BlueHDi 140 S&S 6-speed manual	3500	1034	£36,880.00
		35 L4 BlueHDi 140 S&S 6-speed manual	3500	941	£37,880.00
	Low-Floor Luton	35 L3 BlueHDi 140 S&S 6-speed manual	3500	1367	£39,280.00
	Crew Van Enterprise	35 BlueHDi 140 S&S 6-speed manual	3500	1315	£36,550.00

All information and prices correct at time of publication, but are subject to change at any time without prior notice (which may occur as a result of matters including, but not limited to, any changes in legislation and/or any changes by the government). Please consult your local Citroën dealer for the most up-to-date prices and specification details for all models. CO₂ figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO₂ emission output.

- * WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.
- ** Includes drive
- † Maximum indicative payload is calculated as the difference between GWW and kerb weight. However, due to manufacturing tolerances and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits.
- ¹ Maximum allowable payload. Exact value varies depending on specification of completed vehicle.
- ² Floor cabs cannot be used for Tippers or Dropsides. They can only be used for vehicles with a completely enclosed box body.
- 3 On Back to Back Cab, until further notice, AL-KO are unable to provide a chassis equipped with ESC for any wheelbase greater than 4,400mm or for a tandem rear axle (regardless of wheelbase length).
- ⁴ Please note: there may be a +/- 5% variance in payload of these models, due to natural variations in the raw materials used.

CITROËN RELAY & ë-RELAY

EQUIPMENT & OPTIONS

Prices effective from 1 November 2021.

	×	Enterprise da	Electric Enterprise us	Driver	Enterprise Nau	- -	Electric Nan Enterprise
TECHNOLOGY & ENTERTAINMENT							
Touch Screen Audio Pack: DAB digital radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket						£350¹	
Touch Screen Navigation Pack: DAB digital radio with integrated satellite navigation and steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket		•1	●1	●1	•1	£700¹	●1
COMFORT & CONVENIENCE							
Cabin overhead storage		£75 ²	£75 ²	£75 ²	£75 ²	£75 ²	• ²
USB Charging socket on dashboard		•³	• ³	● ³	● ³	£30 ³	●3
Manual air conditioning for cab area, including glovebox	£700	•	•	•	•	£700	•
Automatic air conditioning		£635	£635	£635	£635	£1,335	£635
Programmable Webasto heater	£650	£650		£650	£650	£650	
Rear parking sensors	£250	•	•	•	•	£250	•
Rear view camera		£350	£350	•	£350	£650	£350
Blind Spot Monitoring system with Rear Traffic Alert		£200	£200	£200	£200	£600	£200
Leather steering wheel, gear lever, automatic lights and wipers		£350	£350	£350	£350	£350	£350
SAFETY & SECURITY							
Passenger airbag	£180 ⁵	£180 ⁵	£180 ⁵	£180 ⁵	£180 ⁵	£180 ⁴	£180 ⁴
Front passengers' lateral and curtain airbags		£5006	£5006	£5006	£5006	£500 ⁵	£500 ⁵
Cruise Control with programmable speed limiter	•7	•7		●7	•7	•7	
Cruise control with 62mph fixed speed limiter	£70 ⁸	£708			£708		
62mph fixed speed limiter			£70			£709	£70°
Tyre pressure monitor	£200	£200	£200	£200	£200	£200	£200
Active Safety Brake and Lane Departure Warning system		£720 ¹⁰	£720 ¹⁰		£720 ¹⁰	£720	•

A maximum of eight individual options can be ordered.

Option packs include more than one individual option and will reduce the amount of additional options available.

Please consult your dealer for further details.

- All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.
- Standard
- No cost option

- Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.
- 2 Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.
- 3 Replaces 12v socket on dashboard.
- 4 In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version.
- 5 Incompatible with optional front passengers' lateral and curtain airbags.
- 6 Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage and passenger airbag.
- 7 Not available on Relay 40 versions.

- 8 For minibus (Public Service Vehicle) conversions only. Not available on BlueHDi 120 versions.
- For minibus (Public Service Vehicle) conversions only.
- 10 Standard on Relay 40 Versions.
- 11 Incompatible with Active Safety Brake and Lane Departure Warning. Includes automatic lights and wipers.
- 12 Standard on Relay & e-Relay 40 Versions.
- 13 Available as a special order on 40 Heavy versions only, for conversions which do not legally require a tachograph or speed limiter.
- 14 Not available on L4 versions.
- 15 Available on L4 versions only.
- 16 Includes multi-season tyres.

- 17 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible.
- 18 35 Heavy and 40 versions.
- 19 Incompatible with rear adjustable pneumatic suspension (UAO4). Standard on Relay 40 versions..
- 20 Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions.
- 21 Not available on H3 versions.
- 22 Not available on L3 and L4 versions.
- 23 Includes reinforced Alternator.

CITROËN RELAY & ë-RELAY

EQUIPMENT & OPTIONS

Prices effective from 1 November 2021.

		Panel Van				Danal Van		Panel Van Van		.	Vindow Van
	×	Enterprise	Electric Enterprise	Driver	Enterprise	×	Electric Enterprise				
SAFETY & SECURITY											
Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system		£850 ¹¹	£850 ¹¹	•	£850 ¹¹	£850 ¹¹	£850 ¹¹				
Smart Tachograph (1C)		£450 ¹²	£450 ¹²	£450 ¹²		£450 ¹²	•				
Delete Smart tachograph (1C)		£0	£0			£0 ¹³	£0 ¹³				
Additional second 3 button plip key	£90	£90	£90	£90	£90	£90	£90				
LIGHTING & VISIBILITY											
Front LED daytime running lights and wheel trims		£270 ¹⁴	£270 ¹⁴	•	£270 ¹⁴	£270 ¹⁴					
Front LED daytime running lights with side markers and wheel trims		£270 ¹⁵	£270 ¹⁵	•		£270 ¹⁵	£270 ¹⁵				
Electric folding door mirrors	£150	£150	£150	£150	£150	£150	£150				
EXTERIOR STYLE											
Metallic paint		£700	£700	£700	£700	£700	£700				
Special paint	£700	£700	£700	£700	£700	£700	£700				
Front and rear mudflaps	£80	£80	£80	£80	£80	£80	£80				
WHEELS TYRES & DRIVING CHARACTERISTICS											
Grip control with Hill Descent control		£550 ¹⁶		£550 ¹⁶	£550 ¹⁸	£550 ¹⁶					
Alloy wheels - 15"	£385 ¹⁷	£385 ¹⁷		£385 ¹⁷	£385 ¹⁷	£385 ¹⁷					
Alloy wheels - 16"	£385 ¹⁸	£385 ¹⁸	£385 ¹⁸	£385 ¹⁸		£385 ¹⁸	£385 ¹⁸				
Reinforced twin-leaf suspension	£150 ¹⁹	£150 ¹⁹	•	£150 ¹⁹	£150 ¹⁹	£150 ¹⁹	•				
Rear pneumatic suspension (self-adjusting)		£990 ²⁰		£990 ²⁰	£990 ²⁰	£990 ²⁰					

A maximum of eight individual options can be ordered. Option packs include more than one individual option and will reduce the amount of additional options available. Please consult your dealer for further details.

- All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.
- Standard
- No cost option

- Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.
- 2 Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.
- 3 Replaces 12v socket on dashboard.
- 4 In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version.
- 5 Incompatible with optional front passengers' lateral and curtain airbags.
- 6 Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage and passenger airbag.
- 7 Not available on Relay 40 versions.

- 8 For minibus (Public Service Vehicle) conversions only. Not available on BlueHDi 120 versions.
- For minibus (Public Service Vehicle) conversions only.
- 10 Standard on Relay 40 Versions.
- 11 Incompatible with Active Safety Brake and Lane Departure Warning. Includes automatic lights and wipers.
- 12 Standard on Relay & e-Relay 40 Versions.
- 13 Available as a special order on 40 Heavy versions only, for conversions which do not legally require a tachograph or speed limiter.
- 14 Not available on L4 versions.
- 15 Available on L4 versions only.
- 16 Includes multi-season tyres.

- 17 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible.
- 18 35 Heavy and 40 versions.
- 19 Incompatible with rear adjustable pneumatic suspension (UA04). Standard on Relay 40 versions..
- 20 Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions.
- 21 Not available on H3 versions.
- 22 Not available on L3 and L4 versions.
- 23 Includes reinforced Alternator.

CITROËN RELAY & ë-RELAY

EQUIPMENT & OPTIONS

Prices effective from 1 November 2021.

	Panel Van				Crew Van	1	Vindow Van
	×	Enterprise	Electric Enterprise	Driver	Enterprise	×	Electric Enterprise
DOORS & WINDOWS							
Glazed rear doors - with heated rear windows and internal rear view mirror	£250	£250	£250	£250	£250	•	•
Offside sliding side loading door		£350 ²¹	£350 ²¹	£350 ²¹	£350 ²¹		
Glazed offside sliding side loading door						£370 ²¹	£370 ²¹
270° opening rear doors	£250	£250	£250	£250	£250	£250	£250
Tinted windows to rows 2 and 3 and rear doors						£110 ²²	
Sliding side windows to second row						£160	£160
LOAD CARRYING							
Full steel bulkhead with sliding window	£60	£60	£60	£60			
Remove bulkhead		♦	♦				
12v socket in load area	£30	£30	£30		£30	£30	£30
SEATING							
Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat	♦	♦	♦	♦	♦	♦	♦
CONVERTER EQUIPMENT							
Electrical connections interface box - Only for use for electrical connections for integral elements of a vehicle conversion	£140 ²³	£140 ²³	£140 ²³	£140 ²³	£140 ²³	●23	●23

A maximum of eight individual options can be ordered. Option packs include more than one individual option and will reduce the amount of additional options available. Please consult your dealer for further details.

- All Manufacturer's Recommended Basic Prices are exclusive of V.A.T., Delivery to Dealer and Number Plates, Government First Registration Fee and Vehicle Excise Duty.
- Standard
- No cost option

- Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.
- 2 Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.
- 3 Replaces 12v socket on dashboard.
- 4 In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version.
- 5 Incompatible with optional front passengers' lateral and curtain airbags.
- 6 Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage and passenger airbag.
- 7 Not available on Relay 40 versions.

- 8 For minibus (Public Service Vehicle) conversions only. Not available on BlueHDi 120 versions.
- 9 For minibus (Public Service Vehicle) conversions only.
- 10 Standard on Relay 40 Versions.
- 11 Incompatible with Active Safety Brake and Lane Departure Warning. Includes automatic lights and wipers.
- 12 Standard on Relay & e-Relay 40 Versions.
- 13 Available as a special order on 40 Heavy versions only, for conversions which do not legally require a tachograph or speed limiter.
- 14 Not available on L4 versions.
- 15 Available on L4 versions only.
- 16 Includes multi-season tyres.

- 17 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible.
- 18 35 Heavy and 40 versions.
- 19 Incompatible with rear adjustable pneumatic suspension (UAO4). Standard on Relay 40 versions..
- 20 Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions.
- 21 Not available on H3 versions.
- 22 Not available on L3 and L4 versions.
- 23 Includes reinforced Alternator.





CITROËN RELAY

PRICES, EQUIPMENT AND TECHNICAL SPECIFICATION
October 2021 MY 22

INSPIRED BY YOU

1.1 CHOOSE YOUR RELAY VAN LEVEL

ENTERPRISE

Comfort & Convenience

Air conditioning

Cruise control with variable speed limiter*

Rear parking sensors

Lower central glovebox with dashboard tablet holder

Seating

Driver's seat with height, rake, reach and lumbar adjustment Driver's seat armrest

*(Cruise control not available on 40 or electric versions)

Comfort & Convenience

Front electric windows

Twin lens door mirrors with electrically adjustable and heated upper mirror

12v socket in load area

Full size steel spare wheel

Reach adjustable steering wheel

Two cupholders with mobile phone storage in centre of lower dashboard

Safety & Security

ESC with Hill Start Assist, ABS braking including EBA and EBFD

Remote central locking with deadlocking and separate

locking for cab

Driver airbag

Full steel bulkhead (panel van only)

Daytime running lights

Perimetric alarm & deadlocks

Cruise control with variable speed limiter

(Not available on Relay 40 versions)

Technology & Entertainment

5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

USB charging socket on dashboard

Crew Van Only

Three-seat bench in row 2 with fixed side windows, cloth headlining and non slip floor

Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats (in-lieu of full steel bulkhead behind row 1)

Moulded side panels with integrated bottle holders

Seating

Driver's seat with height, rake and reach adjustment Dual passenger bench seat

Technology & Entertainment

DAB radio with Bluetooth® handsfree, USB socket and steering wheel mounted controls

Telematics box for Free2Move Connect Fleet Services -

Not available on electric versions. Therefore, do not feature deferred charging and remote temperature pre-conditioning via the MyCitroën app

Exterior Features

Side rubbing strips

Steel wheels with centre cap

Twin unglazed rear doors (opening to 180° - panel van only)

Nearside sliding side loading door

Window Van Only

Ladder frame protection behind driver

Twin glazed rear doors with heated windows (opening to 180°) Glazing to row 2, 3 and nearside sliding side loading door





DRIVER

In addition to Enterprise

Comfort & Convenience

Rear parking sensors and camera

Lighting and Visibility

LED running lights integrated into the main headlights
Automatic windscreen wipers

Automatic lights

Exterior Features

Full wheel trims

Safety & Security:

Drive Assist Pack: Active Safety Brake, collision alert, Lane Departure Warning, smart beam headlights and speed limit recognition



1.2 Citroën ë-Relay: Introduction

Citroën ë-Relay





Electric Display in Rear Mirror displays information including battery charge level & range



Drive Mode Selector



Dials for RPM, Fuel and Engine Temperature - the needles have been removed as this information is not required on ë-Relay.





Thermostatic Heating Control



Charging

Electric Powertrain & Bodystyles

Full Electric Vehicle

The Citroën Relay is not only available with a range of diesel powertrains to choose from, but is now also available as the e-Relay. A full electric van.

Battery Range

The new ë-Relay offers two different size battery packs to suit a range of customer needs.

- 37kWh Battery: For a range of up to 73 miles (WLTP certified).
- 70kWh Battery: For a range of up to 139 miles (WLTP certified).

Bodytyles

The Citroën ë-Relay is available in the following Bodystyles, Lengths & Battery combinations.

- Panel Van: L2H2 & 37kWh Battery, L3H2 & 70kWh Battery and L4H2 & 70kWh Battery.
- Window Van: L4H2 & 70kWh Battery.
- Chassis Cabs: L3 & 70kWh Battery.
- NOTE: ë-Relay is a converted product produced in Turkey. Therefore, the lead time is approximately 2 months longer than the diesel versions.

Specification & Features

Specification

All Citroën ë-Relays will be available on Enterprise level specification and will come with the below key features.

- Touchscreen Navigation Pack including 5" colour touchscreen.
- Perimetric Alarm
- Air conditioning
- Rear Parking Sensors *on ë-Relay Panel Vans only

eatures

- The electric batteries are stored under the floor ensuring the loadspace volume is not affected.
- Instead of the manual gearbox control, three buttons are used to select the vehicles driving mode.
- A special interior rear-view mirror with a display allows information dedicated to the operation of the Citroën ë-Relay to be relayed to the driver, including battery charge level & range.
- 'e' Monogram badging.
- NOTE: ë-Relay versions do not feature deferred charging and remote temperature pre-conditioning via the MyCitroën app due to having no Telematics box.
- Thermostatic heating control panel is included to the right of the steering wheel. This is used to set the temperature of the cabin in conjunction with the controls in the centre of the dashboard.
- Dials for RPM, Fuel and Engine Temperature are still positioned behind steering wheel but the needles have been removed as this information is not required on ë-Relay.

Charging Times

Charging Times

The Citroën ë-Relay will come with an On Board Charger that is compatible with both Single and Three Phase power supplies and allows for the following charging times.

Fast (AC)

- **37kWh Battery:** 0-100% in 6 hours using a 7.4kW Single Phase Wallbox and 0-100% in 3 hours using a 22kW Three Phase Wallbox.
- $\hbox{-} \textbf{70kWh Battery: } 0\text{-}100\% \text{ in } 12 \text{ hours using a } 7.4 \text{kW Single Phase Wallbox} \text{ and } 0\text{-}100\% \text{ in } 9 \text{ hours using a } 22 \text{kW Three Phase Wallbox}.$

Rapid (DC)

- 37kWh Battery: 0-80% in 1 hour at a rate of 50kW.
- 70kWh Battery: 0-80% in 1 hour at a rate of 50kW.

 \ddot{e} -Relay is also compatible with 100kW chargers but will only charge at a maximum rate of 50kWh.

Body Style & Trim Level	Length / Height	Version	НР	Insurance Group	Load Length At Floor(mm)	Maximum Indicative Payload (kg)	Load volume (m³)	Gross Vehicle Weight (kg)	WLTP CO ₂ g/km*	LCDV Code	Basic M.R.R.P.	V.A.T.	Total M.R.R.P.	On The Road M.R.R.P.
Panel Van X	L1H1	Relay 30 BlueHDi 120 S&S 6-speed manual X	120	39A	2670	1125	8	3000	215	2CU91DHNXKU0A0E0	£26,655	£5,331	£31,986	£33,106
	L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual X	120	41A	2670	1425	8	3300	218	2CU91EHNXKU0A0E0	£28,455	£5,691	£34,146	£35,266
	L2H1	Relay 35 BlueHDi 140 S&S 6-speed manual X	140	43A	3120	1570	10	3500	221	2CU93FHNYKU0A0E0	£30,855	£6,171	£37,026	£38,146
	L2H2	Relay 35 BlueHDi 140 S&S 6-speed manual X	140	43A	3120	1545	11.5	3500	232	2CU93KHNYKU0A0E0	£31,655	£6,331	£37,986	£39,106
	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual X	140	44A	3705	1495	13	3500	234	2CU95KHNYKU0A0E0	£32,455	£6,491	£38,946	£40,066
	L3H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual X	140	44A	3705	1455	13	3500	240	2CU95LHNYKU0A0E0	£32,755	£6,551	£39,306	£40,426
Panel Van Enterprise	L1H1	Relay 30 BlueHDi 120 S&S 6-speed manual Enterprise	120	38E	2670	1125	8	3000	216	2CU91DLNXKU0A0E0	£27,735	£5,547	£33,282	£34,402
	L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual Enterprise	120	40E	2670	1425	8	3300	219	2CU91ELNXKU0A0E0	£29,535	£5,907	£35,442	£36,562
	L2H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise	140	43E	3120	1545	11.5	3500	233	2CU93KLNYKU0A0E0	£32,735	£6,547	£39,282	£40,402
	L2H2	ë-Relay 35 Heavy L2H2 Electric 37kWh Enterprise	120	TBC	3120	1070	11.5	3500	0	2CU93LLQ76U009E0	£55,335	£11,067	£66,402	£67,247
	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise	140	43E	3705	1495	13	3500	234	2CU95KLNYKU0A0E0	£33,535	£6,707	£40,242	£41,362
	L3H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	140	43E	3705	1455	13	3500	241	2CU95LLNYKU0A0E0	£33,835	£6,767	£40,602	£41,722
	L3H2	ë-Relay 35 Heavy L3H2 Electric 70kWh Enterprise	120	TBC	3705	740	13	3500	0	2CU95LLS76U009E0	£61,085	£12,217	£73,302	£74,147
	L3H2	ë-Relay 40 Heavy L3H2 Electric 70kWh Enterprise	120	TBC	3705	1150	13	4005	0	2CU95MLS76U009E0	£74,355	£14,871	£89,226	£90,071
	L3H3	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise	140	43E	3705	1470	15	3500	247	2CU95NLNYKU0A0E0	£34,335	£6,867	£41,202	£42,322
	L4H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	140	43E	4070	1410	15	3500	242	2CU97LLNYKU0A0E0	£34,635	£6,927	£41,562	£42,682
	L4H2	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	140	TBC	4070	1870	15	4005	218	2CU97MLNYKU0A0E0	£35,995	£7,199	£43,194	£44,204
	L4H3	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	140	44E	4070	1380	17	3500	255	2CU97OLNYKU0A0E0	£35,435	£7,087	£42,522	£43,642
	L4H2	ë-Relay 40 Heavy L4H2 Electric 70kWh Enterprise	120	TBC	4070	1150	15	4005	0	2CU97MLS76U009E0	£75,255	£15,051	£90,306	£91,151
Panel Van Driver	L2H2	Relay 35 BlueHDi 140 S&S 6-speed manual Driver	140	43E	3120	1545	11.5	3500	233	2CU93KTNYKU0A0E0	£34,105	£6,821	£40,926	£42,046
	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Driver	140	44E	3705	1495	13	3500	235	2CU95KTNYKU0A0E0	£34,905	£6,981	£41,886	£43,006
	L4H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver	140	44E	4070	1410	15	3500	242	2CU97LTNYKU0A0E0	£36,005	£7,201	£43,206	£44,326
Crew Van Enterprise	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	140	TBC	3075	1315	10.5	3500	TBC	2CU95KLNYKU09CE0	£36,550	£7,310	£43,860	£44,980
Window Van X	L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual Window Van	120	TBC	2670	1425	8	3300	219	2CU91SHNXKU0A0E0	£28,755	£5,751	£34,506	£35,626
	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Window Van	140	TBC	3705	1495	13	3500	234	2CU95WHNYKU0A0E0	£32,755	£6,551	£39,306	£40,426
	L4H2	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Window Van	140	TBC	4070	1870	15	4005	218	2CU97YHNYKU0A0E0	£35,245	£7,049	£42,294	£43,304
Window Van Enterprise	L4H2	ë-Relay 40 Heavy L4H2 Heavy 70kWh Window Van Enterprise	120	TBC	4070	1150	15	4005	0	2CU97YLS76U009E0	£75,750	£15,150	£90,900	£91,745

CO2 figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO2 emission output.

Legal notice ELECTRIC VEHICLES:

[1] The range and electric consumption figures mentioned comply with the WLTP test procedure, on the basis of which new vehicles are type approved from 1 September 2018. They may vary depending on actual conditions of use and on different factors such as : speed, thermal comfort on board the vehicle, driving style and outside temperature. The charging time depends in particular on the power of the charger on board the vehicle, the charging cable and the type and power of the charging station used. Please contact your dealer for further information. For more information [refer to the website that each of the Brands has put in place to explain the WLTP.]

^{*}Figures shown are for comparison pruposes and should only be compared to the fuel consumption and CO₂ values of other vans tested to the same technical standard. The fuel consumption achieved, and CO₂ produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO₂ figures.

FI FCTRIC VAN PRICING BREAKDOW

To make the pricing of our fantastic e-Relay vans as simple as possible, we have provided a basic breakdown below. Please note that the the Plug in Van Grant is applied to the Base Vehicle Price [incl. VAT] including any manufacturer discounts. We have not included any manufacturer discounts in the breakdown below, and so the prices are subject to change based upon any discounts being offered at the time. Please contact your local Dealership to find out about any manufacturer promotions which many impact the amount of PIVG that you can receive, and therefore the overall price of the vehicle.

	Length / Height	Version	Maximum Indicative Payload (kg)	Load space (m3)*	Gross Vehicle Weight (kg)	WLTP CO2 g/km	LCDV Code	Basic M.R.R.P.	V.A.T.	Total M.R.R.P.	Government Grant**	Basic Price after PiVG	Total Retail Price after PiVG	OTR Price after PiVG
Panel Van Enterprise	L2H2	ë-Relay 35 Heavy L2H2 Electric 37kWh Enterprise	1070	11.5	3500	0	2CU93LLQ76U009E0	£55,335	£11,067	£66,402	£6,000	£49,335	£60,402	£61,247
Panel Van Enterprise	L3H2	ë-Relay 35 Heavy L3H2 Electric 70kWh Enterprise	740	13	3500	0	2CU95LLS76U009E0	£61,085	£12,217	£73,302	26,000	£55,085	£67,302	£68,147
Panel Van Enterprise	L3H2	ë-Relay 40 Heavy L3H2 Electric 70kWh Enterprise	1150	13	4005	0	2CU95MLS76U009E0	£74,355	£14,871	£89,226	£16,000	£58,355	£73,226	£74,071
Panel Van Enterprise	L4H2	ë-Relay 40 Heavy L4H2 Electric 70kWh Enterprise	1150	15	4005	0	2CU97MLS76U009EC	£75,255	£15,051	£90,306	£16,000	£59,255	£74,306	£75,151
Window Van Enterprise	L4H2	ë-Relay 40 Heavy L4H2 Heavy 70kWh Window Van Enterprise	1150	15	4005	0	2CU97YLS76U009E0	£75,750	£15,150	£90,900	£16,000	£59,750	£74,900	£75,745

^{* *} The Government PiVG is worked out as follows:

Up to 3.5 tonne GVW : 35% of the Base Vehicle Price (incl. VAT) and including any discounts applied up to a maximum of £6,00

limited to 10 per customer across all Manufacturers. After the 250 order limit is reached, a maximum grant rate of £6,000 will apply. Please refer to https://www.gov.uk/plug-in-car-van-grants

Legal notice ELECTRIC VEHICLES:


[1] The range and electric consumption figures mentioned comply with the WLTP test procedure, on the basis of which new vehicles are type approved from 1 September 2018. They may vary depending on actual conditions of use and on different factors such as: speed, thermal comfort on board the vehicle, driving style and outside temperature. The charging time depends in particular on the power of the charger on board the vehicle, the charging cable and the type and power of the charging station used. Please contact your dealer for further information. For more information [refer to the website that each of the Brands has put in place to explain the WLTP.]

> 3.5 tonne GVW: 20% of the Base Vehicle Price (incl. VAT) and including any discounts applied up to a maximum of £16,000 if applicable/NOTE: This grant will be available following OZEV approval, and is only available for the first 250 ordered via the OLEV portal per full year,

3.1 CHOOSE YOUR PAINT COLOUR & UPHO

SOLID	COLOURS	META	LLIC / PEARLE	SCENT COLOU	RS*	SPECIAL PAINT*				
Icy White	Thunder Grey	Cumulus Grey (M)	Iron Grey (M)	Graphito Grey (M)	Arctic Steel (M)	Tizziano Red**	Black			
POPR	P02B	M0F4	M0ZW	M0E9	MOZR	E01X	EOXY			
•	•	0	0	0	0	0	0			
		£700 + VAT								

- Standard
- Cost option
- *Please note that only Solid Colours are available on the Enterprise Crew Van
- * * Tizziano Red is a solid colour



3 2 WHFFI

STANDARD STEEL WHEELS

Tyres: 215/70 R15 C



30, 33, 35 Panel & Crew Vans



15" WHEEL TRIMS Tyres: 215/70 R15 C



30, 33, 35 Panel Vans





30, 33, 35 Panel Vans

STANDARD STEEL WHEELS

Tyres: 215/75 R16 C



35 Heavy Panel Vans

16" WHEEL TRIMSTyres: 215/75 R16 C



35 Heavy Panel Vans

16" ALLOY WHEELS Tyres: 215/75 R16 C



35 Heavy Panel Vans

3.3 TRIM



All versions

Magnet' trim - dark grey cloth with black and red twill 35FX

		PANE	LVAN		CREW VAN	W VAN	
EQUIPMENT	х	ENTERPRISE	ELECTRIC ENTERPRISE	DRIVER	ENTERPRISE	x	ELECTRIC ENTERPRISE
TECHNOLOGY & ENTERTAINMENT							
Telematics box for Free2Move Connect Fleet services	•	•	-	•	•	•	-
FREE2MOVE Connect Fleet Telematics subscription – 6 months. Includes Fleet Management, Eco Driving & Geolocation packs. Enabling							
geolocation of fleets in real time, timestamped tracking and analysis of vehicle downtime, analysis of driving behaviour with ecotips, fuel	•	•	-	•	•	•	-
consumption monitoring & mechanical alerts received in real time							
DAB radio with with steering mounted controls, Bluetooth® handfree and USB socket	•	-	-	-	-	•	-
5" Colour touchscreen with DAB radio, Bluetooth® handsfree, USB socket and steering wheel mounted controls	-	-	-	-	-	-	-
5" Colour touchscreen with DAB radio, integrated stellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls	-	•	•	•	•	0	•
COMFORT AND CONVENIENCE							
Cabin overhead storage		0	0	0	0	0	•
Power steering (non variable)	•	•	•	•	•	•	•
Gear shift indicator	•	•	-	•	•	•	-
Twin lens door mirrors with electrically adjustable and heated upper mirror	•	•	•	•	•	•	•
Rear parking sensors	0	•	•	•	•	0	•
Rear view camera	-	0	0	•	0	0	0
Electric front windows	•		•	•	•	•	•
Reach adjustable steering wheel	•	•	•	•	•	•	•
Manual air-conditioning for cab area, including glovebox	0		•	•	•	0	•
			-				-
Thermostatic heating control. Used to set the temperature of the cabin in conjunction with the controls in the centre of the dashboard	-	-	•	-	-	-	•
SAFETY & SECURITY							
Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departure Warning system	-	0	0	•	0	0	0
ABS	•	•	•	•	•	•	•
Electronic Stability Control (ESC) with Hill Start Assist	•	•	•	•	•	•	•
Emergency Braking Assistance	•	•	•	•	•	•	•
EBFD (Electronic Brake Force Distribution)	•	•	•	•	•	•	•
Thatcham rolling transponder immobiliser	•	•	•	•	•	•	•
Oil level indicator	•	•	-	•	•	•	-
Cruise control with variable speed limiter (Not available on Relay 40 versions)	•	•	-	•	•	•	-
Driver's airbag	•	•	•	•	•	•	•
Full size steel spare wheel	•	•	•	•	•	•	•
Three x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat)	•	•	•	•	•	•	•
Perimetric alarm & deadlocks	•	•	•	•	•	•	•
High frequency remote control central locking with 3-button plip	•	•	•	•	•	•	•
Visible Vehicle Identification Number (at base of windscreen)	•	•	•	•	•	•	•
LIGHTING & VISIBILITY							
Halogen headlights with clear polycarbonate lenses	•	•	•	•	•	•	•
Front LED daytime running lights and wheel trims	-	0	0	•	0	0	0
2 speed, intermittent front windscreen wipers (non-automatic)	•	•	•	-	•	•	•
Visibility Pack: automatic lights and windscreen wipers	-	-	-	•	-	-	-
Remote headlight adjustment from fascia	•	•	•	•	•	•	•
Tinted windows	•	•	•	•	•	•	•
Laminated windscreen	•	•	•	•	•	•	•
Manually folding door mirrors	•	•	•	•	•	•	•
/		1 -			,		ļ

Standard O Optional at extra cost

		PANE	L VAN		CREW VAN	OW VAN	
EQUIPMENT	х	ENTERPRISE	ELECTRIC ENTERPRISE	DRIVER	ENTERPRISE	х	ELECTRIC ENTERPRISE
DOORS & WINDOWS							
Rear doors opening to 180°	•	•	•	•	•	•	•
Nearside sliding side loading door	•	•	•	•	•	•	•
Fixed side windows in row 2	-	-	-	-	•	•	•
Unglazed rear doors	•	•	•	•	•	-	-
Glazed rear doors with heated windows	0	0	0	0	0	•	•
LOAD CARRYING							
Ladder frame bulkhead	-	-	-		-	•	•
Full steel bulkhead	•	•	•	•	-	-	-
Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats	-	-	-	-	•	-	-
Eight tie-down hooks in the load area (ten on L3 & L4)	•	•	•	•	-	•	•
Rear single-leaf suspension (except Relay 40 versions)	•	•	-	•	•	•	-
Rear reinforced twin-leaf suspension (also standard on all Relay 40 versions)	0	0	•	0	0	0	•
SEATING							
Driver's seat height adjustment	•	•	•	•	•	•	•
Passenger bench seat	•	•	•	•	•	•	•
Three-seat bench in row 2 with adjustable head restraints	-	-	-	-	•	•	-
Non slip hardwearing front cabin floor covering	•	•	•	•	•	•	•
INTERIOR STYLE & STORAGE							
Two cup holders and mobile phone storage in centre of lower dashboard	•	-	-	-	-	-	_
Lockable, non-illuminated glove box	•			•		•	
Lower central glovebox	-	-	-	-	-	•	
Lower central glovebox with dashboard tablet holder	-	•		•	•	-	-
12v socket in load area	•	_	-	-	_	•	_
USB charger + 12v socket in load area		•	•	•	•		•
USB Charging socket on dashboard	-	•	•	•	•	0	
Load area light (two on H2 & H3)	•	•	•	•	•	•	•
Row 2 fitted with cloth headlining, non slip floor and moulded side panels with integrated bottle holders	_			-		-	
WHEEL, TYRES & EXTERIOR STYLE		-	-				
Grip Control with Hill Descent Control and multi-season tyres	0	0	-	0	0	0	-
Multi-season tyres	-	-	-	-	-	-	-
Front and rear mudflaps	0	0	0	0	0	0	0
INSTRUMENTS	0	0	0	0	0	0	0
INSTRUMENTS							
Rev counter, water temperature gauge, fuel gauge and trip computer (on electric versions the needles have been removed as not required)	•	•	-	•	•	•	-
Display screen in rear view mirror with traction battery charge level, battery voltage/amperage, and range	-	-	•	-	-	-	•
Battery charge warning	•	•	•	•	•	•	•
Bulb out warning for side light, headlamp and indicators	•	•	•	•	•	•	•
Lights on alarm	•	•	•	•	•	•	•
Door open warning for cab doors	•	•	•	•	•	•	•
CONVERTER EQUIPMENT							
Electrical connections interface box							
- Only for use for electrical connections for integral elements of a vehicle conversion	0	0	0	0	0	•	•
ELECTRIC SPECIFIC							
Electric Charging Cable - Mode 3 Type 2 for Wallbox [8 Meters]	-	-	•	-	-	-	•
On Board Charger - compatible with both single and three phase power supply	-	-	•	-	-	-	•
Stradard O Ostional at outer cost	1	1	1 1		+		1

Standard O Optional at extra cost

					CREW VAN	WINDO	OW VAN		
OPTIONS	NOTES	OPTION CODE	x	ENTERPRISE	ELECTRIC	DRIVER	ENTERPRISE	х	ELECTRIC
					ENTERPRISE ALL P	RICES ARE SUBJECT TO	VAT		ENTERPRISE
TECHNOLOGY & ENTERTAINMENT									
Touch Screen Audio Pack: DAB digital radio with steering mounted controls, 5 inch colour touch screen, Bluetooth® handsfree and USB socket	Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.	RC60	-	-	-	-	-	£350	-
Touch Screen Navigation Pack: DAB digital radio with integrated navigation and steering mounted controls, 5 inch colou touch screen, Bluetooth® handsfree and USB socket	r Mobile phone compatibility can vary by phone manufacturer. Please consult your Dealer for further phone compatibility information.	JY02	-	•	•	•	•	£700	•
COMFORT & CONVENIENCE									
Cabin overhead storage	Incompatible with front passengers' lateral and curtain airbags (NF04). Standard on Relay 40 versions.	JO01		£75	£75	£75	£75	£75	•
USB Charging socket on dashboard	Replaces 12v socket on dashboard	ES14	-	•	•	•	•	£30	•
Manual air conditioning for cab area, including glovebox		REO1	£700	•	•	•	•	£700	•
Automatic air conditioning		RE07 UB01	£250	£635	£635	£635 •	£635 •	£1,335 £250	£635
Rear parking sensors Rear view camera	In addition to rear parking sensors. Includes Touch Screen Audio Pack (RC60) on X version	UB09	-	£350	£350		£350	£650	£350
Blind Spot Monitoring system with Rear Traffic Alert		AO01	-	£200	£200	£200	£200	0003	£200
Leather steering wheel, gear lever, automatic lights and wipers	Present when Drive Assist Pack (E702) is ordered	VH04	-	£350	£350	£350	£350	£350	£350
SAFETY & SECURITY									
Passenger airbag	Incompatible with optional front passengers', lateral and curtain airbags (NFO4)	NN01	£180	£180	£180	£180	£180	£180	£180
Front passengers' lateral and curtain airbags	Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage (JOO1) and passenger airbag (NNO1)	NF04		£500	£500	£500	£500	£500	£500
Cruise control with programmable speed limiter	Not available on 40 versions	RG03	•	•	-	•	•	•	-
Cruise control with 62mph fixed speed limiter *Pending code update for build	For minibus (Public Service Vehicle) conversions only. Not available on BlueHDi 120 versions	RG19	£70	£70	-	-	£70	-	-
62mph fixed speed limiter	For minibus (Public Service Vehicle) conversions only	RG06	-	-	£70	-	-	£70	£70
Tyre pressure monitor	Standard on Relay 40 Versions	UE01 D403	£200	£200 £720	£200 £720	£200	£200 £720	£200 £720	£200
Active Safety Brake and Lane Departure Warning system	,	D403	-	£/20	£/20	-	£/20	£/20	<u> </u>
Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert and Lane Departur Warning system	e Incompatible with Active Safety Brake and Lane Departure Warning (D403). Includes automatic lights and wipers (NB08).	E702	-	£850	£850	•	£850	£850	£850
Smart Tachograph (1C).	Standard on Relay & e-Relay 40 Versions. Costs for calibrating the tachograph are not included and are the responsibility of the operator	HC09	-	£450	£450	£450	-	£450	
Delete Smart tachograph (1C)	Available as a special order on Relay & e-Relay 40 versions only, for conversions which do not legally require a tachograph or speed limiter.	HC08	-	03	£0	-	-	£0	£0
Additional second 3 button plip key	Vehicle will come with 2 x 3 button plip key + 1 standard key	JA17	£90	£90	£90	£90	£90	£90	£90
LIGHTING & VISIBILITY									
Front LED daytime running lights and wheel trims	Not available on L4 versions. 15" wheel trims on 30, 33 and 35 versions. 16" on 35 Heavy,40 versions	FE10		£270	£270	•	£270	£270	
Front LED daytime running lights with side markers and wheel trims	Available on L4 versions only. 16" wheel trims on 35 Heavy, 40 versions	FE12	-	£270	£270	•	-	£270	£270
Electric folding door mirrors	Incompatible when Blind Spot Monitoring system with Rear Traffic	HU02		£150	£150	£150	£150	£150	£150

							CREW VAN	WIND	WINDOW VAN	
OPTIONS	NOTES	OPTION CODE	х	ENTERPRISE	ELECTRIC ENTERPRISE	DRIVER	ENTERPRISE	х	ELECTRIC ENTERPRISE	
			ALL PRICES ARE SUBJECT TO VAT							
EXTERIOR STYLE										
Metallic paint	Supply constraints for this paint option, please contact your local dealership for more information.	M0	£700	£700	£700	£700	£700	£700	£700	
Special paint Special paint		E0	£700	£700	£700	£700	£700	£700	£700	
Front and rear mudflaps		PE03	082	083	083	083	083	083	083	
WHEELS, TYRES & DRIVING CHARACTERISTICS										
Grip control with Hill Descent control	Includes multi-season tyres	UF04	£550	£550	-	£550	£550	£550	-	
Allay wheels - 15°	30, 33 & 35 versions only. (Not available on Heavy versions). Alloy wheels and wheel trims are incompatible (SU01/DZ86)	DZ85	£385	£385	-	£385	£385	£385	-	
Allay wheels - 16°	35 Heavy, 40 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	DZ86	£385	£385	£385	£385	-	£385	£385	
Reinforced twin-leaf suspension	Incompatible with rear adjustable pneumatic suspension (UA04). Also standard on all 40 versions	SE08	£150	£150	•	£150	£150	£150	•	
Rear pneumatic suspension (self-adjusting)	Includes uprated tyres 225/70R15 on 30, 33 and 35 versions and 225/75R16 on 35 Heavy versions	UA04		£990	-	£990	£990	£990	-	
DOOR & WINDOW OPTIONS										
Glazed rear doors - with heated rear windows and internal rear view mirror		VC02	£250	£250	£250	£250	£250	•	•	
Offside sliding side loading door	Not available on H3 versions.	PC12	£350	£350	£350	£350	£350	-	-	
Glazed offside sliding side loading door	Not available on H3 versions	PC13	-	-	-	-	-	£370	£370	
270° opening rear doors		LL02	£250	£250	£250	£250	£250	£250	£250	
Tinted windows to rows 2 and 3 and rear doors	Not available on L3 and L4 versions	VD10	-	•	-	•	•	£110	-	
Sliding side windows to second row		VG02	-	-	-	-	-	£160	£160	
LOAD CARRYING										
Full steel bulkhead with sliding window		PX09	062	062	063	£60	-	-	-	
Remove bulkhead		PX00	-	*	◊	-	-	-	-	
SIEATING Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat		WM08	◊	*	*	٥	◊	◊	*	
CONVERTER EQUIPMENT										
Electrical connections interface box - Only for use for electrical connections for integral elements of a vehicle conversion	Includes reinforced Alternator	JIO1	£140	£140	£140	£140	£140	•	•	

	BlueHDi 120 S&S	BlueHDi 140 S&S						
	ENGINE							
Capacity (cc)	2179	2179						
Cylinders / Valves	4 / 16	4 / 16						
Max power CEE (kW (hp)/rpm)	88 (120) / 3500	103 (140) / 3750						
Max torque CEE (Nm (lb/ft)/rpm)	310 (229) / 1500	340 (251) / 1750						
Bore and stroke (mm)	85 x 96	85 x 96						
Fulcasa	-	Diesel						
Fuel system	High pressure turbo-charged direct injection							
Euro status	E	uro 6.3						
Stop & Start system		•						
_								
	TRANSMISSION							
Gearbox	Manual	Manual						
Number of gears	6	6						
_								
	FURTHER INFORMATION							
Suspension	Front: Pseudo-Macpherson type with lower wishbone struts, coil springs, telescopic hydraulic dampers and anti- roll bar Rear: Longitudinal leaf springs with telescopic hydraulic dampers (reinforced twin leaf on Relay 40 versions)							
Fuel tank capacity Litres (gallons)		O (19.8)						
ADBLUE tank capacity Litres (gations)	90	18.6						
Brakes Front/Rear	V*!	ed discs / discs						
Diakes Hoffly Real	ventilate	eu uiscs / uiscs						

1 FLECTRIC MOTOR INFORMATION

ENGINE		
Battery	Lithium-ion 37 kWh	Lithium-ion 70 kWh
Max Torque CEE (Nm)	350	350
Range (WLTP Combined @ 62mph)	Up to 73 miles	Up to 139 miles
Max power CEE (kW (hp)/rpm)	90Kw (120hp)/5500	90Kw (120hp)/5500
To the state of th		
CHARGING TIMES		
Single Phase 32A Wallbox (7.4kW) 0-100%	6h	12h
Three Phase 16A Wallbox (22kW) 0-100%	3h	9h
Rapid (DC) Charging (50 kW) 0 -80%	1h	1h
TRANSMISSION		
Gearbox	Automatic	Automatic
PERFORMANCE (all figures driver alone)		
Max speed (mph)	75	75

37 kWh Battery

Legal notice ELECTRIC VEHICLES:

(1) The range and electric consumption figures mentioned comply with the WLTP test procedure, on the basis of which new vehicles are type approved from 1 September 2018. They may vary depending on actual conditions of use and on different factors such as: speed, thermal comfort on board the vehicle, driving style and outside temperature. The charging time depends in particular on the power of the charger on board the vehicle, the charging cable and the type and power of the charging station used. Please contact your dealer for further information. For more information [refer to the website that each of the Brands has put in place to explain the WLTP.]

70 kWh Battery

Low Medium High Extra high Combined Low Medium High Extra high Combined Low Medium High Extra high Combined Medium High Extra high Extra high Combined High Extra high Hi				ECON	IOMY Litres/	100km			E	CONOMY ME	PG .		NEDC CO ₂	WLTP CO ₂
Panel Van X			Low	Medium	High	Extra-high	Combined	Low	Medium	High	Extra-high	Combined		-
LiHI Relay 30 BlueHD 120 566 Sepsed manual X 10.377 9.96.6 10.16.9 12.19.4 10.87.8 27.436.9 28.442.9 28.140.8 23.430 26.336 NLA 28.2218													(g/ km)	
1111 Relay 33 BlueHD 120 5656 Appead manual X					Panel	Van X								
1.2+11 Relay 35 BlashtDi 140 S&S 6 Sepsed manual X	L1H1	Relay 30 BlueHDi 120 S&S 6-speed manual X	10.3-7.7	9.9-6.6	10.1-6.9	12.1-9.4	10.8-7.8	27.4-36.9	28.4-42.9	28.1-40.8	23.4-30	26.3-36	NLA	282-215
L2H2 Relay 35 BlaceHD 140 S65 6-speed manual X 10.577 9.96.8 10.6.9 12.87 11.7 26.936.5 28.541.4 28.340.9 22.40.3 25.640.1 NIA 289223 28.94.2 28	L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual X	10.3-7.7	9.9-6.6	10.1-6.9	12.1-9.4	10.8-7.8	27.4-36.9	28.4-42.9	28.1-40.8	23.4-30	26.3-36	NLA	282-218
L3H2 Relay 35 BlueHD1 140 S65 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10.6.9 12.87 11.7 26.9-36.5 28.5-41.4 28.3-40.9 22.40.3 25.6-40.1 NLA 289.234	L2H1	Relay 35 BlueHDi 140 S&S 6-speed manual X	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-221
L3H2 Relay 35 Heavy BlueHDi 140 S66 Sepeed manual Enterprise 10.37.7 9.96.8 10.6.9 12.87 11.7 26.936.5 28.541.4 28.340.9 22.40.3 25.640.1 NLA 289.240	L2H2	Relay 35 BlueHDi 140 S&S 6-speed manual X	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-232
Panel Van Enterprise	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual X	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-234
L1H1 Relay 38 BluerHD 120 S&S 6-speed manual Enterprise 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 127.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282216 L1H1 Relay 38 BluerHD 140 S&S 6-speed manual Enterprise 10.3-7.7 9.9-6.6 10.1-6.9 12.8-7 11-7 12.8-7 11-7 12.8-3-6.5 28.5-41.4 28.3-40.9 22.4-0.3 25.6-40.1 NLA 282213 L3H2 Relay 35 BluerHD 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 12.8-7 11-7 12.8-7 11-7 12.8-3-6.5 28.5-41.4 28.3-40.9 22.4-0.3 25.6-40.1 NLA 282213 L3H2 Relay 35 BluerHD 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7	L3H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual X	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-240
L1H1 Relay 38 BluerHD 120 S&S 6-speed manual Enterprise 10,3-7.7 9.9-6.6 10.16-9 12.19-4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282-216														
L1H1 Relay 33 BlueHDi 120 S&S 6-speed manual Enterprise 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 10-6.9 12.1-9.4 10.8-7.8 12.1-9.4 10.8														
L2H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-233 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-247 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-247 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-247 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-247 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-218 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-255 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise Crew Van 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 BlueHDi 140 S&5 6-speed manual Enterprise Crew Van 10.5-7.7 9.9		,												
L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234 1.3 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-241 1.3 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 1.4 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 1.4 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-245 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-3-6.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 1.4 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8		, ,												
L3H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10.6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-247	L2H2	,												
L3H3 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-247 L4H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 L4H2 Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-248 L4H3 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-255 NLA 28.3-40.1 NLA 289-233 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L4H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L4H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L4H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 NLA 28.3-40.9 22-40.3 25.6-40.1 NLA 289-249 NLA 28.3-40.9 22-40.3 25.6-40.1 NLA 289-249 NLA 28.3-40.9 22-40.3 25.6		,			10-6.9									
L4H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22.40.3 25.6-40.1 NLA 289-242 L4H2 Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22.40.3 25.6-40.1 NLA 289-218 L4H3 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22.40.3 25.6-40.1 NLA 289-225 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-235 NLA 28.3-40.9 NLA 289-235 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-235 NLA 28.3-40.9 NLA 289-235 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-235 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-235 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-242 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-234 NLA 28.3-40.9 22.40.3 25.6-40.1 NLA 289-234 NLA 28.3-40.9 22.40.3 25		, ,			10-6.9								NLA	
L4H2 Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-218 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-255 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 11-7 11-7 11-7 11-7 11-7 11-7 1	L3H3	,	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-247
L4H3 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22.40.3 25.6-40.1 NLA 289-255 Panel Van Driver	L4H2	, ,	10.5-7.7	9.9-6.8	10-6.9		11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-242
Panel Van Driver L2H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-233 289-240.3 2	L4H2	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-218
L2H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-233 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 1BC NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-234	L4H3	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-255
L2H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-233 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 L3H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 1BC NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 NLAH2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-234					- 1									
L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-235 26.9-240 28.3-40.9 NLA 289-242 28.3-40.9 NLA 289-244 28.3-40.9 NLA 289-244 28.3-40.9 NLA 289-234 28.3-40.9 NLA 289-2								1					1	1
L4H2 Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-242 Crew Van Enterprise L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA TBC Window Van X L1H1 Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234		, ,												
Crew Van Enterprise		,												
L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA TBC Window Van X L1H1 Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234	L4H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver	10.5-7.7	9.9-6.8	10-6.9	12.8-7	11-7	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	289-242
L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA TBC Window Van X L1H1 Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234					c \/									
Window Van X	1.0110		10577					T 0.4 0.04 F	00 5 44 4	00 0 10 0	00.40.0	05 4 40 4		TD 0
L1H1 Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NIA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NIA 289-234	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	10.5-7./	9.9-6.8	10-6.9	12.8-/	11-/	26.9-36.5	28.5-41.4	28.3-40.9	22-40.3	25.6-40.1	NLA	IBC
L1H1 Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X 10.3-7.7 9.9-6.6 10.1-6.9 12.1-9.4 10.8-7.8 27.4-36.9 28.4-42.9 28.1-40.8 23.4-30 26.3-36 NLA 282-219 L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234		N.C. day, W. a. V												
L3H2 Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X 10.5-7.7 9.9-6.8 10-6.9 12.8-7 11-7 26.9-36.5 28.5-41.4 28.3-40.9 22-40.3 25.6-40.1 NLA 289-234	L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X	10.3-7.7	9.9-6.6			10.8-7.8	27.4-36.9	28.4-42.9	28.1-40.8	23.4-30	26.3-36	NLA	282-219
		,												
		, ,												

^{*}WLTP (gures shown are for comparison purposes and should only be compared to the fuel consumption and CO2 values of other wars tested to the same technical standard. The fuel consumption achieved, and CO2 produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories littled (gre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO2 (igures. The CO2 (igures display a range to reflect the highest value for the highest emitting version with all available options added, through to a minimum value to represent the lowest emitting version in standard specification.

		Gross Vehicle Weight (GVW)	Kerb weight (1)	Mass in Service	Max indicative payload (2)	Max plated front axle (3)	Max plated rear axle (3)	Gross Train Weight (GTW)	Max braked towing weight (4)	Max unbraked towing weight	Max towball weight	Max roof rack load	Turning circle between kerbs (m)
					Panel Van X								
L1H1	Relay 30 BlueHDi 120 S&S 6-speed manual X	3000	1875	2098	1125	1680	1650	5500	2500	750	100	150	11.26
L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual X	3300	1875	2098	1425	1800	1900	5800	2500	750	100	150	11.26
L2H1	Relay 35 BlueHDi 140 S&S 6-speed manual X	3500	1930	2160	1570	1870	2000	6000	2500	750	100	150	12.64
L2H2	Relay 35 BlueHDi 140 S&S 6-speed manual X	3500	1955	2185	1545	1870	2000	6000	2500	750	100	150	12.64
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual X	3500	2005	2235	1495	1870	2000	6000	2500	750	100	150	14.24
L3H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual X	3500	2045	2270	1455	2100	2400	6500	3000	750	120	150	14.24
				Don	el Van Enterpr								
1.11.11	D.J. 20 Bl. J.D. 120 CCC 6	3000	1075				1450	FF00	3500	750	100	150	11.24
L1H1 L1H1	Relay 30 BlueHDi 120 S&S 6-speed manual Enterprise Relay 33 BlueHDi 120 S&S 6-speed manual Enterprise	3000 3300	1875 1875	2098 2098	1125 1425	1680 1800	1650 1900	5500 5800	2500 2500	750 750	100 100	150 150	11.26 11.26
L2H2	Relay 35 BlueHDi 120 S&S 6-speed manual Enterprise Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise	3500	1955	2185	1545	1870	2000	6000	2500	750	100	150	12.64
L2H2	ë-Relay 35 Heavy L2H2 Electric 37kWh Enterprise	3500	2430	2613	1070	2100	2400	N/A	0	0	0	150	12.64
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise	3500	2005	2235	1495	1870	2000	6000	2500	750	100	150	14.24
L3H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	3500	2045	2270	1455	2100	2400	6500	3000	750	120	150	14.24
L3H2	ë-Relay 35 Heavy L3H2 Electric 70kWh Enterprise	3500	2760	2943	740	2100	2400	N/A	0	0	0	150	14.24
L3H2	ë-Relay 40 Heavy L3H2 Electric 70kWh Enterprise	4005	2855	3038	1150	2100	2400	N/A	0	0	0	150	14.24
L3H3	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise	3500	2030	2253	1470	1870	2000	6000	2500	750	100	150	14.24
L4H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	3500	2090	2312	1410	2100	2400	6500	3000	750	120	150	14.24
L4H2	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	4005	2135	2339	1870	2100	2400	6505	2500	750	100	150	14.24
L4H3	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Enterprise	3500	2120	2332	1380	2100	2400	6500	3000	750	120	150	14.24
L4H2	ë-Relay 40 Heavy L4H2 Electric 70kWh Enterprise	4005	2855	3038	1150	2100	2400	N/A	0	0	0	150	14.24
		•											
					anel Van Drive								
L2H2	Relay 35 BlueHDi 140 S&S 6-speed manual Driver	3500	1955	2185	1545	1870	2000	6000	2500	750	100	150	12.64
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Driver	3500	2005	2235	1495	1870	2000	6000	2500	750	100	150	14.24
L4H2	Relay 35 Heavy BlueHDi 140 S&S 6-speed manual Driver	3500	2090	2312	1410	2100	2400	6500	3000	750	120	150	14.24
				Cre	w Van Enterpri	se							
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	3500	2185	-	1315	1870	2000	6000	2500	750	100	150	14.24
					Window Van X								
L1H1	Relay 33 BlueHDi 120 S&S 6-speed manual Window Van X	3300	1875	2098	1425	1800	1900	5800	2500	750	100	150	11.26
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Window Van X	3500	2005	2235	1495	1870	2000	6000	2500	750	100	150	14.24
L4H2	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Window Van X	4005	2135	2339	1870	2100	2400	6505	2500	750	100	150	14.24
				Wind	ow Van Enterp	rise							
L4H2	ë-Relay 40 Heavy L4H2 Heavy 70kWh Window Van Enterprise	4005	2855	3038	1150	2100	2400	N/A	0	0	0	150	14.24

⁽¹⁾ Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

⁽²⁾ Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerences and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. Ar individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits

⁽³⁾ Within limits of GVW.

⁽⁴⁾ Maximum recommended towing weight within limits of GTW.

	Relay L1	Relay I	.2	Relay L3		Relay L3 Crew Van	Rel	ay L4
INTERIOR DIMENSIONS (mm)	H1	H1	H2	H2	Н3	H2	H2	Н3
Volume (m³)	8	10	11.5	13	15	10.5	15	17
Load length at floor	2670	3120	3120	3	705	3075	40	070
Load length at mid-height with bulkhead	2464	2914	2914	3	555	2335	3'	920
Load width (maximum)	1870	1870	1870	1	870	1870	18	870
Load width between wheel arches	1422	1422	1422	1.	422	1422	14	422
Load height (maximum)	1662	1662	1932	1932	2172	1932	1932	2172
Load height under row 2 bench seat (maximum)	-	-	-	-		380		-
Side door width	1075	1250	1250	1	250	1250	1.	250
Side door height	1485	1485	1755	1.	755	1755	1.	755
Rear doors width	1562	1562	1562	1.	562	1562	150	
Rear doors height	1520	1520	1790	1790	2030	1790	1790	2030
Load sill height	535-565	535-565	535-565	53!	5-565	535-565	535	5-565
EXTERIOR DIMENSIONS (mm)								
Wheelbase	3000	3450	3450	4	035	4035	40	035
Length	4963	5413	5413	5	998	5998	6	363
Height	2254	2254	2522	2522	2760	2522	2522	2760
Width (excl. door mirrors)	2050	2050	2050	2	050	2050	20	050
Front overhang	948	948	948	9	948	948	9	48
Rear overhang	1015	1015	1015	1015 1015			1.	380

STEERING	
Turns from lock to lock	3.87
Turning circle between kerbs/walls (m) L1	11.26 / 11.44
Turning circle between kerbs/walls (m) L2	12.64 / 12.84
Turning circle between kerbs/walls (m) L3 & L4	14.24 / 14.46

MANUFACTURER'S RECOMMENDED RETAIL PRICE ON THE ROAD

	RELAY VAN On the Road Costs	e-RELAY VAN On the Road Costs
Delivery to Dealer & Number Plates	£658.33	£658.33
VAT	£131.67	£131.67
Vehicle Excise Duty*	£275.00	0.00
First Registration Fee	£55.00	£55.00
Total OTR costs	£1,120.00	£845.00

^{*} Note, for goods vehicles weighing more than 3500kg the Vehicle Excise Duty is £165

VAT is calculated at 20 %

VAT is not applicable to vehicles sold in the Channel Islands

CITROËN 3 YEARS OF WARRANTY

All vehicles first registered in the UK and purchased from a UK Citroën Dealer benefit from a Citroën 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Citroën Dealer Network in the UK. This additional warranty carries a mileage limit of 100,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your Citroën Dealer in the UK.

CITROËN ASSISTANCE

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year, from date of vehicle registration, and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. You can also purchase additional Citroën Assistance via your local Citroën Dealer at any time. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. ë-Relay comes with a free of charge 8 year or 100,000 miles (whichever occurs first) Citroën Assistance starting from the date of registration. Full details are available on request from Citroën UK via cuk_contactcentre@citroen.com

CITROËN FINANCIAL SERVICES

Free2Move have a number of financial products designed to help you afford the Citroën of your choice. We can arrange a finance plan quicky and conveniently. What's more, it will be as suited to your needs as your new Citroën. Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust. Tell your Citroën dealer what you want and let us do the rest. Just ask for a free, no obligation quote. Written quotations are available on request from Banque PSA UK Finance Ltd, 61 London Road, Redhill RH1 1QA. Finance is subject to status. Over 18's only, a quarantee may be required.

FREE2MOVE CONNECT FLEET

All Relay Diesel Vans (not available on electric versions) ordered from 1st April 2021 will include a FREE 6 month trial of the FREE2MOVE Connect Fleet Telematics services. The trial covers all 3 of the packs shown below and is an online fleet management platform. With real-time data provided by on-board vehicle telematics, your customers will have an optimised solution for monitoring their fleets.

The embedded hardware is already fitted to all new Citroën LCVs as standard specification. It is simply switched on over-the-air when customers activate the FREE 6 month 'PACK 3 - GEOLOCATION' trial for the Connect Fleet platform

- Pack 1: Fleet Management £10 + VAT per vehicle per month) after initial 6 months free trial
- Pack 2: Eco-driving £11 + VAT per vehicle per month after initial 6 months free trial
- Pack 3: Geolocation £12 + VAT per vehicle per month after initial 6 months free trial

Further details are available at www.free2move-lease.co.uk/our-services/connect-fleet

CITROËN SERVICING

Available up to one year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing package enables you to pay in advance for:

- '- Scheduled Servicing
- '- Annual Service(s) for vehicles with a two year service plan
- '- Brake Fluid Replacement

This package can be personalised depending on your needs, with options ranging from 12 to 60 months and 10,000 to 100,000 miles.

TERMS AND CONDITIONS

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles' price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Citroën dealer the specification (including colour), equipment accessories and equipment relating to any Citroën vehicle and the exact cost and availability prior to ordering. Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise.

Issued by Sales and Marketing, Citroën UK Ltd, Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.









CONVERSION PLATFORMS AND READY TO RUN CONVERSIONS PRICES, EQUIPMENT AND TECHNICAL SPECIFICATION October 2021





CONVERSION PLATFORMS

INSPIRED BY YOU

1 1 CHOOSE VOLIR RELAY CONVERSION PLATFORM

ENTERPRISE (ë-Relay only)

Comfort & Convenience

Air conditioning

Lower central glovebox with dashboard tablet holder

Safety & Security

Reinforced twin-leaf suspension

Seating

Driver's seat with height, rake, reach and lumbar adjustment

Driver's seat armrest

Technology & Entertainment

Driver's seat with height, rake and reach adjustment

Four seat rear bench with 3-point seatbelts to outer seats,

DAB radio with Bluetooth® handsfree, USB socket and steering

Telematics box for Free2Move Connect Fleet Services - not available

Seating

Dual passenger bench seat

lap belts to inner seats (crew cab only)

Technology & Entertainment

wheel mounted controls

on electric versions

Conversion Equipment

Conversion interface box

Backless cab (floor cab only)

5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

Display screen in rear view mirror with traction battery charge level, battery voltage/amperage, and range

x

Comfort & Convenience

Front electric windows

Twin lens door mirrors with electrically adjustable and heated

upper mirror

12v socket in cabin

Full size steel spare wheel

Reach adjustable steering wheel

Two cupholders with mobile phone storage in centre of

lower dashboard

Safety & Security

ABS braking including EBA and EBFD

Remote central locking with deadlocking

Daytime running lights

Driver airbag

Wider door mirrors - allows max body width of 2200mm

Perimetric alarm

Cruise Control with programmable speed limiter. Not available on Relay 40 or electric versions



CHASSIS CAB



CHASSIS CREW CAB



FLOOR CAB



BACK TO BACK CAB

2.1 CHOOSE YOUR RELAY CONVERSION PLATFORM

Chassis Type	Length	Version	НР	Gross Vehicle Weight (kg)	WLTP CO ₂ g/km*	LCDV Code	Basic M.R.R.P.	V.A.T.	Total M.R.R.P.	On The Road M.R.R.P.
Chassis Cab	L2	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	140	3500	274	2CU94FHNYKU0A0E0	£27,925	£5,585	£33,510	£34,630
	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	140	3500	263	2CU96FHNYKU0A0E0	£28,525	£5,705	£34,230	£35,350
	L3	ë-Relay 35 Heavy L3 Electric 70kWh Chassis Cab Enterprise	120	3500	0	2CU96GLS76U009E0	£58,010	£11,602	£69,612	£70,457
	L3	ë-Relay 40 Heavy L3 Electric 70kWh Chassis Cab Enterprise	120	4005	0	2CU96HLS76U009E0	£71,280	£14,256	£85,536	£86,381
Chassis Crew Cab	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Crew Cab X	140	3500	282	2CU96XHNYKU0A0E0	£29,775	£5,955	£35,730	£36,850
Floor Cab	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Floor Cab X	140	3500	263	2CU96QHNYKU0A0E0	£28,525	£5,705	£34,230	£35,350
Back to Back	N/A	Relay 35 BlueHDi 140 S&S 6-speed manual Back to Back Cab X	140	3500	259	2CU90FHNYKU0A0E0	£27,300	£5,460	£32,760	£33,880
	N/A	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Back to Back Cab X	140	4005	238	2CU90HHNYKU0A0E0	£28,890	£5,778	£34,668	£35,678

CO2 figures above are for a standard vehicle without any additional optional equipment. The addition of optional extras could increase the certified CO2 emission output.

Legal notice ELECTRIC VEHICLES:

(1) The range and electric consumption figures mentioned comply with the WLTP test procedure, on the basis of which new vehicles are type approved from 1 September 2018. They may vary depending on actual conditions of use and on different factors such as: speed, thermal comfort on board the vehicle, driving style and outside temperative charging time depends in particular on the power of the charging cable and the type and power of the charging station used. Please contact your dealer for further information. For more information [refer to the website that each of the Brands has put in place to explain the WLTP.]

^{*}Figures shown are for comparison pruposes and should only be compared to the fuel consumption and CQvalues of other vans tested to the same technical standard. The fuel consumption achieved, and CQproduced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted (pre and post registration); variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and Consumption and

ECTRIC RELAY CONVERSTION CHASSIS PRICE

To make the pricing of our fantastic e Relay vans as simple as possible, we have provided a basic breakdown below. Please note that the the Plug in Van Grant is applied to the Base Vehicle Price (incl. VAT) including any manufacturer discounts. We have not included any manufacturer discounts in the breakdown below, and so the prices are subject to change based upon any discounts being offered at the time. Please contact your local Dealership to find out about any manufacturer promotions which many impact the amount of PIVG that you can receive, and therefore the overall price of the vehicle.

	Length / Height	Version	Gross Vehicle Weight (kg)	WLTP CO2 g/km	LCDV Code	Basic M.R.R.P.	V.A.T.	Total M.R.R.P.	Government Grant**	Basic Price after PiVG	Total Retail Price after PiVG	OTR Price after PiVG
Chassis Cab	L3	ë-Relay 35 Heavy L3 Electric 70kWh Chassis Cab Enterprise	3500	0	2CU96GLS76U009E0	£58,010	£11,602	£69,612	£6,000	£52,010	£63,612	£64,457
Chassis Cab	L3	ë-Relay 40 Heavy L3 Electric 70kWh Chassis Cab Enterprise	4005	0	2CU96HLS76U009E0	£71,280	£14,256	£85,536	£16,000	£55,280	£69,536	£70,381

^{* *} The Government PiVG is worked out as follows:

 $Up to 3.5 tonne \ GVW: 35\% \ of the \ Base \ Vehicle \ Price (incl. \ VAT) \ and \ including \ any \ discounts \ applied \ up to \ a \ maximum \ of \ \pounds6,000$

limited to 10 per customer across all Manufacturers. After the 250 order limit is reached, a maximum grant rate of £6,000 will apply. Please refer to https://www.gov.uk/plug-in-car-van-grant

Legal notice ELECTRIC VEHICLES:

[1] The range and electric consumption figures mentioned comply with the WLTP test procedure, on the basis of which new vehicles are type approved from 1 September 2018. They may vary depending on actual conditions of use and on different factors such as : speed, thermal comfort on board the vehicle, driving style and outside temperature. The charging time depends in particular on the power of the charger on board the vehicle, the charging cable and the type and power of the charging station used. Please contact your dealer for further information. For more information [refer to the website that each of the Brands has put in place to explain the WLTP.]

> 3.5 tonne GVW: 20% of the Base Vehicle Price (incl. VAT) and including any discounts applied up to a maximum of £16,000 if applicable. NOTE: This grant will be available following OZEV approval, and is only available for the first 250 ordered via the OLEV portal per full year,

3.1 CHOOSE YOUR PAINT COLOUR & UPP

COLID COLOLIDS	
SOLID COLOURS	

lcy White	Thunder Grey
POPR	PO2B
	1
•	•



Icy White Thunder Grey

2 WHFFLS

STANDARD STEEL WHEELS

Tyres: 215/70 R15 C



'35' versions

STANDARD STEEL
WHEELS

Tyres: 215/75 R16 C



35 Heavy version

15" WHEEL TRIMS

Tyres: 215/70 R15 C



'35' versions

16" WHEEL TRIMS Tyres: 215/75 R16 C



35 Heavy version

15" ALLOY WHEELS

Tyres: 215/70 R15 C



 $^{\prime}35^{\prime}$ versions

16" ALLOY WHEELS

Tyres: 215/75 R16 C



35 Heavy version

3.3 TRIMS



All versions

Magnet' trim - dark grey cloth with black and red twill 35FX

EQUIPMENT	CHASSIS CAB X	CHASSIS CAB ELECTRIC ENTERPRISE	CHASSIS CREW CAB	FLOOR CAB X	BACK TO BACK
ECHNOLOGY & ENTERTAINMENT					
elematics box for Free2Move Connect Fleet services	•	-	•	•	•
REE2MOVE Connect Fleet Telematics subscription – 6 months. Includes Fleet Management, Eco Driving & Geolocation packs. Enabling					
peolocation of fleets in real time, timestamped tracking and analysis of vehicle downtime, analysis of driving behaviour with ecotips, fuel	•	-	•	•	•
onsumption monitoring & mechanical alerts received in real time					
DAB radio with with steering mounted controls, Bluetooth® handsfree and USB socket	•	-	•	•	•
"Colour touchscreen with DAB radio, integrated stellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted		_			
ontrols	-	•	-	-	-
rifunction aerial in door mirror	0	0	0	0	0
COMFORT AND CONVENIENCE					"
Power steering (non variable)	•	•	•	•	•
Sear shift indicator	•	-	•	•	•
win lens door mirrors with electrically adjustable and heated upper mirror	•	•	•	•	•
Electric front windows	•	•	•	•	•
Reach adjustable steering wheel	•	•	•	•	•
Manual air-conditioning for cab area, including glovebox	0	•	0	0	0
hermostatic heating control. Used to set the temperature of the cabin in conjunction with the controls in the centre of the dashboard	-	•	-	-	-
JSB Charging socket on dashboard	-	•	-	-	-
SAFETY & SECURITY					
NBS	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	-
mergency Braking Assistance	•	•	•	•	•
BFD (Electronic Brake Force Distribution)	•	•	•	•	•
hatcham rolling transponder immobiliser	•	•	•	•	•
Dil level indicator	•	-	•	•	•
Driver's airbaq	•	•	•	•	•
ull size steel spare wheel	•	•	•	•	•
hree x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat)	•	•	•	•	•
Perimetric alarm & deadlocks	•	•	•	•	•
Cruise Control with programmable speed limiter. Not available on Relay 40 & electric versions	•	-	•	•	•
ligh frequency remote control central locking with 2-button plip	•	•	•	•	•
/isible Vehicle Identification Number (at base of windscreen)	•	•	•	•	•
IGHTING & VISIBILITY					
Halogen headlights with clear polycarbonate lenses	•	•	•	•	•
2 speed, intermittent front windscreen wipers	•	•	•	•	•
Remote headlight adjustment from facia	•	•	•	•	•
inted windows	•	•	•	•	•
aminated windscreen	•	•	•	•	•
Manually folding door mirrors	•	•	•	•	•
Standard O Optional at extra cost		•			

EQUIPMENT	CHASSIS CAB X	CHASSIS CAB ELECTRIC ENTERPRISE	CHASSIS CREW CAB	FLOOR CAB X	BACK TO BACK
SEATING					
Driver's seat height adjustment	•	•	•	•	•
Front door armrests	•	•	•	•	•
Passenger bench seat	•	•	•	•	•
Four seat bench in row 2 with 3-point seatbelts to outer seats, lap belts to inner seats	-	-	•	-	-
Non slip hardwearing front cabin floor covering	•	•	•	•	•
INTERIOR STYLE & STORAGE					
Two cup holders and mobile phone storage in centre of lower dashboard	•	-	•	•	•
Lockable, non-illuminated glove box	•	•	•	•	•
Lower central glovebox with dashboard tablet holder	-	•	-	-	-
12v socket in cabin	•	•	•	•	•
INSTRUMENTS			1	!	<u>'</u>
Rev counter, water temperature gauge, fuel gauge and trip computer (on electric versions the needles have been removed as not required)	•	-	•	•	•
Display screen in rear view mirror with traction battery charge level, battery voltage/amperage, and range	-	•	-	-	-
Battery charge warning	•	•	•	•	•
Bulb out warning for side light,headlamp and indicators	•	•	•	•	•
Lights on alarm	•	•	•	•	•
Door open warning for cab doors	•	•	•	•	•
CONVERTER EQUIPMENT					
Backless Cab	0	0	-	•	0
Electrical connections interface box	•				
Only for use for electrical connections for integral elements of a vehicle conversion					•
Extended wiring at rear of vehicle	0	0	0	0	0
Reinforced twin-leaf suspension	-	•	-	-	-
Heavy duty rear reinforced twin-leaf suspension	0	-	0	-	-
Wider door mirrors - allows max body width of 2200mm	•	•	•	•	•
ELECTRIC SPECIFIC					
Electric Charging Cable - Mode 3 Type 2 for Wallbox (8 Meters)	-	•	-	-	-
On Board Charger - compatible with both single and three phase power supply		•	_	-	_

Standard O Optional at extra cost

5.1 CHOOSE YOUR OPTIONS FOR YOUR RELAY CONVERSION PLATFORM

OPTIONS	NOTES	OPTION CODE	CHASSIS CAB X	CHASSIS CAB ELECTRIC ENTERPRISE	CHASSIS CREW CAB	X	BACK TO BACK X
COMFORT & CONVENIENCE				ALL P	PRICES ARE SUBJECT TO	VAT	
CONFORT & CONVENIENCE	Incompatible with front passengers' lateral and curtain airbags (NF04).						
Cabin overhead storage	Standard on Relay 40 versions	JO01	-	£75	•	-	-
Manual air conditioning for cab area, including glovebo		REO1	£700	•	£700	£700	£700
Leather steering wheel, gear lever, automatic lights and wipers	Present when Drive Assist Pack (E702) is ordered	VH04	-	£350	-	-	-
SAFETY & SECURITY							
Passenger airbag	Incompatible with optional front passengers', lateral and curtain airbags (NFO4)	NN01	£180	£180	£180	£180	£180
Front passengers' lateral and curtain airbags	Single passenger seat without height adjustment and passenger airbag become standard. Incompatible with standard passenger bench seat, cabin overhead storage (JOO1) and passenger airbag (NNO1)	NF04	-	£500	-	-	-
Tyre pressure monito		UE01	£200	£200	£200	£200	£200
Active Safety Brake and Lane Departure Warning system	Standard on e-Relay 40 Versions	D403	-	£720	-	-	-
Drive Assist Pack: Speed limit recognition, smart beam headlights, Active Safety Brake, collision alert an Lane Departure Warning system	Incompatible with Active Safety Brake and Lane Departure Warning (D403). Includes automatic lights and wipers (NB08)	E702	-	£850	-	-	-
Smart Tachograph (1C)	Standard on Relay 40 Versions. Costs for calibrating the tachograph are not included and are the responsibility of the operator	HC09	-	£450	-	-	-
LIGHTING & VISIBILITY							
LIGHTING & VISIBILITY Front LED daytime running lights & wheel trims	16" wheel trims on 35 Heavy & 40 Heavy versions	FE10	-	£270	-	-	-
	16" wheel trims on 35 Heavy & 40 Heavy versions	FE10 SY05	-	£270 -	-	-	- £70
Front LED daytime running lights & wheel trims	16" wheel trims on 35 Heavy & 40 Heavy versions NOTES			CHASSIS CAB ELECTRIC ENTERPRISE	- CHASSIS CREW CAB X	FLOOR CAB	£70 BACK TO BACK X
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS		SY05	- CHASSIS CAB	CHASSIS CAB ELECTRIC ENTERPRISE		FLOOR CAB	BACK TO BACK
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS	NOTES	SY05 OPTION CODE	CHASSIS CAB	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	X PRICES ARE SUBJECT TO	FLOOR CAB X	BACK TO BACK X
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS	NOTES Includes multi-season tyres	SY05	- CHASSIS CAB	CHASSIS CAB ELECTRIC ENTERPRISE	x	FLOOR CAB	BACK TO BACK
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86)	SY05 OPTION CODE	CHASSIS CAB	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	X PRICES ARE SUBJECT TO	FLOOR CAB X	BACK TO BACK X
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent contro	NOTES Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible	OPTION CODE UF04	CHASSIS CAB X	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	X PRICES ARE SUBJECT TO £550	FLOOR CAB X	BACK TO BACK X
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent control Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspensior	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible	OPTION CODE UF04 DZ85	CHASSIS CAB X £550	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	X RICES ARE SUBJECT TO £550 £385	FLOOR CAB X VAT £550 £385	BACK TO BACK X
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent contro Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspensior SEATING	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	OPTION CODE UF04 DZ85 DZ86	£550 £385	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	X PRICES ARE SUBJECT TO £550 £385	FLOOR CAB X D VAT £550 £385	- £385
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent control Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspensior	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	OPTION CODE UF04 DZ85 DZ86	£550 £385	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	X PRICES ARE SUBJECT TO £550 £385	FLOOR CAB X D VAT £550 £385	- £385
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent control Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspension SEATING Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	OPTION CODE UF04 DZ85 DZ86 SE16	£550 £385	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	£550 £385 - £150	- FLOOR CAB X DVAT \$550 \$385	
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent contro Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspensior SEATING Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	OPTION CODE UF04 DZ85 DZ86 SE16	£550 £385	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	£550 £385 - £150	- FLOOR CAB X DVAT \$550 \$385	. £385
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent contro Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspensior SEATING Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bencheat CONVERTER EQUIPMENT	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	DZ86 SE16 WM08 RX05 CA03	£550 £385	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	£550 £385 - £150	£550 £385	£385 £385 - 0
Front LED daytime running lights & wheel trims Rear lights supplied but not fitted OPTIONS WHEELS, TYRES & DRIVING CHARACTERISTICS Grip control with Hill Descent control Alloy wheels - 15" Alloy wheels - 16" Heavy duty rear twin-leaf suspension SEATING Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bencheat Seat CONVERTER EQUIPMENT Wider door mirrors to allow a maximum body width of 2350mn	Includes multi-season tyres 30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86) 35 & 40 Heavy versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ85)	DZ86 SE16 WM08 RX05	£550 £385	CHASSIS CAB ELECTRIC ENTERPRISE ALL P	£550 £150 £550	£550 £550	- £385 £385 - 0

	• Standard - N	lot available ♦ No cost o		ADE CUDIECT TO			
Trifunction aerial in door mirro		AT22	£70	£70	£70	£70	£70

BlueHDi 140 S&S

	ENGINE
Capacity (cc)	2179
Cylinders / Valves	4 / 16
Max power CEE (kW (hp)/rpm)	103 (140) / 3750
Max torque CEE (Nm (lb/ft)/rpm)	340 (251) / 1750
Bore and stroke (mm)	85 x 96
Fuel system	Diesel
Fuet system	High pressure turbo-charged direct injection
Euro status	Euro 6.3
Stop & Start system	•
	TRANSMISSION
Gearbox	Manual
Number of gears	6
	FURTHER INFORMATION
Fuel tank capacity Litres (gallons)	90 (19.8)
ADBLUE tank capacityLitres	18.6

1 FLECTRIC MOTOR INFORMATION

ENGINE							
Battery	Lithium-ion 70 kWh						
Max Torque CEE (Nm)	350						
Range (WLTP Combined @ 62 mph)	Up to 139 miles						
Max power CEE (kW (hp)/rpm)	90Kw (120hp)/5500						
CHARGING TIMES							
Single Phase 32A Wallbox (7.4kW)	12h						
Three Phase 16A Wallbox (22kW)	9h						
Rapid (DC) Charging (50 kW)	1h						
TRANSMISSION							
Gearbox	Automatic						
PERFORMANCE (all figures driver alone)							
Max speed (mph)	75						

Legal notice ELECTRIC VEHICLES:

[1] The range and electric consumption figures mentioned comply with the WLTP test procedure, on the basis of which new vehicles are type approved from 1 September 2018. They may vary depending on actual conditions of use and on different factors such as: speed, thermal comfort on board the vehicle, driving style and outside temperature. The charging time depends in particular on the power of the charger on board the vehicle, the charging cable and the type and power of the charging station used. Please contact your dealer for further information. For more information [refer to the website that each of the Brandshas put in place to explain the WLTP.]

70 kWh Battery

			ECONOMY Litres/100km ECONOMY MPG						NEDC CO ₂	WLTP CO ₂			
		Low	Medium	High	Extra-high	Combined	Low	Medium	High	Extra-high	Combined	EMISSIONS (g/km)	EMISSIONS (g/km)
				Chass	is Cab X								
L2	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	11.1-8.1	11.7-7.2	13.2-8	17.1-11.4	14-9	25.5-34.7	24.2-39.5	21.5-35.3	16.5-24.8	20.2-31.2	NLA	366-274
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	11.1-8.1	11.7-7.2	13.2-8	17.1-11.4	14-9	25.5-34.7	24.2-39.5	21.5-35.3	16.5-24.8	20.2-31.2	NLA	366-263
				Chassis C	Crew Cab X								
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Crew Cab X	11.1-8.1	11.7-7.2	13.2-8	17.1-11.4	14-9	25.5-34.7	24.2-39.5	21.5-35.3	16.5-24.8	20.2-31.2	NLA	366-282
				Floor	· Cab X								
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Floor Cab X	11.1-8.1	11.7-7.2	13.2-8	17.1-11.4	14-9	25.5-34.7	24.2-39.5	21.5-35.3	16.5-24.8	20.2-31.2	NLA	366-263
												'	
				Back to	o Back X								
N/A	Relay 35 BlueHDi 140 S&S 6-speed manual Back to Back Cab X	11.1-8.1	11.7-7.2	13.2-8	17.1-11.4	14-9	25.5-34.7	24.2-39.5	21.5-35.3	16.5-24.8	20.2-31.2	NLA	366-259
N/A	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Back to Back Cab X	11.1-8.1	11.7-7.2	13.2-8	17.1-11.4	14-9	25.5-34.7	24.2-39.5	21.5-35.3	16.5-24.8	20.2-31.2	NLA	366-238

[&]quot;WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO2 values of other vans tested to the same technical standard. The fuel consumption achieved, and CO2 produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted [pre and post registration]; variations in weather; driving styles and vehicle load. The WLTP [Worldwide Harmonised Light Vehicles Test Procedure] is used to measure fuel consumption and CO2 figures. The CO2 figures display a range to reflect the highest value for the highest emitting version with all available options added, through to a minimum value to represent the lowest emitting version in standard specification.

6.3 WEIG	HTS & LOADS									
		Gross Vehicle Weight (GVW)	Kerb weight (1)	Max indicative payload (2)	Max plated front axle (3)	Max plated rear axle (3)	Gross Train Weight (GTW)	Max braked towing weight (4)	Max unbraked towing weight	Max towball weight
		С	hassis Cab X							
L2	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	3500	1710	1790	1850	2000	6000	2500	<i>7</i> 50	100
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Cab X	3500	1730	1770	1850	2000	6000	2500	<i>7</i> 50	100
		Chass	is Cab Enter _l	orise						
L3	ë-Relay 35 Heavy L3 Electric 70kWh Chassis Cab Enterprise	3500	2455	1045	2100	2400	N/A	0	0	0
L3	ë-Relay 40 Heavy L3 Electric 70kWh Chassis Cab Enterprise	4005	2455	1550	2100	2400	N/A	0	0	0
		Chas	ssis Crew Cal	X						
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Chassis Crew Cab X	3500	1945	1555	1850	2000	6000	2500	750	100
		ı	Floor Cab X							
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Floor Cab X	3500	1705	1 <i>7</i> 95	1850	2000	6000	2500	<i>7</i> 50	100
		Ba	ack to Back X							
N/A	Relay 35 BlueHDi 140 S&S 6-speed manual Back to Back Cab X	3500	N/A	N/A	1850	2000	6000	2500	<i>7</i> 50	100
N/A	Relay 40 Heavy BlueHDi 140 S&S 6-speed manual Back to Back Cab X	4005	N/A	N/A	2100	2400	6505	2500	750	100

⁽¹⁾ Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

Quoted values apply to all trim levels unless detailed

⁽²⁾ Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerences and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits

⁽³⁾ Within limits of GVW.

⁽⁴⁾ Maximum recommended towing weight within limits of GTW.

7.1 KNOW EVERYTHING ABOUT YOUR RELAY CONVERSION PLATFORM

	L2		L3								
EXTERIOR DIMENSIONS (mm)	Chassis Cab (X)	Chassis Cab (X)	CHASSIS CAB ELECTRIC ENTERPRISE	Chassis Crew Cab	Floor Cab (X)	Back to Back Cab					
Wheelbase	3450	4035	4035	4035	4035	N/A					
Length	5258	5843	5843	5843	5843	N/A					
Height	2254	2254	2254	2254	2153	2254					
Width (excl. door mirrors)	2050	2050	2050	2050	2050	2050					
Front overhang	948	948	948	948	948	948					
Rear overhang	860	860	860	860	860	N/A					

MANUFACTURER'S RECOMMENDED RETAIL PRICE ON THE ROAD

	RELAY On the Road Costs	e-RELAY On the Road Costs
Delivery to Dealer & Number Plates	£658.33	£658.33
VAT	£131.67	£131.67
Vehicle Excise Duty*	£275.00	£0.00
First Registration Fee	£55.00	£55.00
Total OTR costs	£1,120.00	£845.00

^{*} Note, for goods vehicles weighing more than 3500kg the Vehicle Excise Duty is £165

VAT is calculated at 20 %

VAT is not applicable to vehicles sold in the Channel Islands

CITROËN 3 YEARS OF WARRANTY

All vehicles first registered in the UK and purchased from a UK Citroën Dealer benefit from a Citroën 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Citroën Dealer Network in the UK. This additional warranty carries a mileage limit of 100,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your Citroën Dealer in the UK.

CITROËN ASSISTANCE

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year, from date of vehicle registration, and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. You can also purchase additional Citroën Assistance via your local Citroën Dealer at any time. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. ë-Relay comes with a free of charge 8 year or 100,000 miles (whichever occurs first) Citroën Assistance starting from the date of registration. Full details are available on request from Citroën UK via cuk contactcentre@citroen.com

CITROËN FINANCIAL SERVICES

Free2Move have a number of financial products designed to help you afford the Citroën of your choice. We can arrange a finance plan quicky and conveniently. What's more, it will be as suited to your needs as your new Citroën. Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust. Tell your Citroën dealer what you want and let us do the rest. Just ask for a free, no obligation quote. Written quotations are available on request from Banque PSA UK Finance Ltd, 61 London Road, Redhill RH1 1QA. Finance is subject to status. Over 18's only, a quarantee may be required.

CITROËN SERVICING

Available up to one year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing package enables you to pay in advance for:

- '- Scheduled Servicing
- '- Annual Service(s) for vehicles with a two year service plan
- '- Brake Fluid Replacement

This package can be personalised depending on your needs, with options ranging from 12 to 60 months and 10,000 to 100,000 miles.

TERMS AND CONDITIONS

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles' price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Citroën dealer the specification (including colour), equipment accessories and equipment relating to any Citroën vehicle and the exact cost and availability prior to ordering. Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise

Issued by Sales and Marketing, Citroën UK Ltd, Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.





READY TO RUN CONVERSIONS

INSPIRED BY YOU

1 1 CHOOSE YOUR RELAY READY TO RUN VERSION

ALL VERSIONS INCLUDE

Comfort & Convenience

Air conditionina

Front electric windows

Twin lens door mirrors with electrically adjustable and heated upper mirror

12v socket in cabin

Full size steel spare wheel

Reach adjustable steering wheel

Two cupholders with mobile phone storage in centre of

lower dashboard

Safety & Security

ABS braking including EBA and EBFD
Remote central locking with deadlocking

Daytime running lights

Driver airbag

Perimetric alarm

Cruise Control with programmable speed limiter

Seating

Driver's seat with height, rake and reach adjustment

Dual passenger bench seat

Four seat rear bench with 3-point seatbelts to outer seats,

lap belts to inner seats (crew cab only)

Technology & Entertainment

DAB radio with Bluetooth® handsfree, USB socket and steering wheel mounted controls

Telematics box for Free2Move Connect Fleet Services

Conversion Equipment

Trifunction aerial in wing mirror (n/a to Crew Van Enterprise)
Heavy duty rear reinforced suspension (n/a to Low-Floor Luton and Crew Van Enterprise)

CRFW VAN ENTERPRISE

Comfort & Convenience

Rear parking sensors

Safety & Security

Alarm

Seating

Driver's seat with height, rake, reach and lumbar adjustment Driver's seat armrest

Technology & Entertainment

5" Colour touchscreen with DAB radio, integrated satellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls

Crew Van

Three-seat bench in row 2 with 3-point seat belts, fixed side windows, cloth headlining and non slip floor

Full, toughened plastic bulkhead with polycarbonate window fixed behind row 2 seats (in-lieu of full steel bulkhead behind row 1)

Moulded side panels with integrated bottle holders

LUTON

Lutons are chassis fitted with a large enclosed box on the back. The cargo area of the luton van extends over the cab. These vehicles are perfect for moving large goods

Load volume up to 20m³

Body approved to European design standards

Key features:

Aerodynamic pod providing additional storage area (Luton only)

Lightweight roller shutter rear door

High-quality GRP panels (11mm thick)

15mm thick floor

Interior LED light

Internal load locks and tie rails along side panels

High impact kick strips along side panels and bulkhead to provide protection









TIPPER

Tippers are commercial vehicles with an open platform that can be raised at the cab end to enable the

load to be tipped out with ease

Load length up to 2.87m

Body approved to European design standards

Key features:

Double-skinned aluminium sideboard

Three levels of load-lashing rails against the bulkhead and long load-lashing rail incorporated along top of the

High vis red and vellow finish to the tailboard

15mm thick, full birch non-slip deck

Lashing rings built into aluminium side extrusions

Electro-hydraulic lift with automatic overload prevention system

DROPSIDE

Dropsides are commercial vehicles with an open platform that has fold-down side panels, allowing easy

loading and unloading of goods

Load length up to 3.64m

Body approved to European design standards

Key features:

Boards are designed to withstand a burst load of 1.7 tonnes

Three levels of load-lashing rails against the bulkhead

Aluminium corner posts that extend above the tailboard to form lateral stops

15mm thick, full birch non-slip deck

Lashing rings built into aluminium side extrusions

CURTAINSIDE

Curtainsides are similar to box vans, except the sides of the body slide open (like curtains), enabling side

access as well as rear access for loading and unloading goods

Load volume up to 20m³

Body approved to European design standards

Key features:

Aerodynamic pod providing additional storage area

Lightweight rear barn doors with anti-corrosion external locking

Blue curtains with side aperture of 2080mm

15mm thick floor

Aluminium 'V' groove side rail with four pull-up hooks at 1m intervals

Interior LED light

High impact kick strip along bulkhead to provide protection

LOW FLOOR LUTON

Low-floor lutons are luton vans built on floor cabs (as opposed to chassis cabs), therefore providing the user with an easy access loading height and eliminating the need for extra loading equipment

Load volume up to 20m³ with a low loading height of 550mm

Body approved to European design standards

Key features:

Aerodynamic pod providing additional storage area

Double doors opening to 270°. Fitted with stainless steel cam locks, hinges and door open retainers

High-quality GRP panels (11mm thick)

15mm thick floor

Internal load locks and tie rails along side panels

Interior LED light

2.1 CHOOSE YOUR RELAY READY TO RUN VERSION

Body Type	Length	Version	HP	Insurance Group	Gross Vehicle Weight (kg)	MY	LCDV Code	Basic M.R.R.P.	V.A.T.	Total M.R.R.P.	On The Road M.R.R.P.
Tipper	L2	Relay 35 BlueHDi 140 S&S 6-speed manual Tipper	140	43A	3500	22	2CU94FHNYKU0Z0E0	£33,680	£6,736	£40,416	£41,536
	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Crew Cab Tipper	140	43A	3500	22	2CU96XHNYKU0Z0E0	£35,580	£7,116	£42,696	£43,816
Dropside	L2	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	140	43A	3500	22	2CU94FHNYKU0Z2E0	£31,580	£6,316	£37,896	£39,016
	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	140	44A	3500	22	2CU96FHNYKU0Z0E0	£32,580	£6,516	£39,096	£40,216
	L4	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	140	44A	3500	22	2CU96FHNYKU0Z1E0	£33,580	£6,716	£40,296	£41,416
	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Crew Cab Dropside	140	43A	3500	22	2CU96XHNYKU0Z2E0	£33,580	£6,716	£40,296	£41,416
Luton	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Luton	140	45A	3500	22	2CU96FHNYKU0Z4E0	£35,580	£7,116	£42,696	£43,816
	L4	Relay 35 BlueHDi 140 S&S 6-speed manual Luton	140	45A	3500	22	2CU96FHNYKU0Z5E0	£36,580	£7,316	£43,896	£45,016
Curtainside	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside	140	45A	3500	22	2CU96FHNYKU0Z8E0	£36,880	£7,376	£44,256	£45,376
	L4	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside	140	45A	3500	22	2CU96FHNYKU0Z9E0	£37,880	£7,576	£45,456	£46,576
Low-Floor Luton	L3	Relay 35 BlueHDi 140 S&S 6-speed manual Low-Floor Luton	140	46A	3500	22	2CU96QHNYKU0Z9E0	£39,280	£7,856	£47,136	£48,256
Crew Van Enterprise	L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	140	TBC	3500	22	2CU95KLNYKU09CE0	£36,550	£7,310	£43,860	£44,980

3.1 CHOOSE YOUR PAINT COLOUR & UPF

SOLID COLOURS	

lcy White	Thunder Grey							
POPR	PO2B							
•	•							



lcy White Thunder Grey

3.2 WHEELS

STANDARD STEEL WHEELS

Tyres: 215/70 R15 C



'35' versions

15" WHEEL TRIMSTyres: 215/70 R15 C



'35' versions

15" ALLOY WHEELS

Tyres: 215/70 R15 C



'35' versions

3.3 TRIMS



All versions

Magnet' trim - dark grey cloth with black and red twill 35FX

EQUIPMENT	TIPPERS DROPSIDES LUTONS CURTAINSIDES	LOW-FLOOR LUTON	CREW VAN ENTERPRISE
TECHNOLOGY & ENTERTAINMENT			
Telematics box for Free2Move Connect Fleet services	•	•	•
DAB radio with with steering mounted controls, Bluetooth® handsfree and USB socket	•	•	-
FREE2MOVE Connect Fleet Telematics subscription – 6 months. Includes Fleet Management, Eco Driving & Geolocation packs. Enabling geolocation of fleets in real time, timestamped tracking and analysis of vehicle downtime, analysis of driving behaviour with ecotips, fuel consumption monitoring & mechanical alerts received in real time	•	•	•
5" Colour touchscreen with DAB radio, integrated stellite navigation, Bluetooth® handsfree, USB socket and steering wheel mounted controls	-	-	•
Trifunction aerial in door mirror	•	•	-
COMFORT AND CONVENIENCE			
Power steering (non variable)	•	•	•
Gear shift indicator	•	•	•
Twin lens door mirrors with electrically adjustable and heated upper mirror	•	•	•
Electric front windows	•	•	•
Reach adjustable steering wheel	•	•	•
Manual air-conditioning for cab area, including glovebox	•	•	•
SAFETY & SECURITY			
ABS	•	•	•
Electronic Stability Control (ESC)	•	•	•
Emergency Braking Assistance	•	•	•
EBFD (Electronic Brake Force Distribution)	•	•	•
Thatcham rolling transponder immobiliser	•	•	•
Oil level indicator	•	•	•
Cruise control with variable speed limiter	•	•	•
Driver's airbag	•	•	•
Full size steel spare wheel	•	•	•
Three x3 point inertia reel, height adjustable seatbelts (Two with single passenger seat)	•	•	•
Perimetric alarm & deadlocks	•	•	•
High frequency remote control central locking with 2-button plip	•	•	•
Visible Vehicle Identification Number (at base of windscreen)	•	•	•
LIGHTING & VISIBILITY			
Halogen headlights with clear polycarbonate lenses	•	•	•
2 speed, intermittent front windscreen wipers	•	•	•
Remote headlight adjustment from facia	•	•	•
Tinted windows	•	•	•
Laminated windscreen	•	•	•
Manually folding door mirrors	•	•	•
-6-1-100-8-1			

Standard O Optional at extra cost

EQUIPMENT	TIPPERS DROPSIDES LUTONS CURTAINSIDES	LOW-FLOOR LUTON	CREW VAN ENTERPRISE
SEATING			
Driver's seat height adjustment	•	•	•
Front door armrests	•	•	•
Passenger bench seat	•	•	•
Four seat bench in row 2 with 3-point seatbelts to outer seats, lap belts to inner seats	• (Crew Cab only)	-	-
Three seat bench in row 2 with adjustable head restraints		-	•
Non slip hardwearing front cabin floor covering	•	•	•
INTERIOR STYLE & STORAGE			
Two cup holders and mobile phone storage in centre of lower dashboard	•	•	-
Lower central glovebox with dashboard tablet holder	-	-	•
Lockable, non-illuminated glove box	•	•	•
USB Charging socket on dashboard	-	-	•
INSTRUMENTS			
Rev counter, water temperature gauge, fuel gauge and trip computer	•	•	•
Battery charge warning	•	•	•
Bulb out warning for side light, headlamp and indicators	•	•	•
Lights on alarm	•	•	•
Door open warning for cab doors	•	•	•
CONVERTER EQUIPMENT			
Electrical connections interface box - Only for use for electrical connections for integral elements of a vehicle conversion	•	•	0
Extended wiring at rear of vehicle	•	•	-
Heavy duty rear reinforced twin-leaf suspension	•	-	-
Wider door mirrors - allows max body width of 2200mm	•	•	-

Standard O Optional at extra cost

5.1 CHOOSE YOUR OPTIONS FOR YOUR RELAY READY TO RUN VERSION

OPTIONS	NOTES	OPTION CODE	TIPPERS, DROPSIDES, LUTONS, CURTAINSIDES	TIPPER CREW CAB, DROPSIDE CREW CAB ALL PRICES ARE S	LOW-FLOOR LUTONS	CREW VAN ENTERPRISE
SAFETY & SECURITY				ALE I HICLO FINE O	100,201 10 VA	
Passenger airbag	Incompatible with optional front passengers', lateral and curtain airbags (NF04)	NN01	£180	£180	£180	£180
Tyre pressure monitor		UE01	£200	£200	£200	£200
LIGHTING & VISIBILITY						
Electric folding door mirrors	Incompatible when Blind Spot Monitoring system with Rear Traffic Alert (AOO1) is ordered	HU02	-	-	-	£150
		• Standard -	Not available ♦ N	o cost option ALL PR	ICES ARE SUBJECT	TO VAT
OPTIONS	NOTES	OPTION CODE	TIPPERS, DROPSIDES, LUTONS, CURTAINSIDES	TIPPER CREW CAB, DROPSIDE CREW CAB	LOW-FLOOR LUTONS	CREW VAN ENTERPRISE
				ALL PRICES ARE S	SUBJECT TO VAT	
WHEELS, TYRES & DRIVING CHARACTERISTICS						
Grip control with Hill Descent control	Includes multi-season tyres	UF04	£550	£550	£550	£550
Alloy wheels - 15"	30, 33 & 35 versions only. Alloy wheels and wheel trims are incompatible (SU01/DZ86)	DZ85	£385	£385	£385	£385
Reinforced twin-leaf suspension	Incompatible with rear adjustable pneumatic suspension (UA04)	SE08	-	-	-	£150
DOOR & WINDOW OPTIONS						
Glazed rear doors - with heated rear windows and internal rear view mirror		VC02	-	-	-	£250
Offside sliding side loading door		PC12	-	-	-	£350
270° opening rear doors		LL02	-	-	-	£250
SEATING			_			
Single passenger seat with armrest, height and lumbar adjustment. In lieu of standard passenger bench seat		WM08	◊	♦	◊	◊
CONVERTER EQUIPMENT						
Wider door mirrors to allow a maximum body width of 2350mm	Incompatible with electric folding door mirrors (HU02)	RX05	£50	£50	£50	-
Electrical connections interface box	Includes reinforced Alternator	JIO1		•	•	£140
- Only for use for electrical connections for integral elements of a vehicle conversion	includes reinforced Atternator		•		•	2
		Standard -	Not available 🛊 N	o cost option ALL PR	ICES ARE SUBJECT	TO VAT

5.2 CHOOSE YOUR ACCESSORIES FOR YOUR RELAY READY TO RUN VERSION

			Basic M.R.R.P.	IMPACT ON PAYLOAD
ACCESSORY	NOTES	ACCESSORY CODE	ALL PRICES ARE SUBJECT TO VAT	(KG)
TIPPERS AND DROPSIDES				
Deck-mounted toolbox	Toolbox mounted on the deck against the bulkhead, providing 0.6 cubic metres of	238	£400	56
T. I.	storage	227	0500	20
Tow-bar and electrics (not compatible with accessory 230)	Tow bracket, 13-pin towing socket and dual ball & pin coupling	227	£590	38
Light bar	R65 compliant LED unit incorporated into the bulkhead, provides full 360 degree visibility	229	£300	11
Steps and grab-handles	Steel folding steps at the front of the platform with aluminium grip rails (high vis finish) Come as a pair.	730	£110	16
Tail lift (dropside only) (not compatible with accessory 227)	1 metre-deep platform - incorporates folding side gates and trailing edge	230	£2,200	220
Anti-fall rails (dropside only)	Removable rails with a high vis finish	231	£270	22
LUTON / BOX BODIES				
Tail lift	DEL column tail lift. 500kg capacity. 815mm platform + 205mm fixed leading edge	232	£1,695	155
Load lock track (one row). Not compatible with 240	Side-mounted tracks that enable secure payload storage	236	£135	10
Tie rail (one rail). Not compatible with 236	Side-mounted rails that enable secure payload storage	240	£135	7.5
Lashing rings (pair)	Recessed lashing rings (sitting 3mm above the floor) for additional load restraint options	241	£75	0.74
Rear barn doors (in lieu of narrow lateral shutter)	17mm GRP rear barn doors	235	£195	50
Lightweight panels	Replace side panels with lightweight panels	242	£650	-110
Lightweight base and rear frames	Aluminium baseframe with a pressed aluminium rear frame	243	£495	-75
Solid paint option to match base vehicle (conversion body only) ¹	Paint to the body of the conversion to match paint to the cab if ordered - SOLID PAINT PRICE	247	£950	0
CURTAINSIDES				
Narrow lateral shutter (in lieu of barn doors)	Aluminium narrow shutters that fold up at the roof	244	£395	40
Lightweight wide lateral shutter (in lieu of barn doors). Not compatible with 244	Aluminium wide lateral shutter slides into roof allowing greater rear aperture	245	£495	35
Steps and grab-handles	2 rung pull-out step and plastic handle	246	£125	6
Hooks in floor (four)	Fitted at 1000mm intervals for additional load restraint options	234	£50	1
LOW-FLOOR LUTONS				
Solid paint option to match base vehicle (conversion body only) ¹	Paint to the body of the conversion to match paint to the cab if ordered - SOLID PAINT PRICE	250	£1,500	0
¹Costs will be incurred for any colour other than Polar White			ALL PRICES ARE SUBJECT TO VAT	•

BlueHDi 140 S&S

	ENGINE
Capacity (cc)	2179
Cylinders / Valves	4 / 16
Max power CEE (kW (hp)/rpm)	103 (140) / 3750
Max torque CEE (Nm (lb/ft)/rpm)	340 (251) / 1750
Bore and stroke (mm)	85 x 96
Fuel system	Diesel
Fuet system	High pressure turbo-charged direct injection
Euro status	Euro 6.3
Stop & Start system	•
	TRANSMISSION
Gearbox	Manual
Number of gears	6
	FURTHER INFORMATION
Fuel tank capacity Litres (gallons)	90 (19.8)
ADBLUE tank capacityLitres	18.6

			ECON	OMY Litres/	100km		ECONOMY MPG					NEDC CO ₂	WLTP CO ₂
		Low	Medium	High	Extra-high	Combined	Low	Medium	High	Extra-high	Combined	EMISSIONS (g/km)	EMISSIONS (g/km)
				Tippe	r								
L2	Relay 35 BlueHDi 140 S&S 6-speed manual Tipper	10.3	9.7	9.7	13.9	11.2	27.4	29.1	29.1	20.3	25.2	186	295-270
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Crew Cab Tipper	10.6	10.0	9.9	14.2	11.5	26.6	28.2	28.5	19.9	24.6	186	303-279
		!									I	-	
				Dropsi	de								
L2	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	10.1	9.4	9.5	13.6	11.0	28.0	30.1	29.7	20.8	25.7	186	288-264
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	10.1	9.5	9.5	13.6	11.0	28.0	29.7	29.7	20.8	25.7	186	289-265
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	10.1	9.5	9.5	13.7	11.0	28.0	29.7	29.7	20.6	25.7	186	290-266
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Crew Cab Dropside	10.4	9.8	9.8	14.0	11.3	27.2	28.8	28.8	20.2	25.0	186	297-273
				Lutor									
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Luton	10.7	10.5	11.4	17.2	13	26.4	26.9	24.8	16.4	21.8	186	340-280
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Luton	10.9	10.8	11.6	17.1	13.1	25.9	26.2	24.4	16.5	21.6	186	344-286
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Luton With Tail Lift	10.9	10.8	11.5	17	13.1	25.9	26.2	24.6	16.6	21.6	186	343-287
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Luton With Tail Lift	11.2	11	11.7	16.9	13.2	25.2	25.7	24.1	16.7	21.4	186	347-293
				Curtains	• 1								
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside	10.9	10.8	11.7	17.4	13.3	25.9	26.2	24.1	16.2	21.2	186	348-286
L3 L4	Relay 35 BlueHDi 140 S&S o-speed manual Curtainside Relay 35 BlueHDi 140 S&S o-speed manual Curtainside	11.1	11.0	11.7	17.4	13.4	25.4	25.7	23.7	16.2	21.2	186	348-286
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside With Tail Lift	11.1	10.9	11.7	17.4	13.4	25.7	25.9	24.1	16.3	21.1	186	348-289
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside With Tail Lift	11.2	11.1	11.9	17.3	13.4	25.2	25.4	23.7	16.4	21.2	186	351-293
L4	Relay 33 Bitter Dr. 140 303 0-speed manual Curtainside With Tall Lift	11.2	11.1	11.7	17.2	13.4	23.2	23.4	23./	10.4	21.1	180	331-273
				Low Floor	Luton								
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Low-Floor Luton	10.2	10.1	10.7	16.6	12.4	27.7	28.0	26.4	17.0	22.8	186	325-269
	The state of the s							_0.0			0		323 237
			Cr	ew Van Er	terprise								
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	TBC	TBC	TBC	TBC	TBC	TBC	TBC	TBC	TBC	TBC	186	250-242

WLTP & NEDC data is provisional until final conversion data is available

The CO2 figures shown are NEDCeq (New European Driving Cycle Equivalent) for the base Relay Chassis Cab prior to conversion. These are calculated using an EC correlation tool which converts WLTP figures to NEDC. These NEDCeq figures are based on the outgoing test cycle Quoted values apply to all trim levels unless detailed

^{*}WLTP figures shown are for comparison purposes and should only be compared to the fuel consumption and CO2 values of other vans tested to the same technical standard. The fuel consumption and hieved, and CO2 produced, in real world conditions will depend upon a number of factors including, but not limited to: the accessories fitted [pre and post registration]; variations in weather; driving styles and vehicle load. The WLTP (Worldwide Harmonised Light Vehicles Test Procedure) is used to measure fuel consumption and CO2 figures. The CO2 figures display a range to reflect the highest emitting version with all available options added, through to a minimum value to represent the lowest emitting version in standard specification.

		Weight (GVW)	Kerb weight (1)	payload (2)	front axle (3)	rear axle (3)
	Tipper	r				
L2	Relay 35 BlueHDi 140 S&S 6-speed manual Tipper	3500	2325	1175	1850	2000
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Crew Cab Tipper	3500	2511	989	1850	2000
	Dropsic	le .				
L2	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	3500	2179	1321	1850	2000
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	3500	2208	1292	1850	2000
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Dropside	3500	2229	1271	1850	2000
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Crew Cab Dropside	3500	2381	1119	1850	2000
	Luton					
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Luton	3500	2341	1159	1850	2000
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Luton	3500	2482	1018	1850	2000
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Luton With Tail Lift	3500	2496	1004	1850	2000
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Luton With Tail Lift	3500	2637	863	1850	2000
	Curtains	ide				
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside	3500	2466	1034	1850	2000
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside	3500	2559	941	1850	2000
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside With Tail Lift	3500	2530	970	1850	2000
L4	Relay 35 BlueHDi 140 S&S 6-speed manual Curtainside With Tail Lift	3500	2623	877	1850	2000
	Low Floor I	_uton				
L3	Relay 35 BlueHDi 140 S&S 6-speed manual Low-Floor Luton	3500	2133	1367	1850	2000
	Crew Van En	ternrise				
L3H2	Relay 35 BlueHDi 140 S&S 6-speed manual Enterprise Crew Van	3500	2185	1315	1870	2000

Gross Vehicle

Max indicative

Max plated

Max plated

The weight figures shown are provisonal subject to receiving final data from the converters

(3) Within limits of GVW.

⁽¹⁾ Without driver. Kerb weight is calculated for a European base specification vehicle including oil, water, lubricants, tools, spare wheel and 90% full fuel tank. Weights may change with the addition of equipment.

⁽²⁾ Maximum indicative payload is calculated as the difference between GVW and kerb weight. However, due to manufacturing tolerences and differences in the specification of UK vehicles, the mass in service figure provides a closer indication of the vehicle weight and therefore enables a more realistic payload to be calculated. An individual vehicle must be weighed to establish the exact kerb weight and payload applicable to that vehicle. It is the responsibility of the driver to ensure the vehicle is operated within the legal limits. This figure includes the driver.

7.1 KNOW EVERYTHING ABOUT YOUR RELAY READY TO RUN VERSION

EXTERIOR DIMENSIONS (mm)	Tipper	Crew Cab Tipper	Dropside		Crew Cab Dropside	Luton		Curtainside		Low-Floor Luton	Crew Van Enterprise	
	L2	L3	L2	L3	L4	L3	L3	L4	L3	L4	L3	L3H2
Wheelbase	3450	4035	3450	4035	4035	4035	4035	4035	4035	4035	4035	4035
Overall length	5895	6100	5645	6229	6594	6229	5970	6590	5970	6590	5970	5998
Overall height	2370	2370	2370	2370	2370	2370	3200	3200	3320	3320	3170	2522
Width (excl. door mirrors)	2087	2087	2087	2087	2087	2087	2085	2085	2085	2085	2200	2050
Front overhang	948	948	948	948	948	948	948	948	948	948	948	948
Rear overhang (including rear light bar)	1497	1117	1247	1246	1581	1246	987	1607	987	1607	987	1015

INTERIOR CONVERSION DIMENSIONS (mm)	Tipper	Crew Cab Tipper	Dropside			Crew Cab Dropside	Luton		Curtainside		Low-Floor Luton	Crew Van Enterprise
	L2	L3	L2	L3	L4	L3	L3	L4	L3	L4	L3	L3H2
Volume (m³,	-	-	-	-	-	-	16	20	17	20	20	10.5
Conversion body length	2870	2670	3059	3644	4099	2805	3480	4150	3480	4150	4100	-
Conversion body height	-	-	-	-	-	-	2235	2390	2350	2350	2250	-
Conversion body width	2026	2026	2026	2026	2026	2026	2057	2057	2057	2085	2100	-

MANUFACTURER'S RECOMMENDED RETAIL PRICE ON THE ROAD

	RELAY On the Road Costs					
Delivery to Dealer & Number Plates	£658.33					
VAT	£131.67					
Vehicle Excise Duty*	£275.00					
First Registration Fee	£55.00					
Total OTR costs	£1,120.00					

 $^{^{\}star}$ Note, for goods vehicles weighing more than 3500kg the Vehicle Excise Duty is £165

VAT is calculated at 20%

VAT is not applicable to vehicles sold in the Channel Islands

CITROËN 3 YEARS OF WARRANTY

All vehicles first registered in the UK and purchased from a UK Citroën Dealer benefit from a Citroën 2 - Year unlimited mileage manufacturer's warranty and a free optional additional 1 year of warranty provided by the Citroën Dealer Network in the UK. This additional warranty carries a mileage limit of 100,000 miles from first registration and is dependent upon the manufacturer's recommended servicing being carried out at the specified time or distance intervals. For full terms and conditions, please consult your Citroën Dealer in the UK.

CITROËN ASSISTANCE

In response to a free telephone call in the UK, Citroën Assistance brings rapid expert roadside assistance to you in an emergency. It comes free of charge for a full year, from date of vehicle registration, and operates 24 hours a day in all parts of the UK and Europe. Services include nationwide recovery for both van and passengers, a home call service, replacement vehicle, hotel accommodation and vehicle storage if required. You can also purchase additional Citroën Assistance via your local Citroën Dealer at any time. Please note, Citroën Assistance only applies to incidents covered by the new vehicle warranty, and excludes non-vehicle faults, such as running out of fuel, mis-fuelling, loss of keys, lock-ins, road traffic accidents and punctures/wheel changes. Full details are available on request from Citroën UK via cuk_contactcentre@citroen.com

CITROËN FINANCIAL SERVICES

Free2Move have a number of financial products designed to help you afford the Citroën of your choice. We can arrange a finance plan quicky and conveniently. What's more, it will be as suited to your needs as your new Citroën. Our finance plans combine all the know how of a company that has an extensive knowledge of the car market with a financial service you can trust. Tell your Citroën dealer what you want and let us do the rest. Just ask for a free, no obligation quote. Written quotations are available on request from Banque PSA UK Finance Ltd, 61 London Road, Redhill RH1 1QA. Finance is subject to status. Over 18's only, a quarantee may be required.

CITROËN SERVICING

Available up to one year from your vehicle's registration date, but before its first chargeable service, a Citroën Servicing package enables you to pay in advance for:

- '- Scheduled Servicing
- '- Annual Service(s) for vehicles with a two year service plan
- '- Brake Fluid Replacement

This package can be personalised depending on your needs, with options ranging from 12 to 60 months and 10,000 to 100,000 miles.


TERMS AND CONDITIONS

Every endeavour has been made to ensure that the information, details and descriptions set out in this literature are correct at the time of going to print. It is our policy to continually improve our vehicles in every way and we reserve the right to modify our vehicles' price, specification (including colour), equipment, accessories and characteristics or to discontinue any model, without notice, at any time. To avoid any misunderstandings you are advised to check with your Citroën dealer the specification (including colour), equipment accessories and equipment relating to any Citroën vehicle and the exact cost and availability prior to ordering. Where a feature is described as an option in this publication it should be assumed that it is at extra cost unless specifically stated otherwise.

Issued by Sales and Marketing, Citroën UK Ltd, Pinley House, 2 Sunbeam Way, Coventry CV3 1ND.







PURE VANS

Telephone - 01633-212944 Email - sales@purevans.com

www.purevans.com